






TOP SHEET


Cannot open file C:\Users\user\Pictures\Saved Pictures\espark-consulting-group-150x150.jpg. File does not exist.	Title: Dark_Tag.PrjPcb		
	Size: A4	Number: 1	Revision: 1
	Date: 7/09/2022	Sheet 1 of 4	
	File: E:\DarkTag-PCBReview\..\Top_Sheet.SchDoc	Drawn By: Huzaifa Ali	













CONNECTOR SECTION

Cannot open file C:\Users\user\Pictures\Saved Pictures\espark-consulting-group-150x150.jpg. File does not exist.	Title: Dark_Tag.PrjPcb		
	Size: A4	Number: 1	Revision: 1
	Date: 7/09/2022	Sheet 2 of 4	
	File: E:\DarkTag-PCBReview\..\Connector_Section.SchDoc	Drawn By: Huzaifa Ali	


WIRELESS CHARGING COIL




WIRELESS POWER RECEIVER




SUPPORTING CIRCUIT WIRELESS POWER RECEIVER




PULL DOWN RESISTOR




BATTERY CHARGING IC




SUPPORTING CIRCUIT BATTERY CHARGING IC




CHARGE INDICATION







Cannot open file C:\Users\user\Pictures\Saved Pictures\espark-consulting-group-150x150.jpg. File does not exist.

Title: Dark_Tag.PrjPcb		
Size: A4	Number: 1	Revision: 1
Date: 7/09/2022	Sheet 3 of 4	
File: E:\DarkTag-PCBReview\..\Battery_Charging_Section.SchDoc	Drawn By: Hazaifa Ali	






POWER SECTION



Cannot open file C:\Users\user\Pictures\Saved Pictures\espark-consulting-group-150x150.jpg. File does not exist.	Title: Dark_Tag.PrjPcb		
	Size: A4	Number: 1	Revision: 1
	Date: 7/09/2022	Sheet 4 of 4	
	File: E:\DarkTag-PCBReview\..\Power_Section.SchDoc	Drawn By: Huzaifa Ali	


15.00 (mm)
30.00 (mm)
20.00 (mm)
10.00 (mm)
30.00 (mm)
15.00 (mm)
P3
C3
D1
R20
R18
R16
R15
R1
R14
C4
C18
J1
C2
LED2
LED1
C5
D2
C15
C7
C9
C8
U1
C14
CF1
C1
R12
R10
R8
L1
P2
R6
R9
C17
U2
R13
RF2
C13
R11
CP2
C16
C11
C10
C12
C6
R5
U3
R2
CF3
P4
R25
R24
R23
R22
R21

Comment	Description	Designator	Footprint	LibRef	Quantity
10uF	CAP CER 10UF 25V X5R 0805, CAP CER 10UF 16V X5R 0805	C1, C2, C4, C8, C13, C15, C16	Cap0805	TMK212BBJ106KGHT, CL21A106KOQNNNE	7
0.1uF	CAP CER 0.1UF 16V X7R 0402	C3, C6	Cap0402	GCM155R71C104KA55D	2
0.47uF	CAP CER 0.47UF 25V X5R 0402	C5, C10	Cap0402	CL05A474KA5NNNC	2
0.022UF	CAP CER 0.022UF 25V X7R 0402	C7, C11	Cap0402	GCM155R71E223KA55J	2
10nF	CAP CER 10000PF 25V X7R 0402	C9, C12	Cap0402	GRM155R71E103KA01D	2
1uF	CAP CER 1UF 25V X7R 0805	C14, C18	Cap0805	GCM21BR71E105KA56L	2
47nF	CAP CER 0.047UF 25V X7R 0805	C17	Cap0805	CC0805KRX7R8BB473	1
4.7uF	CAP CER 4.7UF 10V X5R 0805	CF1	Cap0805	CL21A475KPFNNNE	1
150nF	25V 150nF Y5V -20%~+80% 0603 Multilayer Ceramic Capacitors MLCC - SMD/SMT ROHS	CF2	Cap 0603	0603F154Z250CT	1
2.2nF	25V 2.2nF X7R ±5% 0603 Multilayer Ceramic Capacitors MLCC - SMD/SMT ROHS	CF3	Cap 0603	CC0603JRX7R8BB222	1
SK56A-LTP	DIODE SCHOTTKY 5A 60V SMA	D1, D2	SMA	SK56A-LTP	2
U262-061N-4BVC11	USB 3.1 1 Surface Mount 6 Female -25°C~+85°C Type-C SMD USB Connectors ROHS	J1	U262-061N-4BVC11	U262-061N-4BVC11	1
4.7uH	FIXED IND 4.7UH 2A 72 MOHM SMD	L1	SRN5020-4R7M	SRN5020-4R7M	1
1uH	Fixed Ind 1UH 2.52A 41 Mohm SMD	L2	74404041010	74404041010	1
LT Q39E-Q1OO-25-1	LED GREEN DIFFUSED 0603 SMD	LED1, LED2	LED 0603	LT Q39E-Q1OO-25-1	2
61300211121	CONN HEADER VERT 2POS 2.54MM	P1, P2	HDR1X2	61300211121	2
M20-9991045	CONN HEADER VERT 10POS 2.54MM	P3, P4	HDR1X10	M20-9991045	2
1M	RES SMD 1M OHM 1% 1/16W 0402	R1	Res0402	AF0402FR-071ML	1
20K	RES 20K OHM 5% 1/16W 0402	R2	Res0402	RMCF0402JT20K0	1
10K	RES SMD 10K OHM 5% 1/16W 0402	R4, R5, R6, R8, R9, R10, R11	Res0402	RC0402JR-0710KP	7
2.21K	RES SMD 2.21KOHM 0.1% 1/16W 0402	R7	Res0402	AT0402BRD072K21L	1
158R	RES 158 OHM 1% 1/16W 0402	R12	Res0402	RC0402FR-07158RL	1
221R	RES 221 OHM 1% 1/16W 0402	R13	Res0402	RC0402FR-07221RL	1
1K	RES SMD 1K OHM 1% 1/16W 0402	R14, R15, R16, R18, R20, R21, R22, R23, R24, R25	Res0402	AF0402FR-071KL	10
5.1K	RES 5.1K OHM 5% 1/10W 0603	R17, R19	Res0603	RMCF0603JT5K10	2
196R	RES 196 OHM 1% 1/16W 0402	RF1	Res0402	RC0402FR-07196RL	1
66.5R	62.5mW 50V ±1% ±100ppm/°C -55°C~+155°C 66.5Ω 0402 Chip Resistor - Surface Mount ROHS	RF2	Res0402	WR04X66R5FTL	1
MCP1643T-I/MS	IC LED DRV RGLTR PWM 550MA 8MSOP	U1	8-MSOP	MCP1643T-I/MS	1
BQ51013BRHLR	IC WIRELESS PWR RCVR 20QFN	U2	20QFN	BQ51013BRHLR	1
BQ25616JRTWR	IC BATT CHG LI-ION 1CELL 24WQFN	U3	24-WQFN (4x4)	BQ25616JRTWR	1