100.00mm
40.00mm
Layer
1
2
3
4
Total
ezlo

| Layer | Name | Material | Thickness | Constant | Board Layer Stack |
|---|---|---|---|---|---|
| | Top Overlay | | | | |
| | Top Solder | Solder Resist | 0.39mil | 3.3 | |
| 1 | Top Layer | | 1.38mil | | |
| | Dielectric 2 | FR-4 | 8.27mil | 4.6 | |
| 2 | Signal + GND | CF-004 | 0.60mil | | |
| | Dielectric 1 | FR-4 | 41.93mil | 4.6 | |
| 3 | Signal + 3v3 | CF-004 | 0.60mil | | |
| | Dielectric 3 | FR-4 | 8.27mil | 4.6 | |
| 4 | Bottom Layer | | 1.38mil | | |
| | Bottom Solder | Solder Resist | 0.39mil | 3.3 | |
| | Bottom Overlay | | | | |
| Total board thickness: | | | 63.21mil | | |

100.00mm
40.00mm
Layer
1
2
3
4
Total
RoHS
Compliant
ZERO CARBON FOOTPRINT

| Layer | Name | Material | Thickness | Constant | Board Layer Stack |
|---|---|---|---|---|---|
| | Top Overlay | | | | |
| | Top Solder | Solder Resist | 0.39mil | 3.3 | |
| 1 | Top Layer | | 1.38mil | | |
| | Dielectric 2 | FR-4 | 8.27mil | 4.6 | |
| 2 | Signal + GND | CF-004 | 0.60mil | | |
| | Dielectric 1 | FR-4 | 41.93mil | 4.6 | |
| 3 | Signal + 3v3 | CF-004 | 0.60mil | | |
| | Dielectric 3 | FR-4 | 8.27mil | 4.6 | |
| 4 | Bottom Layer | | 1.38mil | | |
| | Bottom Solder | Solder Resist | 0.39mil | 3.3 | |
| | Bottom Overlay | | | | |
| Total board thickness: | | | 63.21mil | | |

100.00mm
40.00mm
RoHS
Compliant
ZERO CARBON FOOTPRINT
Layer
1
2
3
4
Total

| Layer | Name | Material | Thickness | Constant | Board Layer Stack |
|---|---|---|---|---|---|
| | Top Overlay | | | | |
| | Top Solder | Solder Resist | 0.39mil | 3.3 | |
| 1 | Top Layer | | 1.38mil | | |
| | Dielectric 2 | FR-4 | 8.27mil | 4.6 | |
| 2 | Signal + GND | CF-004 | 0.60mil | | |
| | Dielectric 1 | FR-4 | 41.93mil | 4.6 | |
| 3 | Signal + 3v3 | CF-004 | 0.60mil | | |
| | Dielectric 3 | FR-4 | 8.27mil | 4.6 | |
| 4 | Bottom Layer | | 1.38mil | | |
| | Bottom Solder | Solder Resist | 0.39mil | 3.3 | |
| | Bottom Overlay | | | | |
| Total board thickness: | | | 63.21mil | | |

100.00mm
40.00mm
RoHS
Compliant
ZERO CARBON FOOTPRINT
Layer
1
2
3
4
Total

| Layer | Name | Material | Thickness | Constant | Board Layer Stack |
|---|---|---|---|---|---|
| | Top Overlay | | | | |
| | Top Solder | Solder Resist | 0.39mil | 3.3 | |
| 1 | Top Layer | | 1.38mil | | |
| | Dielectric 2 | FR-4 | 8.27mil | 4.6 | |
| 2 | Signal + GND | CF-004 | 0.60mil | | |
| | Dielectric 1 | FR-4 | 41.93mil | 4.6 | |
| 3 | Signal + 3v3 | CF-004 | 0.60mil | | |
| | Dielectric 3 | FR-4 | 8.27mil | 4.6 | |
| 4 | Bottom Layer | | 1.38mil | | |
| | Bottom Solder | Solder Resist | 0.39mil | 3.3 | |
| | Bottom Overlay | | | | |
| Total board thickness: | | | 63.21mil | | |