EZLOPI RF-DEEPSLEEP INTEGRATION

USE-CASES

Format:

```
{
   "method": "hub.device.setting.value.set",
   "id": "_ID_",
   "params": {
      "_id": "200b0000",
      "value": {
         "mode": "sleep",
         "sleep_s": 10,
         "wakeup_s": 100,
         "delay_s": 10
      }
   }
}
```

Mode Selection:

- Sleep- For Sleep and Wakeup Control.
  "sleep_s": 10, -> Value of sleep time in seconds.
  "wakeup_s": 440 -> Value of wakeup delay time after first sleep in seconds.
  "delay_s":10 -> Value to delay the sleep at start for an estimated time in seconds.
- Shutdown- For Shutdown Control. If Shutdown is selected, sleep time and wakeup time will not be functional.

When Mode = Sleep:

- When value of sleep is zero, regardless of wakeup, the device will go into infinite sleep time and will be woken through external wakeup.
  "value": {

  "mode": "sleep",

  "sleep_s": 0,

"wakeup_s": 100,

"delay_s": 10

}

Note: If delay time is not zero, then the device will first perform that much delay before going to sleep for the first time.

- When value of sleep & wakeup is non zero, the device will go into sleep for that much amount of time and will be woken once when the timer reaches its SP. After waking up, it will wake up for the amount of wake time present.
  This will form a continuous loop.
  "value": {

"mode": "sleep",

"sleep_s": 10,

"wakeup_s": 100,

"delay_s": 10

}

Note: The wake-up time should be greater than 90 seconds.

If delay time is not zero, then the device will first perform that much delay before going to sleep for the first time.

- When value of sleep is non zero and wakeup is zero or less than 90, then the device will only go for sleep once and will not be in a continuous loop.
  "value": {

"mode": "sleep",

"sleep_s": 10,

"wakeup_s": 0,

"delay_s": 10

}

Note: If delay time is not zero, then the device will first perform that much delay before going to sleep for the first time.

When Mode = Shutdown:

- When mode is defined as shutdown, no matter what the sleep time and wakeup time is, the device will go into shutdown and will be woken through external power-on

command.
"value": {

"mode": "shutdown",

"sleep_s": 10,

"wakeup_s": 100,

"delay_s": 10

}

Note: If delay time is not zero, then the device will first perform that much delay before going to shut down for the first time.