
Flex Mold – Software Interface



Boot

KURVATUR®

Flex Mold

Grøn Innovation

Home



Home | Projects | Settings | Accesories

System status

Machines information (Size, motor count, etc.)

Power status


Motor status


Emergency stop status


Vacuum status


Heater status


Laser status



Home
Projects
Settings
Accesories
Project A
Project B
Project C
Panel A
Panel B
Panel C
Panel A
Motor max travel
Travel time – 1 min 20 sec
Set new Travel time – seconds



Home
Projects
Settings
Accesories
Panel A
Laser A
Laser B
Laser C
Panel A
Motor max travel
Travel time – 1 min 20 sec
Set new Travel time – seconds
Shape A
Stop
Home
Shape B



Home
Projects
Settings
Accesories
Machine info
Power status
Motor status
Vacuum status
Size
Minimum Radius
Motor count
Parts produced
Time in operation



Home
Projects
Settings
Accesories
Machines information
Power status
Motor status
Vacuum status
24 Volt power status
240 Volt power status


Home
Projects
Settings
Accesories
Machines information
Power status
Motor status
Vacuum status
Motor count
Motor errors


Home
Projects
Settings
Accesories
Machines information
Power status
Motor status
Vacuum status
Vacuum on/off
Vacuum pressure


Home
Projects
Settings
Accesories
Heater status
Laser status
Power on/off
Temperature current
Temperature set
Temperature time


Home
Projects
Settings
Accesories
Heater status
Laser status
Laser on/off
Calibrate
Calibrate value
Callibration errors


Home
Projects
Settings
Accesories
Machine info
Power status
Motor status
Vacuum status
Size
Minimum Radius
Motor count
Parts produced
Time in operation