



POWER BLOCK
U_Power_Section
Power_Section.SchDoc
VCC_12V
3V3
VCC_12V
3V3
GND
GND
CONTROLLER
U_Controller_Section
Controller_Section.SchDoc
3V3
3V3
UART
MCU_IN
MCU_OUT
GND
GND
CONNECTORS
U_Connector_Section
Connector_Section.SchDoc
3V3
3V3
UART
SNS_IN
SOL_OUT
GND
GND
SNS_IN
SOL_OUT
PERIPHERALS
U_Peripheral_Section
Peripheral_Section.SchDoc
3V3
3V3
MCU_IN
MCU_OUT
SNS_IN
SOL_OUT
GND
GND
SOL_OUT

DECOUPLING CAPS




FEEDBACK NETWORKS






12-3.3V BUCK CONVERTER




UART SIGNALS




SOLENOID CONTROL SIGNAL




CONTROLLER SENSE INPUT




DECOUPLING CAPS



CONTROLLER




RESET SWITCH







CONTROLLER SENSE INPUT




LEVEL SENSE INPUT




SOLENOID CONTROL SIGNAL




SOLENOID OUTPUT




PULL UP RESIRTOR



OPTO ISOLATION FOR SENSOR INPUT




CURRENT LIMITING RES






OPTO ISOLATION FOR S3 INTERRUPT




SOLENOID CONTROL CIRCUIT




UART SIGNALS




PROGRAMMING HEADER




S3 SIGNALS




SOLENOID OUTPUT




SOLENOID OUTPUTS




LEVEL SENSE INPUT



LEVEL SENSOR INPUTS






SNS4
SNS3
SNS2
SNS1
SOL4
SOL3
SOL2
SOL1
Q4
Q3
Q2
R15
R14
R8
U4
U2
U3
L2
C2
D1
RF1
RF2
C1
C3
R1
U1
PROG_HDR
RST_SW
12V
S3_IO
35.69 (mm)
44.83 (mm)