





Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	Solder Resist	0.50mil	3.8	
1	Top Layer		1.38mil		
	Dielectric 1	2313	3.94mil	4.05	
2	Mid Layer 1		0.69mil		
	Core	FR-4	49.80mil	4.5	
3	Mid Layer 2		0.69mil		
	Dielectric 2	2313	3.94mil	4.05	
4	Bottom Layer		1.38mil		
	Bottom Solder	Solder Resist	0.50mil	3.8	
	Bottom Overlay				
Total board thickness:			62.81mil		



Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	Solder Resist	0.50mil	3.8	
1	Top Layer		1.38mil		
	Dielectric 1	2313	3.94mil	4.05	
2	Mid Layer 1		0.69mil		
	Core	FR-4	49.80mil	4.5	
3	Mid Layer 2		0.69mil		
	Dielectric 2	2313	3.94mil	4.05	
4	Bottom Layer		1.38mil		
	Bottom Solder	Solder Resist	0.50mil	3.8	
	Bottom Overlay				
Total board thickness:			62.81mil		



Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	Solder Resist	0.50mil	3.8	
1	Top Layer		1.38mil		
	Dielectric 1	2313	3.94mil	4.05	
2	Mid Layer 1		0.69mil		
	Core	FR-4	49.80mil	4.5	
3	Mid Layer 2		0.69mil		
	Dielectric 2	2313	3.94mil	4.05	
4	Bottom Layer		1.38mil		
	Bottom Solder	Solder Resist	0.50mil	3.8	
	Bottom Overlay				
Total board thickness:			62.81mil		



Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	Solder Resist	0.50mil	3.8	
1	Top Layer		1.38mil		
	Dielectric 1	2313	3.94mil	4.05	
2	Mid Layer 1		0.69mil		
	Core	FR-4	49.80mil	4.5	
3	Mid Layer 2		0.69mil		
	Dielectric 2	2313	3.94mil	4.05	
4	Bottom Layer		1.38mil		
	Bottom Solder	Solder Resist	0.50mil	3.8	
	Bottom Overlay				
Total board thickness:			62.81mil		