







Cannot open file D:\eSpark\eSpark-Hardware\Altium Template\espark-consulting-group-150x150.jpg. File does not exist.

Title	ArmBand-Sensor-Board.PrjPcb		
Size	Number		Revision
A4	1		1
Date:	1/26/2024	Sheet 1 of	3
File:	D:\eSpark-Consultants\..\Top-Sheet.SchDoc	Drawn By:	Huzaifa Ali


NEGATIVE RAIL



OPAMP FOR IMPEDANCE MATCHING




RESISTIVE NETWORK FOR 1.65V




Can deliver up to 10mA @1v output.


SESNOR OUT SIGNALS




UNITY GAIN AMPLIFIER FOR IMPEDANCE MATCHING




DECOUPLING CAPS



FILTER OUTPUT







Cannot open file D:\eSpark\eSpark-Hardware\Altium Template\espark-consulting-group-150x150.jpg. File does not exist.

Title	ArmBand-Sensor-Board.PrjPcb		
Size	Number		Revision
A4	1		1
Date:	1/26/2024	Sheet 2 of	3
File:	D:\eSpark-Consultants\..\Opamp-Sheet2.SchDoc	Drawn By:	Huzaifa Ali


FILTER OUTPUT




SESNOR OUT SIGNALS




TEST POINTS




ELECTRODE INPUT




SENSOR OUT SIGNALS




SENSOR OUT SIGNALS



Solder Bridges






For Single-supply, solder SB3, SB5, SB6

For Double-supply, solder SB1, SB2, SB4

Signals are swap due to pin to pin connections with same connector in Control board.

Cannot open file D:\eSpark\eSpark-Hardware\Altium Template\espark-consulting-group-150x150.jpg. File does not exist.

Title: ArmBand-Sensor-Board.PrjPcb			
Size: A4	Number: 1		Revision: 1
Date: 1/26/2024		Sheet 3 of 3	
File: D:\eSpark-Consultants\..\Connector-Sheet.SchDoc		Drawn By: Huzaifa Ali	


25.00 (mm)
30.00 (mm)
3V3
-3V3
SW2
SW1
R1
SENSOR
BOARD
SB2
SB1
SB3
C3
C1
U1
U12
U18
M1
M2
M3
M4
M5
M6
M7
M8
U2
R3
R4
SW3
SW4
SW5
SW6
SW7
SW8
SB6
SB4
ELECTRODE INPUT
R2
SB5
GND