
Layer	Name	
	Top Overlay	
	Top Solder	
1	Top Layer	
	Dielectric 2	
2	Signal_1	
	Dielectric 1	
3	Signal_2	
	Dielectric 3	
4	Bottom Layer	
	Bottom Solder	
	Bottom Overlay	


Total board thickness:



	Material	Thickness	Constant	Board Layer Stack
y				
	Solder Resist	0.39mil	3.5	
		1.38mil		
2	PP-006	8.27mil	4.1	
	CF-004	0.39mil		
1	FR-4	41.93mil	4.8	
	CF-004	0.39mil		
3	PP-006	8.27mil	4.1	
er		1.38mil		
der	Solder Resist	0.39mil	3.5	
rlay				
ness:		62.80mil		

Layer	Name	
	Top Overlay	
	Top Solder	
1	Top Layer	
	Dielectric 2	
2	Signal_1	
	Dielectric 1	
3	Signal_2	
	Dielectric 3	
4	Bottom Layer	
	Bottom Solder	
	Bottom Overlay	


Total board thickness:



	Material	Thickness	Constant	Board Layer Stack
y				
	Solder Resist	0.39mil	3.5	
		1.38mil		
2	PP-006	8.27mil	4.1	
	CF-004	0.39mil		
1	FR-4	41.93mil	4.8	
	CF-004	0.39mil		
3	PP-006	8.27mil	4.1	
er		1.38mil		
der	Solder Resist	0.39mil	3.5	
rlay				
ness:		62.80mil		

Layer	Name	
	Top Overlay	
	Top Solder	
1	Top Layer	
	Dielectric 2	
2	Signal_1	
	Dielectric 1	
3	Signal_2	
	Dielectric 3	
4	Bottom Layer	
	Bottom Solder	
	Bottom Overlay	


Total board thickness:



	Material	Thickness	Constant	Board Layer Stack
y				
	Solder Resist	0.39mil	3.5	
		1.38mil		
2	PP-006	8.27mil	4.1	
	CF-004	0.39mil		
1	FR-4	41.93mil	4.8	
	CF-004	0.39mil		
3	PP-006	8.27mil	4.1	
er		1.38mil		
der	Solder Resist	0.39mil	3.5	
rlay				
ness:		62.80mil		

Layer	Name
	Top Overlay
	Top Solder
1	Top Layer
	Dielectric 2
2	Signal_1
	Dielectric 1
3	Signal_2
	Dielectric 3
4	Bottom Layer
	Bottom Solder
	Bottom Overlay

Total board thickness:



	Material	Thickness	Constant	Board Layer Stack
y				
	Solder Resist	0.39mil	3.5	
		1.38mil		
2	PP-006	8.27mil	4.1	
	CF-004	0.39mil		
1	FR-4	41.93mil	4.8	
	CF-004	0.39mil		
3	PP-006	8.27mil	4.1	
er		1.38mil		
der	Solder Resist	0.39mil	3.5	
rlay				
ness:		62.80mil		