



Layer	Name
	Top Overlay
	Top Solder
1	Top Layer
	Dielectric 2
2	Signal_1
	Dielectric 1
3	Signal_2
	Dielectric 3
4	Bottom Layer
	Bottom Solder
	Bottom Overlay

Total board thickness


	Material	Thickness	Constant	Board Layer Stack
rlay				
der	Solder Resist	0.39mil	3.5	
er		1.38mil		
ic 2	PP-006	8.27mil	4.1	
	CF-004	0.39mil		
ic 1	FR-4	41.93mil	4.8	
2	CF-004	0.39mil		
ic 3	PP-006	8.27mil	4.1	
ayer		1.38mil		
Solder	Solder Resist	0.39mil	3.5	
Overlay				
ckness:		62.80mil		



Layer	Name
	Top Overlay
	Top Solder
1	Top Layer
	Dielectric 2
2	Signal_1
	Dielectric 1
3	Signal_2
	Dielectric 3
4	Bottom Layer
	Bottom Solder
	Bottom Overlay

Total board thickness


	Material	Thickness	Constant	Board Layer Stack
rlay				
der	Solder Resist	0.39mil	3.5	
er		1.38mil		
ic 2	PP-006	8.27mil	4.1	
	CF-004	0.39mil		
ic 1	FR-4	41.93mil	4.8	
2	CF-004	0.39mil		
ic 3	PP-006	8.27mil	4.1	
ayer		1.38mil		
Solder	Solder Resist	0.39mil	3.5	
Overlay				
ckness:		62.80mil		



Layer	Name
	Top Overlay
	Top Solder
1	Top Layer
	Dielectric 2
2	Signal_1
	Dielectric 1
3	Signal_2
	Dielectric 3
4	Bottom Layer
	Bottom Solder
	Bottom Overlay

Total board thickness

	Material	Thickness	Constant	Board Layer Stack
rlay				
der	Solder Resist	0.39mil	3.5	
er		1.38mil		
ic 2	PP-006	8.27mil	4.1	
	CF-004	0.39mil		
ic 1	FR-4	41.93mil	4.8	
2	CF-004	0.39mil		
ic 3	PP-006	8.27mil	4.1	
ayer		1.38mil		
Solder	Solder Resist	0.39mil	3.5	
Overlay				
ckness:		62.80mil		



Layer	Name
	Top Overlay
	Top Solder
1	Top Layer
	Dielectric 2
2	Signal_1
	Dielectric 1
3	Signal_2
	Dielectric 3
4	Bottom Layer
	Bottom Solder
	Bottom Overlay

Total board thickness

	Material	Thickness	Constant	Board Layer Stack
rlay				
der	Solder Resist	0.39mil	3.5	
er		1.38mil		
ic 2	PP-006	8.27mil	4.1	
	CF-004	0.39mil		
ic 1	FR-4	41.93mil	4.8	
2	CF-004	0.39mil		
ic 3	PP-006	8.27mil	4.1	
ayer		1.38mil		
Solder	Solder Resist	0.39mil	3.5	
Overlay				
ckness:		62.80mil		