

Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	Solder Resist	0.010mm	3.5	
1	Top Layer		0.070mm		
	Dielectric 2	PP-006	0.203mm	4.1	
2	Layer 1	CF-004	0.030mm		
	Dielectric 1	FR-4	1.030mm	4.8	
3	Layer 2	CF-004	0.030mm		
	Dielectric 3	PP-006	0.203mm	4.1	
4	Bottom Layer		0.070mm		
	Bottom Solder	Solder Resist	0.010mm	3.5	
	Bottom Overlay				
Total board thickness			1.656mm		



Fabrication Notes:

Outer Copper Weight: 2 Oz
Inner Copper Weight: 1 Oz
PCB Thickness: 1.6mm


Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	Solder Resist	0.010mm	3.5	
1	Top Layer		0.070mm		
	Dielectric 2	PP-006	0.203mm	4.1	
2	Layer 1	CF-004	0.030mm		
	Dielectric 1	FR-4	1.030mm	4.8	
3	Layer 2	CF-004	0.030mm		
	Dielectric 3	PP-006	0.203mm	4.1	
4	Bottom Layer		0.070mm		
	Bottom Solder	Solder Resist	0.010mm	3.5	
	Bottom Overlay				
Total board thickness			1.656mm		



Fabrication Notes:

Outer Copper Weight: 2 Oz
Inner Copper Weight: 1 Oz
PCB Thickness: 1.6mm


Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	Solder Resist	0.010mm	3.5	
1	Top Layer		0.070mm		
	Dielectric 2	PP-006	0.203mm	4.1	
2	Layer 1	CF-004	0.030mm		
	Dielectric 1	FR-4	1.030mm	4.8	
3	Layer 2	CF-004	0.030mm		
	Dielectric 3	PP-006	0.203mm	4.1	
4	Bottom Layer		0.070mm		
	Bottom Solder	Solder Resist	0.010mm	3.5	
	Bottom Overlay				
Total board thickness			1.656mm		



Fabrication Notes:

Outer Copper Weight: 2 Oz
Inner Copper Weight: 1 Oz
PCB Thickness: 1.6mm

Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	Solder Resist	0.010mm	3.5	
1	Top Layer		0.070mm		
	Dielectric 2	PP-006	0.203mm	4.1	
2	Layer 1	CF-004	0.030mm		
	Dielectric 1	FR-4	1.030mm	4.8	
3	Layer 2	CF-004	0.030mm		
	Dielectric 3	PP-006	0.203mm	4.1	
4	Bottom Layer		0.070mm		
	Bottom Solder	Solder Resist	0.010mm	3.5	
	Bottom Overlay				
Total board thickness			1.656mm		



Fabrication Notes:

Outer Copper Weight: 2 Oz
Inner Copper Weight: 1 Oz
PCB Thickness: 1.6mm