



Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	Solder Resist	0.010mm	3.5	
1	Top Layer		0.070mm		
	Dielectric 2	PP-006	0.203mm	4.4	
2	GND01	CF-004	0.030mm		
	Dielectric 4	PP-006	0.450mm	4.6	
3	SIG 01	CF-004	0.030mm		
	Dielectric 1	FR-4	0.406mm	4.4	
4	PWR	CF-004	0.030mm		
	Dielectric 5	PP-006	0.450mm	4.6	
5	GND02	CF-004	0.030mm		
	Dielectric 3	PP-006	0.203mm	4.4	
6	Bottom Layer		0.070mm		
	Bottom Solder	Solder Resist	0.010mm	3.5	
	Bottom Overlay				

Total board thickness: 1.992mm

FABRICATION NOTES:

PCB THICKNESS: 2MM
6 LAYER PCB
OUTER COPPER 2 Oz
INNER COPPER 1 Oz




Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	Solder Resist	0.010mm	3.5	
1	Top Layer		0.070mm		
	Dielectric 2	PP-006	0.203mm	4.4	
2	GND01	CF-004	0.030mm		
	Dielectric 4	PP-006	0.450mm	4.6	
3	SIG 01	CF-004	0.030mm		
	Dielectric 1	FR-4	0.406mm	4.4	
4	PWR	CF-004	0.030mm		
	Dielectric 5	PP-006	0.450mm	4.6	
5	GND02	CF-004	0.030mm		
	Dielectric 3	PP-006	0.203mm	4.4	
6	Bottom Layer		0.070mm		
	Bottom Solder	Solder Resist	0.010mm	3.5	
	Bottom Overlay				

Total board thickness: 1.992mm

FABRICATION NOTES:

PCB THICKNESS: 2MM
6 LAYER PCB
OUTER COPPER 2 Oz
INNER COPPER 1 Oz




Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	Solder Resist	0.010mm	3.5	
1	Top Layer		0.070mm		
	Dielectric 2	PP-006	0.203mm	4.4	
2	GND01	CF-004	0.030mm		
	Dielectric 4	PP-006	0.450mm	4.6	
3	SIG 01	CF-004	0.030mm		
	Dielectric 1	FR-4	0.406mm	4.4	
4	PWR	CF-004	0.030mm		
	Dielectric 5	PP-006	0.450mm	4.6	
5	GND02	CF-004	0.030mm		
	Dielectric 3	PP-006	0.203mm	4.4	
6	Bottom Layer		0.070mm		
	Bottom Solder	Solder Resist	0.010mm	3.5	
	Bottom Overlay				

Total board thickness: 1.992mm

FABRICATION NOTES:

PCB THICKNESS: 2MM
6 LAYER PCB
OUTER COPPER 2 Oz
INNER COPPER 1 Oz




Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	Solder Resist	0.010mm	3.5	
1	Top Layer		0.070mm		
	Dielectric 2	PP-006	0.203mm	4.4	
2	GND01	CF-004	0.030mm		
	Dielectric 4	PP-006	0.450mm	4.6	
3	SIG 01	CF-004	0.030mm		
	Dielectric 1	FR-4	0.406mm	4.4	
4	PWR	CF-004	0.030mm		
	Dielectric 5	PP-006	0.450mm	4.6	
5	GND02	CF-004	0.030mm		
	Dielectric 3	PP-006	0.203mm	4.4	
6	Bottom Layer		0.070mm		
	Bottom Solder	Solder Resist	0.010mm	3.5	
	Bottom Overlay				

Total board thickness: 1.992mm

FABRICATION NOTES:

PCB THICKNESS: 2MM
6 LAYER PCB
OUTER COPPER 2 Oz
INNER COPPER 1 Oz




Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	Solder Resist	0.010mm	3.5	
1	Top Layer		0.070mm		
	Dielectric 2	PP-006	0.203mm	4.4	
2	GND01	CF-004	0.030mm		
	Dielectric 4	PP-006	0.450mm	4.6	
3	SIG 01	CF-004	0.030mm		
	Dielectric 1	FR-4	0.406mm	4.4	
4	PWR	CF-004	0.030mm		
	Dielectric 5	PP-006	0.450mm	4.6	
5	GND02	CF-004	0.030mm		
	Dielectric 3	PP-006	0.203mm	4.4	
6	Bottom Layer		0.070mm		
	Bottom Solder	Solder Resist	0.010mm	3.5	
	Bottom Overlay				

Total board thickness: 1.992mm

FABRICATION NOTES:

PCB THICKNESS: 2MM
6 LAYER PCB
OUTER COPPER 2 Oz
INNER COPPER 1 Oz



Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	Solder Resist	0.010mm	3.5	
1	Top Layer		0.070mm		
	Dielectric 2	PP-006	0.203mm	4.4	
2	GND01	CF-004	0.030mm		
	Dielectric 4	PP-006	0.450mm	4.6	
3	SIG 01	CF-004	0.030mm		
	Dielectric 1	FR-4	0.406mm	4.4	
4	PWR	CF-004	0.030mm		
	Dielectric 5	PP-006	0.450mm	4.6	
5	GND02	CF-004	0.030mm		
	Dielectric 3	PP-006	0.203mm	4.4	
6	Bottom Layer		0.070mm		
	Bottom Solder	Solder Resist	0.010mm	3.5	
	Bottom Overlay				

Total board thickness: 1.992mm

FABRICATION NOTES:

PCB THICKNESS: 2MM
6 LAYER PCB
OUTER COPPER 2 Oz
INNER COPPER 1 Oz