







| | |
|---|---|
| Title: Top-Sheet.SchDoc | |
| File: 24V-70A-Power-Board-v2.0.PrjPcb | |
| Date: 24-Feb-25 | Page Num: 1 |
| Drawn By: Huzaifa Ali | Page Total: 4 |


Note:
Use Heat Sink SK481-50 on BR1
Use Heat Sink SK481-100 on Q1 Q2 & D2





+390V
PG_PFC
VCC_FB


AC_L
EARTH
AC_N

eSpark Consulting Group

Title: PFC-Sheet.SchDoc

File: 24V-70A-Power-Board-v2.0.PrjPcb

| | |
|---|---|
| Date: 24-Feb-25 | Page Num: 2 |
| Drawn By: Huzaifa Ali | Page Total: 4 |





+390V +390V
PG_PFC PG_PFC
VCC_FB VCC_FB
V_out V_out
I_out I_out
CT+ CT+
CT- CT-

OUT-A OUT-A
OUT-B OUT-B
OUT-C OUT-C
OUT-D OUT-D
OUT-E OUT-E
OUT-F OUT-F
+3V45 +3V45

EARTH EARTH


eSpark Consulting Group


| | |
|---|---|
| Title: Power-Sheet.SchDoc | |
| File: 24V-70A-Power-Board-v2.0.PrjPcb | |
| Date: 24-Feb-25 | Page Num: 3 |
| Drawn By: Huzaifa Ali | Page Total: 4 |





NOTE:

Pull low on PG_PFC will turn ON the controller




+3V45 +3V45
PG_PFC PG_PFC
VCC_FB VCC_FB
V_out V_out
I_out I_out
CT+ CT+
CT- CT-

OUT-A OUT-A
OUT-B OUT-B
OUT-C OUT-C
OUT-D OUT-D
OUT-E OUT-E
OUT-F OUT-F

eSpark Consulting Group

| | |
|---|---|
| Title: Control-Sheet.SchDoc | |
| File: 24V-70A-Power-Board-v2.0.PrjPcb | |
| Date: 24-Feb-25 | Page Num: 4 |
| Drawn By: Huzaifa Ali | Page Total: 4 |