





eSpark Consulting Group


| | |
|---|---|
| Title: Top-Sheet.SchDoc | |
| File: 24V-7A-Power-Board-v2.0.PrjPcb | |
| Date: 06-May-25 | Page Num: 1 |
| Drawn By: Huzaifa Ali | Page Total: 4 |

Note:
A 75mm x 30mm x 2.54mm heatsink is applied to D4, D1 & Q2









HV_S
H_V
RVCC
VCC


AC_L
EARTH
AC_N


eSpark Consulting Group

| | |
|---|---|
| Title: PFC-Sheet.SchDoc | |
| File: 24V-7A-Power-Board-v2.0.PrjPcb | |
| Date: 06-May-25 | Page Num: 2 |
| Drawn By: Huzaifa Ali | Page Total: 4 |




24VDC — 24VDC

SGND — SGND


HV_S — HV_S

H_V — H_V


RVCC — RVCC

VCC — VCC


| | |
|---|---|
| Title: Power_Controller-Sheet.SchDoc | |
| File: 24V-7A-Power-Board-v2.0.PrjPcb | |
| Date: 06-May-25 | Page Num: 3 |
| Drawn By: Huzaifa Ali | Page Total: 4 |





**AC 110 ~ 230 VAC In**




**24VDC 7A Out**




eSpark Consulting Group

| | |
|---|---|
| Title: Connector-Sheet.SchDoc | |
| File: 24V-7A-Power-Board-v2.0.PrjPcb | |
| Date: 06-May-25 | Page Num: 4 |
| Drawn By: Huzaifa Ali | Page Total: 4 |