


ADE9000 POWER PROCESSOR




ADE9000 RESET




ADE9000 POWER DECOUPLING




ADE9000 SYSTEM INDICATORS




PHASE A CURRENT INPUT




PHASE B CURRENT INPUT



PHASE C CURRENT INPUT




NEUTRAL CURRENT INPUT (Not Used)




Title: OFP_CIM_V1.4_Proj ect .Prj Pcb			
Page Contents: 1.OFP_CIM_ADE9000_1_V1.4.SchDoc			Ein Technology Labs SB 338-A, Lorong Sarawak Pusat Bandar Melawati 53100 Taman Melawati, KL +60123495721
Drawn By: Nabil bin Feisal	Checked By: None		
Size: A4	Number: 1	Revision: None	
Date: 9/ 10/ 2024	Time: 1:20:18 AM	Sheet 1 of 4	
Approved by: *			
Email: nabil@eintl.co		Website: www. eintl.co	


ADE9000 POWER PROCESSOR




ADE9000 RESET




ADE9000 POWER DECOUPLING




ADE9000 SYSTEM INDICATORS




PHASE A CURRENT INPUT




PHASE B CURRENT INPUT



PHASE C CURRENT INPUT




NEUTRAL CURRENT INPUT (Not Used)




Title: OFP_CIM_V1.4_Proj ect .Prj Pcb			
Page Contents: 2.OFP_CIM_ADE9000_2_V1.4.SchDoc			Ein Technology Labs SB 338-A, Lorong Sarawak Pusat Bandar Melawati 53100 Taman Melawati, KL +60123495721
Drawn By: Nabil bin Feisal	Checked By: None		
Size: A4	Number: 2	Revision: None	
Date: 9/ 10/ 2024	Time: 1:20:18 AM	Sheet 2 of 4	
Approved by: *			
Email: Nabil bin Feisal		Website: www.eintl.co	


ADE9000 POWER PROCESSOR




ADE9000 RESET




ADE9000 POWER DECOUPLING




ADE9000 SYSTEM INDICATORS




PHASE A CURRENT INPUT




PHASE B CURRENT INPUT



PHASE C CURRENT INPUT





NEUTRAL CURRENT INPUT (Not Used)




Title: OFP_CIM_V1.4_Proj ect .Prj Pcb			
Page Contents: 3.OFP_CIM_ADE9000_3_V1.4.SchDoc			Ein Technology Labs SB 338-A, Lorong Sarawak Pusat Bandar Melawati 53100 Taman Melawati, KL +60123495721
Drawn By: Nabil bin Feisal	Checked By: None		
Size: A4	Number: 3	Revision: None	
Date: 9/ 10/ 2024	Time: 1:20:18 AM	Sheet 3 of 4	
Approved by: *			
Email: nabil@eintl.co		Website: www.eintl.co	


CURRENT CHANNELS TERMINAL INPUT









CURRENT CHANNELS CONNECTOR






Title: OFP_CIM_V1.4_Proj ect .Prj Pcb			
Page Contents: 4.OFP_CIM_Connectors_V1.4.SchDoc			Ein Technology Labs SB 338-A, Lorong Sarawak Pusat Bandar Melawati 53100 Taman Melawati, KL +60123495721
Drawn By: Nabil bin Feisal	Checked By: None		
Size: A4	Number: 4	Revision: None	
Date: 9/ 10/ 2024	Time: 1:20:18 AM	Sheet 4 of 4	
Approved by: *			
Email: nabil@eintl.co		Website: www.eintl.co	


MICROPROCESSOR EMBEDDED LINUX




SD CARD MEMORY




OSCILLATOR




FLASH MEMORY




USM EXTENDER CONNECTOR




LRADC INPUT BUTTONS




BUZZER




RTC PROCESSOR




MICROPROCESSOR POWER DECOUPLING




USB DEBUG PORT




Title: OFP_MCM_V1.1_Proj ect .Prj Pcb		
Page Contents: 1.OFP_MCM_Microprocessor_V1.1.SchDoc		Ein Technology Labs SB 338-A, Lorong Sarawak Pusat Bandar Melawati 53100 Taman Melawati, KL +60123495721
Drawn By: Nabil bin Feisal	Checked By: None	
Size: A4 / Number: 1 / Revision: None		
Date: 9/ 10/ 2024 / Time: 1:38:34 AM / Sheet 1 of 6		
Approved by: *		
Email: nabil@eintl.co	Website: www.eintl.co	


5V TO 3.3V BUCK CONVERTER
5V TO 1.8V BUCK CONVERTER
5V TO 1.2V BUCK CONVERTER
U202
TPS65261RHBR
PVIN1
PVIN2
PVIN3
VIN
VDIV
V7V
RESET
PGOOD
EN1
EN2
EN3
MODE
SS1
SS2
SS3
ROSC
AGND
PAD
BST1
LX1
FB1
COMP1
BST2
LX2
FB2
COMP2
BST3
LX3
FB3
COMP3
PGND1
PGND2
PGND3
TPS_VDIV
TPS_EN1
TPS_EN2
TPS_EN3
TPS_FB1
TPS_FB2
TPS_FB3
+5V
GND
C209 10uF/25V
C210 10uF/25V
C211 0.1uF/50V
C212 1uF/50V
R209 100k
R210 100k
R243 0R
C213 10nF/50V
C214 10nF/50V
C215 10nF/50V
R211 73.2k
R238 0R
C216 47nF/50V
L202 4.7uH/2.9A
C217 22uF/6.3V
C218 22uF/6.3V
C219 82pF/50V
R220 10k
R221 10k
+1.2V
C220 22pF/100V
R222 20k
C221 3300pF/50V
R239 0R
C222 47nF/50V
L203 4.7uH/2.9A
C223 22uF/6.3V
C224 22uF/6.3V
C225 22pF/100V
R223 45.3k
R224 10k
+3.3V
C226 22pF/100V
R225 30k
C227 2.2nF/50V
R240 0R
C228 47nF/50V
L204 4.7uH/2.9A
C229 22uF/6.3V
C230 22uF/6.3V
C231 22pF/100V
R226 20k
R227 10k
+1.8V
C232 22pF/100V
R228 30k
C233 2.2nF/50V
3.3V TO 3.0V LDO (MPU)
U204
XC6206P302MR-G
VIN
VOUT
VSS
+3.3V
+3.0V
C241 1uF/50V
C242 1uF/50V
POWER INDICATORS
R233 1k
R234 1k
R235 1k
R236 2k
R237 2k
D201 Red
D202 Red
D203 Red
D204 Red
D205 Red
R212 140k
R213 20k
R214 100k
R215 51k
R216 100k
R217 51k
R218 100k
R219 51k
12V TO 5V BUCK CONVERTER (SYSTEM)
VIN+
C201 10uF/50V
C202 10uF/50V
C203 0.1uF/50V
C206 22uF/6.3V
C207 22uF/6.3V
C208 0.1uF/50V
U201
TPS62933DRLR
VIN
EN
SS
RT
BST
SW
FB
GND
R201 511k
R202 88.7k
C204 33nF/50V
R205 0R
R241 0R
C205 0.1uF/50V
L201 6.8uH/3.5A
R208 49.9R
R207 10.2k
R206 53.6k
5V TO 3.8V BUCK CONVERTER (GSM)
C234 10uF/50V
C235 10uF/50V
C236 0.1uF/50V
C238 22uF/6.3V
C239 22uF/6.3V
C240 0.1uF/50V
U203
TPS563202DRLR
R229 20k
R242 0R
C237 0.1uF/50V
L205 1.2uH/3.5A
R232 51R
R231 10k
R230 37.4k
TVS201 4.7V
Title: OFP_MCM_V1.1_Proj ect .Prj Pcb
Page Contents: 2.OFP_MCM_PowerCircuit_V1.1.SchDoc
Drawn By: Nabil bin Feisal
Checked By: None
Size: A4
Number: 2
Revision: None
Date: 9/ 10/ 2024
Time: 1:38:34 AM
Sheet 2 of 6
Approved by: *
Email: nabil@eintl.co
Website: www.eintl.co
Ein Technology Labs SB
338-A, Lorong Sarawak
Pusat Bandar Melawati
53100
Taman Melawati, KL
+60123495721
EIN


RGB LCD RESISTIVE TOUCH CONTROLLER



RGB LCD POWER CONTROLLER





RGB LCD FPC/FFC CONNECTOR




Title: OFP_MCM_V1.1_Proj ect .Prj Pcb			
Page Contents: 3.OFP_MCM_RGBLCD_V1.1.SchDoc			Ein Technology Labs SB 338-A, Lorong Sarawak Pusat Bandar Melawati 53100 Taman Melawati, KL +60123495721
Drawn By: Nabil bin Feisal	Checked By: None		
Size: A4	Number: 3	Revision: None	
Date: 9/ 10/ 2024	Time: 1:38:34 AM	Sheet 3 of 6	
Approved by: *			
Email: nabil@eintl.co		Website: www.eintl.co	

EC21 GSM STANDARD MODULE







GSM ANTENNA CONNECTORS (Zo = 50 Ohm)



GSM USB HUB



GSM 1.8V TO 3.3V LEVEL SHIFTER



GSM OTHER UNUSED PINS




Title: OFP_MCM_V1.1_Proj ect .Prj Pcb			
Page Contents: 4.OFP_MCM_4GCircuit_V1.1.SchDoc			Ein Technology Labs SB 338-A, Lorong Sarawak Pusat Bandar Melawati 53100 Taman Melawati, KL +60123495721
Drawn By: Nabil bin Feisal	Checked By: None		
Size: A4	Number: 4	Revision: None	
Date: 9/ 10/ 2024	Time: 1:38:34 AM	Sheet 4 of 6	
Approved by: *			
Email: nabil@eintl.co		Website: www.eintl.co	

RS485 RTU MODBUS CIRCUIT - FROM MCU TO MPU


Title: OFP_MCM_V1.1_Proj ect .Prj Pcb			
Page Contents: 5.OFP_MCM_ModBus_V1.1.SchDoc			Ein Technology Labs SB 338-A, Lorong Sarawak Pusat Bandar Melawati 53100 Taman Melawati, KL +60123495721
Drawn By: Nabil bin Feisal	Checked By: None		
Size: A4	Number: 7	Revision: None	
Date: 9/ 10/ 2024	Time: 1:38:34 AM	Sheet 5 of 6	
Approved by: *			
Email: nabil@eintl.co		Website: www.eintl.co	

ETHERNET PORT


IO EXPANDER



CONNECTORS




TX / RX LED INDICATOR




Title: OFP_MCM_V1.1_Proj ect .Prj Pcb		
Page Contents: 6.OFP_MCM_Others_V1.1.SchDoc		Ein Technology Labs SB 338-A, Lorong Sarawak Pusat Bandar Melawati 53100 Taman Melawati, KL +60123495721
Drawn By: Nabil bin Feisal	Checked By: None	
Size: A4	Number: 7	Revision: None
Date: 9/ 10/ 2024	Time: 1:38:34 AM	Sheet 6 of 6
Approved by: *		
Email: nabil@eintl.co		Website: www.eintl.co


POWER METERING SUB CONTROLLER



SUB CONTROLLER NRESET




CRYPTO ENCRYPTION CHIP




SWD PROGRAMMING HEADER


PICKIT 4




DEBUG HEADER




SCM TO MCM HEADER



SUB CONTROLLER STATUS




SUB CONTROLLER DECOUPLING CAPACITORS




Title: OFP_SCM_V1.1_Proj ect .Prj Pcb		
Page Contents: 1.OFP_SCM_Microcontroller_V1.1.SchDoc		Ein Technology Labs SB 338-A, Lorong Sarawak Pusat Bandar Melawati 53100 Taman Melawati, KL +60123495721
Drawn By: Nabil bin Feisal	Checked By: None	
Size: A4	Number: 1	Revision: None
Date: 9/ 10/ 2024	Time: 1:26:48 AM	Sheet 1 of 4
Approved by: *		
Email: nabil@eintl.co		Website: www.eintl.co

24VDC TO 5VDC STEP DOWN CONVERTER





5VDC TO 3.3VDC STEP DOWN REGULATOR





Title: OFP_SCM_V1.1_Proj ect .Prj Pcb			
Page Contents: 2.OFP_SCM_PowerCircuit_V1.1.SchDoc			Ein Technology Labs SB 338-A, Lorong Sarawak Pusat Bandar Melawati 53100 Taman Melawati, KL +60123495721
Drawn By: Nabil bin Feisal	Checked By: None		
Size: A4	Number: 1	Revision: None	
Date: 9/ 10/ 2024	Time: 1:26:48 AM	Sheet 2 of 4	
Approved by: *			
Email: nabil@eintl.co		Website: www.eintl.co	


SUB CONTROLLER SPI / POWER ISOLATIONS













Title: OFP_SCM_V1.1_Proj ect .Prj Pcb			
Page Contents: 3.OFP_SCM_Isolation_V1.1.SchDoc			Ein Technology Labs SB 338-A, Lorong Sarawak Pusat Bandar Melawati 53100 Taman Melawati, KL +60123495721
Drawn By: Nabil bin Feisal	Checked By: None		
Size: A4	Number: 1	Revision: None	
Date: 9/ 10/ 2024	Time: 1:26:48 AM	Sheet 3 of 4	
Approved by: *			
Email: nabil@eintl.co		Website: www.eintl.co	

VIM / CIM BOARDS CONNECTORS




Title: OFP_SCM_V1.1_Proj ect .Prj Pcb			
Page Contents: 4.OFP_SCM_Connectors_V1.1.SchDoc			Ein Technology Labs SB 338-A, Lorong Sarawak Pusat Bandar Melawati 53100 Taman Melawati, KL +60123495721
Drawn By: Nabil bin Feisal	Checked By: None		
Size: A4	Number: 1	Revision: None	
Date: 9/ 10/ 2024	Time: 1:26:48 AM	Sheet 4 of 4	
Approved by: *			
Email: sales@d3innovation.com		Website: www.d3innovation.com	


GSM USIM CONNECTOR



EXTENDER CONNECTOR TO MCM




USB SLAVE (DATA EXPORT)



PAD TO PAD


Title: OFP_USM_V1.0_Proj ect .Prj Pcb			
Page Contents: 1.OFP_USM_Connector_V1.0.SchDoc			Ein Technology Labs SB 338-A, Lorong Sarawak Pusat Bandar Melawati 53100 Taman Melawati, KL +60123495721
Drawn By: Nabil bin Feisal	Checked By: *		
Size: A4	Number: *	Revision: *	
Date: 9/ 10/ 2024	Time: 1:13:18 AM	Sheet 1 of 1	
Approved by: *			
Email: nabil@eintl.co		Website: www.eintl.co	

PHASE A VOLTAGE INPUT




Voltage Divider = 1 / (800 + 1)

PHASE B VOLTAGE INPUT




Voltage Divider = 1 / (800 + 1)

PHASE C VOLTAGE INPUT





Voltage Divider = 1 / (800 + 1)

NEUTRAL INPUT




VOLTAGE CHANNELS CONNECTOR





VOLTAGE CHANNELS TERMINAL INPUTS



Title: OFP_VIM_V1.1_Proj ect .Prj Pcb			Ein Technology Labs SB 338-A, Lorong Sarawak Pusat Bandar Melawati 53100 Taman Melawati, KL +60123495721
Page Contents: 1.OFP_VIM_V1.1.SchDoc			
Drawn By: Nabil bin Feisal	Checked By: None		
Size: A4	Number: 1	Revision: None	
Date: 9/ 10/ 2024	Time: 1:09:23 AM	Sheet 1 of 1	
Approved by: *			
Email: nabil@eintl.co		Website: www.eintl.co	