


Cannot open file D:\eSpark-Consultants\eSpark-Hardware\Altium Template\espark-consulting-group-800x300.jpg. File does not exist.

Title: Main_Sheet.SchDoc	
File: Mains_Board.PrjPcb	
Date: 7/22/2025	Page Num: 1
Drawn By: Huzaifa Ali	Page Total: 1



Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	Solder Resist	0.010mm	3.5	
1	Top Layer		0.035mm		
	Dielectric 1	FR-4	1.500mm	4.6	
2	Bottom Layer		0.035mm		
	Bottom Solder	Solder Resist	0.010mm	3.5	
	Bottom Overlay				
Total board thickness:			1.590mm		

Comment	Description	Designator	Footprint	LibRef	Quantity
0.1uF	CAP CER 0.1UF 50V X5R 0402	C1	Cap-0402	C1005X5R1H104K050BB	1
STPS1H100A	DIODE SCHOTTKY 100V 1A SMA	D1, D2	SMA	STPS1H100A	2
ZMM2V7	Independent Type 2.5V~2.9V 500mW 2.7V LL-34 Zener Diodes ROHS	D3	LL-34	ZMM2V7	1
MM3Z3V3B	DIODE ZENER 3.3V 200MW SOD323F	D4	SOD323F	MM3Z3V3B	1
HC-1.25-6PLT	1x6P 6P PicoBlade(MX 1.25) Tin 6 -25℃~+85℃ 2A 1 1.25mm Brass Surface Mount,Vertical SMD,P=1.25mm Wire To Board Connector ROHS	J1	HC-1.25-6PLT	HC-1.25-6PLT	1
TB008A-508-02BE	TERMINAL BLOCK, SCREW TYPE, 5.08	J2, J3, J4	TB008A-508-02BE	TB008A-508-02BE	3
G2RL-1A-E2-CV-HA DC12	RELAY GEN PURPOSE SPST 23A 12V	K1, K2	G2RL-1A-E2-CV-HA DC12	G2RL-1A-E2-CV-HA DC12	2
SI2310-HXY	60V 3A 1.7W 86mΩ@10V,3A N Channel SOT-23(TO-236) MOSFETs ROHS	Q1, Q2	SOT-23	SI2310-HXY	2
0R	RES 0 OHM JUMPER 1/10W 0603	R1, R2, R3	Res-0603	RC0603JR-070RL	3
1K	RES 1K OHM 5% 1/16W 0402	R4, R5	Res-0402	RC0402JR-071KL	2
47K	RES SMD 47K OHM 0.1% 1/16W 0402	R6, R7	Res-0402	RT0402BRE0747KL	2
220K	RES 220K OHM 1% 1/10W 0603	R8, R9	Res-0603	RC0603FR-07220KL	2
SFH6156-2	OPTOISOLATOR 5.3KV TRANS 4SMD	U1	SFH6156-2	SFH6156-2	1