


MALE HEADER



AUDIO JACK FOR SPEAKER OUTPUT




INPUT FROM NODE 0



RESISTOR ARRAY



Cannot open file C:\Users\user\Pictures\Saved Pictures\espark-consulting-group-150x150.jpg. File does not exist.	Title: Sound_Board.PrjPcb		
	Size: A4	Number: 1	Revision: 1
	Date: 4/20/2022	Sheet 1 of 1	
	File: E:\SH-Sound-Board\..\Connector_Sheet.SchDoc	Drawn By: Huzaifa Ali	


33.76 (mm)
28.98 (mm)
TIP
RING
J1
R1
AUDIO JACK

Comment	Description	Designator	Footprint	LibRef	Quantity
M3960R-05P	1x5P 1 3.96mm Male pin 5 Shrouded Plugin,P=3.96mm Wire To Board / Wire To Wire Connector ROHS	J1	M3960R-05P	M3960R-05P	1
0009484058	CONN RCPT 5POS 0.156 TIN PCB	J2	0009484058	0009484058	1
PJ-307C	3.5mm headphone jack 30V 500mA Plugin Audio Connectors ROHS	J3	PJ-307C	PJ-307C	1
Test Point	Test Point ON	P1, P2	TEST POINT	TEST POINT	2
220R	RES ARRAY 4 RES 220 OHM 8SIP	R1	4608X-102-221LF	4608X-102-221LF	1