






eSpark Consulting Group


Title: Top-Sheet.SchDoc		
File: Bio-Tracking-Device.PrjPcb		
Date: 12/10/2024	Page	Num: 1
Drawn By: Huzaifa Ali	Page	Total: 6


























I2C ADDRESS: 0X50 AND 0X51 PMIC(W/R BIT INCLUDED)
I2C ADDRESS: 0XA0 AND 0XA1 ADC HAPTIC(W/R BIT INCLUDED)
I2C ADDRESS: 0X6C AND 0X6D FUEL GAUGE (W/R BIT INCLUDED)

PMIC SHEET


GSM_PWR_EN
PM_MPC0
PM_MPC1
PM_MPC2
PM_PFN2
PM_INT
PM_RST
PM_ALRT


I2C1_SCL
I2C1_SDA
I2C1
SCL1
SDA1


VDD_uC
5V0_B
VGSM
1V8_S
1V8_D
3V3
GND


eSpark Consulting Group


Title: Power-Sheet.SchDoc	
File: Bio-Tracking-Device.PrjPcb	
Date: 12/10/2024	Page Num: 2
Drawn By: Huzaifa Ali	Page Total: 6



















Title:	Sensor-Sheet.SchDoc
File:	Bio-Tracking-Device.PrjPcb
Date: 12/10/2024	Page Num: 3
Drawn By: Huzaifa Ali	Page Total: 6



C43 DNP
C44 DNP
X3
XC1
XC2
32.0MHz
GND
VDD_uC
R60 4.7K
SW2
BUTTON1
B3U-1000P
J3
uC_SWDIO
uC_SWDCLK
uC_RST
MP1
MP2
MP3
TC2050-IDC-NL
PROG PORT
ANT1
2.4GHZ
BLE_ANT
L8 2.2nH
L9 2.2nH
C53 0.7pF
C54 DNP
BLE ANTENNA
5V0_B
R93 10K
R94 10K
LED3
LED_RGB
Q1 BSS138
DO
DI
GND
VDD
XL-1010RGBC-WS2812B
RGB LED
1V8_S
J4
I2C1_SCL
I2C1_SDA
FH19C-4S-0.5SH(10)
TEMP BOARD FLEX CONNECTOR
U6
NRF5340-CLAA-R7
HOST CONTROLLER
P0.08/TRACEDATA3/SCK
P0.15/IO2
P0.17/SCK
P1.05
P0.25/AIN4
P1.03/TWI
P0.13/IO0
P0.14/IO1
P0.16/IO3
P0.18/CSN
P0.20
P0.22
P1.04
P0.24
P1.02/TWI
P0.07/AIN3
P0.09/TRACEDATA2/MOSI
P0.10/TRACEDATA1/MISO
P0.11/TRACEDATA0/CSN
P0.12/TRACECLK/DCX
P0.19
P0.21
P1.06
P0.26/AIN5
P0.03/NFC2
P0.06/AIN2
P0.23
P1.09
P0.27/AIN6
P0.02/NFC1
P0.04/AIN0
P1.07
nRESET
P0.01/XL2
P0.00/XL1
P0.05/AIN1
XC1
XC2
VDD
VSS
DECD
DECD
D-
D+
DECRF
VSS
DECR
DECN
DCC
VDD
DECA
VSS
VDD
VBUS
VDDH
VSS
P0.30
P0.31
P1.11
P1.12
P1.13
P1.14
P1.15
DECUSB
ANT
VDD
P1.00
DCCH
VSS
P0.29
P0.28/AIN7
P1.10
VSS
VSS
VSS
VSS
P1.01
VDD
SWDIO
SWDCLK
P1.08
VSS
VSS
VSS
R61 0R LED_RGB
BUTTON1
R62 0R GPIO0_SAH
R63 0R I2C1_SCL
R64 0R SPI1_MISO
R65 0R SPI1_MOSI
R66 0R SPI1_SCK
R67 0R SPI1_CS0
R68 0R uC-UART1_RXD
R69 0R uC-UART1_TXD
R70 0R GSM_PWR_EN
R71 0R GSM_RI
R72 0R I2C1_SDA
R74 0R SPI0_MOSI
R76 0R SPI0_MISO
R78 0R SPI0_SCK
R80 0R SPI0_AFE_CS
R82 0R SPI0_ACC_CS
R84 0R GSM_DTR
R85 0R MFIO_SAH
R86 0R RSTN_SAH
R87 0R ACC_INT2
R89 0R GPIO2_SAH
R91 0R AFE_INT2
R95 0R GPIO1_SAH
uC_RST
C45 1uF
C46 1uF
L6 10uH
C47 2.2nF
C48 1uF
L7 10uH
C49 1uF
C50 1uF
C51 0.1uF
C52 1uF
3V3
C55 4.7uF
C56 0.1uF
L10 10uH
C62 2.2uF
C57 0.1uF
C58 0.1uF
C59 1uF
C60 0.1uF
C61 0.1uF
PM_MPC2 R73 0R
PM_PFN2 R75 0R
PM_INT R77 0R
PM_RST R79 0R
I2C0_SCL R81 0R
I2C0_SDA R83 0R
BLE_ANT
PM_MPC1 R88 0R
PM_MPC0 R90 0R
PM_ALRT R92 0R
uC_SWDIO
uC_SWDCLK
GSM_PWR_ON R96 0R
Set UICR.VREGHVOUT for 1.8v VDD out
I2C1 is for PMIC and Temp Sensor
GSM_PWR_ON
GSM_PWR_EN
GSM_RI
GSM_DTR
PM_MPC0
PM_MPC1
PM_MPC2
PM_PFN2
PM_INT
PM_RST
PM_ALRT
MFIO_SAH
ACC_INT2
AFE_INT2
RSTN_SAH
GPIO0_SAH
GPIO1_SAH
GPIO2_SAH
SPI0_MISO
SPI0_MOSI
SPI0_SCK
SPI0_AFE_CS
SPI0_ACC_CS
SPI0
MISO
MOSI
SCK
AFE_CS
ACC_CS
SPI1_MISO
SPI1_MOSI
SPI1_SCK
SPI1_CS0
SPI1
MISO1
MOSI1
SCK1
CS1
I2C0_SCL
I2C0_SDA
I2C0
SCL0
SDA0
I2C1_SCL
I2C1_SDA
I2C1
SCL1
SDA1
uC-UART1_RXD
uC-UART1_TXD
UART
RXD
TXD
VDD_uC
5V0_B
1V8_S
3V3
GND
eSpark Consulting Group
Title: Controller-Sheet.SchDoc
File: Bio-Tracking-Device.PrjPcb
Date: 12/10/2024
Page Num: 4
Drawn By: Huzaifa Ali
Page Total: 6


























eSpark Consulting Group

Title: GSM-Sheet.SchDoc	
File: Bio-Tracking-Device.PrjPcb	
Date: 12/11/2024	Page Num: 5
Drawn By: Huzaifa Ali	Page Total: 6






This sheet will be created on Flex PCB

I2C ADDRESS: 0XA2 AND 0XA3 (W/R BIT INCLUDED)





eSpark Consulting Group

Title: Temp-Sensor-Sheet.SchDoc	
File: Bio-Tracking-Device.PrjPcb	
Date: 12/10/2024	Page Num: 6
Drawn By: Huzaifa Ali	Page Total: 6