






eSpark Consulting Group


Title: Top-Sheet.SchDoc		
File: Bio-Tracking-Device.PrjPcb		
Date: 12/11/2024	Page	Num: 1
Drawn By: Huzaifa Ali	Page	Total: 6















I2C ADDRESS: 0X50 AND 0X51 PMIC(W/R BIT INCLUDED)
I2C ADDRESS: 0XA0 AND 0XA1 ADC HAPTIC(W/R BIT INCLUDED)
I2C ADDRESS: 0X6C AND 0X6D FUEL GAUGE (W/R BIT INCLUDED)










PMIC SHEET


GSM_PWR_EN
PM_MPC0
PM_MPC1
PM_MPC2
PM_PFN2
PM_INT
PM_RST
PM_ALRT


I2C1_SCL
I2C1_SDA
I2C1
SCL1
SDA1


VDD_uC
5V0_B
VGSM
1V8_S
1V8_D
3V3
GND


Title:	Power-Sheet.SchDoc
File:	Bio-Tracking-Device.PrjPcb
Date: 12/11/2024	Page Num: 2
Drawn By: Huzaifa Ali	Page Total: 6



















Title:	Sensor-Sheet.SchDoc
File:	Bio-Tracking-Device.PrjPcb
Date: 12/11/2024	Page Num: 3
Drawn By: Huzaifa Ali	Page Total: 6



C43 DNP
C44 DNP
X3
XC1
XC2
32.0MHz
GND
VDD_uC
R60 4.7K
SW2
BUTTON1
B3U-1000P
J3
uC_SWDIO
uC_SWDCLK
uC_RST
MP1
MP2
MP3
TC2050-IDC-NL
PROG PORT
ANT1
2.4GHZ
BLE_ANT
L8 2.2nH
L9 2.2nH
C53 0.7pF
C54 DNP
BLE ANTENNA
5V0_B
R93 10K
R94 10K
LED3
LED_RGB
Q1 BSS138
DO
DI
GND
VDD
XL-1010RGBC-WS2812B
RGB LED
1V8_S
I2C1_SCL
I2C1_SDA
FH19C-4S-0.5SH(10)
TEMP BOARD FLEX CONNECTOR
U6
XC1
XC2
VDD
VSS
DECD
DECD
D-
D+
DECRF
VSS
DECR
DECN
DCC
VDD
DECA
VSS
VDD
VBUS
VDDH
VSS
P0.30
P0.31
P1.11
P1.12
P1.13
P1.14
P1.15
DECUSB
ANT
VDD
P1.00
DCCH
VSS
P0.29
P0.28/AIN7
P1.10
VSS
VSS
VSS
VSS
P1.01
VDD
SWDIO
SWDCLK
P1.08
VSS
VSS
VSS
P0.08/TRACEDATA3/SCK
VDD
P0.15/IO2
P0.17/SCK
VDD
P1.05
P0.25/AIN4
P1.03/TWI
AVSS
P0.13/IO0
P0.14/IO1
P0.16/IO3
P0.18/CSN
AVSS
P0.20
P0.22
P1.04
P0.24
VDD
P1.02/TWI
P0.07/AIN3
P0.09/TRACEDATA2/MOSI
P0.10/TRACEDATA1/MISO
P0.11/TRACEDATA0/CSN
P0.12/TRACECLK/DCX
P0.19
P0.21
P1.06
P0.26/AIN5
P0.03/NFC2
VDD
P0.06/AIN2
P0.23
P1.09
P0.27/AIN6
P0.02/NFC1
P0.04/AIN0
VSS
VSS
VSS
AVSS
P1.07
nRESET
P0.01/XL2
P0.00/XL1
P0.05/AIN1
VSS
NRF5340-CLAA-R7
HOST CONTROLLER
Set UICR.VREGHVOUT for 1.8v VDD out
I2C1 is for PMIC and Temp Sensor
GSM_PWR_ON
GSM_RI
GSM_DTR
PM_MPC0
PM_MPC1
PM_MPC2
PM_PFN2
PM_INT
PM_RST
PM_ALRT
MFIO_SAH
ACC_INT2
AFE_INT2
RSTN_SAH
GPIO0_SAH
GPIO1_SAH
GPIO2_SAH
SPI0_MISO
SPI0_MOSI
SPI0_SCK
SPI0_AFE_CS
SPI0_ACC_CS
SPI0
SPI1_MISO
SPI1_MOSI
SPI1_SCK
SPI1_CS0
SPI1
I2C0_SCL
I2C0_SDA
I2C0
I2C1_SCL
I2C1_SDA
I2C1
uC-UART1_RXD
uC-UART1_TXD
UART
VDD_uC
5V0_B
1V8_S
3V3
GND
eSpark Consulting Group
Title: Controller-Sheet.SchDoc
File: Bio-Tracking-Device.PrjPcb
Date: 12/11/2024
Page Num: 4
Drawn By: Huzaifa Ali
Page Total: 6


























eSpark Consulting Group

Title: GSM-Sheet.SchDoc	
File: Bio-Tracking-Device.PrjPcb	
Date: 12/11/2024	Page Num: 5
Drawn By: Huzaifa Ali	Page Total: 6






This sheet will be created on Flex PCB

I2C ADDRESS: 0XA2 AND 0XA3 (W/R BIT INCLUDED)





eSpark Consulting Group

Title: Temp-Sensor-Sheet.SchDoc	
File: Bio-Tracking-Device.PrjPcb	
Date: 12/10/2024	Page Num: 6
Drawn By: Huzaifa Ali	Page Total: 6