












Diagonal Screen Size	0.49"		0.66"		0.68"		0.69"		0.84"	0.86"		0.9	
Color	Mono		Mono		Mono		Mono		Mono	Mono		Mo	
Module Construction	COG	COG	COG	COG	COG	COG	COG	COG	COG	COG	COG	COG	COG
Product	RY-6432TSWEG02	RY-6432TLBEG02	RY-6448KSWEG03	RY-6448KLBEG03	RY-9632TSWEG01	RY-9632TLBEG01	RY-9616TSWCG02	RY-9616TLBCG02	RY-9616TLBBG02	RY-9632TSWZG02	RY-9632TLBZG02	RY-2832TSWFG02	RY-2832TSWFG04
Photo													
Driving Method	Passive Matrix	Passive Matrix	Passive Matrix	Passive Matrix	Passive Matrix	Passive Matrix	Passive Matrix	Passive Matrix	Passive Matrix	Passive Matrix	Passive Matrix	Passive Matrix	Passive Matrix
Number of Pixels	64×32	64×32	64×48	64×48	96×32	96×32	96×16	96×16	96×16	96×32	96×32	128×32	128×32
Active Area(mm)	11.18×5.58	11.18×5.58	13.42×10.06	13.42×10.06	16.3×5.42	16.3×5.42	17.26×3.18	17.26×3.18	21.104×3.504	21.1×6.06	21.1×6.06	22.384×5.584	22.384×5.584
Panel Size(mm)	14.5×11.6×1.2	14.5×11.6×1.2	18.46×18.1×1.5	18.46×18.1×1.5	19.7×12.7×1.2	19.7×12.7×1.2	26.3×8×1.2	26.3×8×1.2	29.1×9.2×1.2	29.1×9.2×1.2	29.1×9.2×1.2	30.0×11.50×1.2	30.0×11.50×1.2
Pixel pitch(mm)	0.175×0.175	0.175×0.175	0.21×0.21	0.21×0.21	0.17×0.17	0.17×0.17	0.18×0.2	0.18×0.2	0.22×0.22	0.22×0.19	0.22×0.19	0.175×0.175	0.175×0.175
Pixel Size(mm)	0.155×0.155	0.155×0.155	0.19×0.19	0.19×0.19	0.15×0.15	0.15×0.15	0.16×0.18	0.16×0.18	0.204×0.204	0.2×0.17	0.2×0.17	0.159×0.159	0.159×0.159
Weight	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	1.05	1.05
Duty	1/32	1/32	1/48	1/48	1/32	1/32	1/16	1/16	1/16	1/32	1/32	1/32	1/32
Pins	14	14	28	28	25	25	14	14	14	14	14	14	15
Color	Monochrome (White)	Monochrome (Blue)	Monochrome (White)	Monochrome (Blue)	Monochrome (White)	Monochrome (Blue)	Monochrome (White)	Monochrome (Blue)	Monochrome (Blue)	Monochrome (White)	Monochrome (Blue)	Monochrome (White)	Monochrome (White)
Porwer Supply Voltage	2.6~3.5V	2.6~3.5V	2.6~3.5V	2.6~3.5V	2.6~3.5V	2.6~3.5V	2.6~3.5V	2.6~3.5V	2.6~3.5V	2.6~3.5V	2.6~3.5V	2.6~3.5V	2.6~3.5V
Frame Rate	180 Frames/Sec	180 Frames/Sec	190 Frames/Sec	190 Frames/Sec	190 Frames/Sec	190 Frames/Sec	140 Frames/Sec	140 Frames/Sec	140 Frames/Sec	140 Frames/Sec	140 Frames/Sec	150 Frames/Sec	150 Frames/Sec
Operating Temperature	-30~70℃	-30~70℃	-30~70℃	-30~70℃	-30~70℃	-30~70℃	-30~70℃	-30~70℃	-30~70℃	-30~70℃	-30~70℃	-30~70℃	-30~70℃
Storage Temperature	-40~80℃	-40~80℃	-40~80℃	-40~80℃	-40~80℃	-40~80℃	-40~80℃	-40~80℃	-40~80℃	-40~80℃	-40~80℃	-40~80℃	-40~80℃
Drive IC	SSD1306	SSD1306	SSD1306	SSD1306	SSD1306	SSD1306	SSD1306	SSD1306	SSD1306	SSD1316	SSD1316	SSD1306	SSD1306
Brightness	180 (Min) cd/m2	180 (Min) cd/m2	120 (Min) cd/m^2	120 (Min) cd/m^2	100 (Min) cd/m^2	100 (Min) cd/m^2	120 (Min) cd/m2	120 (Min) cd/m2	120 (Min) cd/m^2	120 (Min) cd/m^2	120 (Min) cd/m^2	150 (Min) cd/m^2	150 (Min) cd/m^2
Driving Voltage — Internal DC/DCEnable	3.5 ~ 4.2V	3.5 ~ 4.2V	3.3 ~ 4.2V	3.3 ~ 4.2V	3.3 ~ 4.2V	3.3 ~ 4.2V	3.3 ~ 4.2V	3.3 ~ 4.2V	3.3 ~ 4.2V	3.3 ~ 4.2V	3.3 ~ 4.2V	3.3 ~ 4.2V	3.3 ~ 4.2V
Driving Voltage — Supplied Externally	8V	8V	7.25V	7.25V	7.5V	7.5V	7.25V	7.25V	7.25V	7.25V	7.25V	9V	9V
Interface	I2C	I2C	Parallel /I^{2}C/ 4-wire SPI	Parallel /I^{2}C/ 4-wire SPI	Parallel /I^{2}C/ 4-wire SPI	Parallel /I^{2}C/ 4-wire SPI	I2C	I2C	I^{2}C	I^{2}C	I^{2}C	I^{2}C	4-wire SPI
Folding Ability	Folding Type	Folding Type	Folding Type	Folding Type	Folding Type	Folding Type	Folding Type	Folding Type	Folding Type	Folding Type	Folding Type	Folding Type	Folding Type
Assembly	Soldering	Soldering	Soldering	Soldering	Soldering	Soldering	Soldering	Soldering	Soldering	Soldering	Soldering	Soldering	Soldering

Update time: 2015/04/27

91"		0.95"		0.96"			0.96"	0.96"	0.96"	1.04"		1.30"	
ono		Mono		Mono			Mono	Mono	Area	Mono		Mono	
COG	COG	COG	COG	COG	COG	COG	COG	COG	COG	COG	COG	COG	COG
RY-2832TLBFG02	RY-2832TLBFG04	RY-9664KSWAG01	RY-9664KLBAG01	RY-2864KSWEG01	RY-2864KLBEG01	RY-2864KLBEG04	RY-6428TSWHG01	RY-9696TSWHG04	RY-2864KMBEG01	RY-2832KSWAG10	RY-2832KLBAG10	RY-2864KSWLG01	RY-2864KLBLG01
													
Passive Matrix	Passive Matrix	Passive Matrix	Passive Matrix	Passive Matrix	Passive Matrix	Passive Matrix	Passive Matrix	Passive Matrix	Passive Matrix	Passive Matrix	Passive Matrix	Passive Matrix	Passive Matrix
128×32	128×32	96×64	96×64	128×64	128×64	128×64	64×128	96×96	128×64	128×32	128×32	128×64	128×64
22.384×5.584	22.384×5.584	20.14×13.42	20.14×13.42	21.744×10.864	21.744×10.864	21.744×10.864	10.86×21.74	17.26×17.26	21.744×11.204	25.58×6.38	25.58×6.38	29.42×14.70	29.42×14.70
30.0×11.50×1.2	30.0×11.50×1.2	25.34×22.5×1.4	25.34×22.5×1.4	26.70×19.26×1.45	26.70×19.26×1.45	26.70×19.26×1.45	18×31×1.2	24×25.7×1.2	26.70×19.26×1.45	30.4×14.5×1.4	29.8×14.5×1.4	34.5×23.0×1.45	34.5×23.0×1.45
0.175×0.175	0.175×0.175	0.21×0.21	0.21×0.21	0.17×0.17	0.17×0.17	0.17×0.17	0.17×0.17	0.18×0.18	0.17×0.17	0.2×0.2	0.2×0.2	0.23×0.23	0.23×0.23
0.159×0.159	0.159×0.159	0.19×0.19	0.19×0.19	0.154×0.154	0.154×0.154	0.154×0.154	0.15×0.15	0.16×0.16	0.154×0.154	0.18×0.18	0.18×0.18	0.21×0.21	0.21×0.21
1.05	1.05	1.65g	1.65g	1.54	1.54	1.54	TBD	TBD	1.54	TBD	TBD	2.18	2.18
1/32	1/32	1/64	1/64	1/64	1/64	1/64	1/128	1/96	1/64	1/32	1/32	1/64	1/64
14	15	25	25	30	30	15	22	12	30	24	24	30	30
Monochrome (Blue)	Monochrome (Blue)	Monochrome (White)	Monochrome (Blue)	Monochrome (White)	Monochrome (Blue)	Monochrome (Blue)	Monochrome (White)	Monochrome (White)	Area Color (Blue & Yellow)	Monochrome (White)	Monochrome (Blue)	Monochrome (White)	Monochrome (Blue)
2.6~3.5V	2.6~3.5V	2.6~3.5V	2.6~3.5V	2.6~3.5V	2.6~3.5V	2.6~3.5V	2.6~3.5V	2.6~3.5V	2.6~3.5V	2.4~3.5V	2.4~3.5V	2.6~3.5V	2.6~3.5V
150 Frames/Sec	150 Frames/Sec	100 Frames/Sec	100 Frames/Sec	100 Frames/Sec	100 Frames/Sec	100 Frames/Sec	100 Frames/Sec	100 Frames/Sec	100Frames/Sec	100Frames/Sec	100Frames/Sec	100 Frames/Sec	100 Frames/Sec
-30~70℃	-30~70℃	-30~70℃	-30~70℃	-30~70℃	-30~70℃	-30~70℃	-40~70℃	-40~70℃	-30~70℃	-30~70℃	-30~70℃	-30~70℃	-30~70℃
-40~80℃	-40~80℃	-40~80℃	-40~80℃	-40~80℃	-40~80℃	-40~80℃	-40~85℃	-40~85℃	-40~80℃	-40~80℃	-40~80℃	-40~80℃	-40~80℃
SSD1306	SSD1306	SSD1305	SSD1305	SSD1306	SSD1306	SSD1306	SSD1327Z	SSD1327Z	SSD1306	SSD1305	SSD1305	SH1106G	SH1106G
150 (Min) cd/m^2	150 (Min) cd/m^2	150 (Min) cd/m^2	150 (Min) cd/m^2	150 (Min) cd/m^2	150 (Min) cd/m^2	150 (Min) cd/m^2	100 (Min) cd/m^2	100 (Min) cd/m^2	150 (Min) cd/m^2	100(Min) cd/m^2 120(Typ) cd/m^2	100(Min) cd/m^2 120(Typ) cd/m^2	100 (Min) cd/m^2	100 (Min) cd/m^2
3.3～4.2V	3.3～4.2V	-	-	3.3～4.2V	3.3～4.2V	3.3～4.2V	-	-	3.3～4.2V	-	-	3.3～4.2V	3.3～4.2V
9V	9V	11V	11V	9V	9V	9V	15V	15V	9V	10V	10V	12V	12V
I^2C	4-wire SPI	Parallel / I^2C 4-wire SPI	Parallel / I^2C 4-wire SPI	Parallel /I^2C/ 4-wire SPI	Parallel /I^2C/ 4-wire SPI	4-wire SPI	Parallel /I^2C/ 4-wire SPI	4-wire SPI	Parallel /I^2C/ 4-wire SPI	Parallel /I^2C/ 4-wire SPI	Parallel /I^2C/ 4-wire SPI	Parallel /I^2C/ 4-wire SPI	Parallel /I^2C/ 4-wire SPI
Folding Type	Folding Type	Folding Type	Folding Type	Folding Type	Folding Type	Folding Type	Folding Type	Folding Type	Folding Type	Folding Type	Folding Type	Folding Type	Folding Type
Soldering	Soldering	Soldering	Soldering	Soldering	Soldering	Soldering	Soldering	Soldering	Soldering	Soldering	Soldering	Soldering	Soldering

1.32"	1.50"		1.54"	1.60"	2.23"			2.4"
Mono	Mono		Mono	Mono	Mono			Mono
COG	COG	COG	COG	COG	COG	COG	COG	COG
RY-2896GSWHG01	RY-2828KSWHG01	RY-2828KSYHG01	RY-2864KSWNG01	RY-2864GSYDG01	RY-2832ASWCG01	RY-2832ALBCG01	RY-2832ASYCG01	RY-2864ASYNG01
								
Passive Matrix	Passive Matrix	Passive Matrix	Passive Matrix	Passive Matrix	Passive Matrix	Passive Matrix	Passive Matrix	Passive Matrix
128×96	128×128	128×128	128×64	128×64	128×32	128×32	128×32	128×64
26.86×20.14	26.86×26.86	26.86×26.86	35.052×17.516	36.45×18.21	55.02×13.1	55.02×13.1	55.02×13.1	55.01×27.49
32.5×29.2×1.61	33.8×36.5×1.41	33.8×36.5×1.41	42.04×27.22×1.4	41.9×28.0×1.61	62×24 ×2.0	62×24×2.0	62×24×2.0	60.5×37.0×2.0
0.21×0.21	0.21×0.21	0.21×0.21	0.274×0.274	0.285×0.285	0.43×0.41	0.43×0.41	0.43×0.41	0.43×0.43
0.19×0.19	0.19×0.19	0.19×0.19	0.254×0.254	0.255×0.255	0.41×0.39	0.41×0.39	0.41×0.39	0.40×0.40
TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
1/96	1/128	1/128	1/64	1/64	1/32	1/32	1/32	1/64
25	25	25	24	24	24	24	24	23
Monochrome (White)	Monochrome (White)	Monochrome (Yellow)	Monochrome (White)	Monochrome (Yellow)	Monochrome (White)	Monochrome (Blue)	Monochrome (Yellow)	Monochrome (Yellow)
2.6~3.5V	2.6~3.5V	2.6~3.5V	2.6~3.5V	2.4~3.5V	2.4~3.5V	2.4~3.5V	2.4~3.5V	1.65~3.3V
100 Frames/Sec	100 Frames/Sec	100 Frames/Sec	100 Frames/Sec	100 Frames/Sec	100 Frames/Sec	100 Frames/Sec	100 Frames/Sec	100 Frames/Sec
-40~70℃	-40~70℃	-40~70℃	-40~70℃	-40~70℃	-30~70℃	-30~70℃	-30~70℃	-30~70℃
-40~85℃	-40~85℃	-40~85℃	-40~85℃	-40~85℃	-40~80℃	-40~80℃	-40~80℃	-40~80℃
SSD1327	SSD1327Z	SSD1327Z	SPD0301	SSD1325	SSD1305	SSD1305	SSD1305	SPD0301
100 (Min) cd/m^2	100 (Min) cd/m^2	100 (Min) cd/m^2	100 (Min) cd/m^2	100 (Min) cd/m^2	100 (Min) cd/m^2	100 (Min) cd/m^2	100 (Min) cd/m^2	90 (Min) cd/m^2
-	-	-	-	-	-	-	-	
15V	15V	15V	12V	14V	12V	12V	12V	14V
Parallel /I^2C/ 4-wire SPI	Parallel /I^2C	Parallel /I^2C	Parallel /I^2C	Parallel / 4-wire SPI	Parallel /I^2C/ 4-wire SPI	Parallel /I^2C/ 4-wire SPI	Parallel /I^2C/ 4-wire SPI	Parallel /I^2C/ 4-wire SPI
Folding Type	Folding Type	Folding Type	Folding Type	Folding Type	Folding Type	Folding Type	Folding Type	Folding Type
Soldering	Soldering	Soldering	Connector	Connector	Connector	Connector	Connector	Connector