


5V ISOLATED POWER MODULE

5V ISOLATED POWER MODULE



3.3V LINEAR REGULATOR






eSpark Consulting Group


Title: POWER_SHEET.SchDoc	
File: Pukk-Display-Module-v1.0.PrjPcb	
Date: 19/03/2025	Page Num: 1
Drawn By: Huzaifa Ali	Page Total: 10

radxa_CM3J_SHEET-1




Title:	radxa_CM3J_SHEET-1.SchDoc
File:	Pukk-Display-Module-v1.0.PrjPcb
Date: 19/03/2025	Page Num: 2
Drawn By: Huzaifa Ali	Page Total: 10


radxa_CM3J_SHEET-2




Title:	radxa_CM3J_SHEET-2.SchDoc
File:	Pukk-Display-Module-v1.0.PrjPcb
Date: 19/03/2025	Page Num: 3
Drawn By: Huzaifa Ali	Page Total: 10

CAN - INTERFACE - SHEET










eSpark Consulting Group


Title: CAN_SHEET.SchDoc	
File: Pukk-Display-Module-v1.0.PrjPcb	
Date: 18/03/2025	Page Num: 4
Drawn By: Huzaifa Ali	Page Total: 10

TYPE-C - INTERFACE - SHEET













eSpark Consulting Group

Title: TYPE-C_INTERFACE_SHEET.SchDoc	
File: Pukk-Display-Module-v1.0.PrjPcb	
Date: 18/03/2025	Page Num: 5
Drawn By: Huzaifa Ali	Page Total: 10


MIPI - DISPLAY - SHEET






KD050FHFID103

Pin Name
NC
LEDK
NC
LEDA
NC
GND
MIPI_D0N
MIPI_D0P
GND
MIPI_D1N
MIPI_D1P
GND
MIPI_CLN
MIPI_CLP
GND
MIPI_D2N
MIPI_D2P
GND
MIPI_D3N
MIPI_D3P
GND
GND
BIST
GND
NC
RESET
NC
VCI
GND
GND








eSpark Consulting Group


Title: MIPI_DISPLAY-SHEET.SchDoc	
File: Pukk-Display-Module-v1.0.PrjPcb	
Date: 18/03/2025	Page Num: 6
Drawn By: Huzaifa Ali	Page Total: 10


HDMI2.0 - INTERFACE - SHEET


















eSpark Consulting Group


Title: HDMI2.0_SHEET.SchDoc		
File: Pukk-Display-Module-v1.0.PrjPcb		
Date: 18/03/2025	Page	Num: 7
Drawn By: Huzaifa Ali	Page	Total: 10


GPS - INTERFACE - SHEET



Title: GPS_INTERFACE_SHEET.SchDoc	
File: Pukk-Display-Module-v1.0.PrjPcb	
Date: 19/03/2025	Page Num: 8
Drawn By: Huzaifa Ali	Page Total: 10

JOYSTICK - BUTTON - SHEET










eSpark Consulting Group


Title: JOYSTICK_BUTTON_SHEET.SchDoc	
File: Pukk-Display-Module-v1.0.PrjPcb	
Date: 19/03/2025	Page Num: 9
Drawn By: Huzaifa Ali	Page Total: 10

MISCELLANEOUS - SHEET


DEBUG




RESET





BOOT



POWER







eSpark Consulting Group

Title: MISCELLANEOUS_SHEET.SchDoc		
File: Pukk-Display-Module-v1.0.PrjPcb		
Date: 18/03/2025	Page	Num: 10
Drawn By: Huzaifa Ali	Page	Total: 10

Comment	Description	Designator	Footprint	LibRef	Quantity
47uF	CAP ALUM POLY 47UF 20% 25V SMD	C1	25SVPF47M	25SVPF47M	1
10uF	CAP CER 10UF 25V X5R 0603	C2, C6	Cap-0603	GRM188R61E106MA7 3D	2
1uF	CAP CER 1UF 25V X5R 0402	C3	Cap-0402	CC0402KRX5R8BB105	1
0.1uF	CAP CER 0.1UF 25V X7R 0402, CAP CER 0.1UF 50V X7R 0402, CAP CER 0.1UF 10V X5R 0402	C4, C19, C20, C25, C27, C29, C31, C33, C35, C80	Cap-0402	CC0402KRX7R8BB104, GRM155R71H104ME1 4D, CC0402KRX5R8BB104	10
22uF	CAP CER 22UF 10V X7R 0805	C5	Cap-0805	GRM21BZ71A226ME1 5L	1
100nF	CAP CER 0.1UF 16V X5R 0402	C7, C9, C10, C12, C14, C15, C17	Cap-0402	CC0402KRX5R7BB104	7
22uF	16V 22uF X5R ±20% 0603 Multilayer Ceramic Capacitors MLCC - SMD/SMT ROHS	C8, C16, C18	Cap-0603	HDG0603R226M160N THJ	3
4.7uF	CAP CER 4.7UF 16V X5R 0402	C11, C13, C24	Cap-0402	CC0402KRX5R6BB475	3
1uF	CAP CER 1UF 50V X5R 0603	C21, C22	Cap-0603	CL10A105KB8NNNC	2
220nF	CAP CER 0.22UF 25V X5R 0402	C23	Cap-0402	CC0402KRX5R6BB224	1
100pF	CAP CER 100PF 50V C0G/NPO 0603	C26	Cap-0603	C0603JRNP09BN101	1
10uF	CAP ALUM 10UF 25V SMD	C28	RVT1E100M0405_	RVT1E100M0405	1
33nF	CAP CER 0.033UF 25V X7R 0402	C30	Cap-0402	CC0402KRX7R8BB333	1
4.7uF	CAP CER 4.7UF 50V X7R 1206	C32, C34	Cap-1206	UMK316AB7475KL-T	2
SS56	DIODE SCHOTTKY 60V 5A SMA	D1	SMA	SS56	1
SD12C TCT	24V 350W 13.3V 12V SOD-323 ESD and Surge Protection (TVS/ESD) ROHS	D2	SOD-323 (Bi-directional)	SD12C TCT	1
SMAJ5.0CA	TVS DIODE 5VWM 9.2VC SMA	D3	SMA Bi Directional	SMAJ5.0CA	1
CDSOT23-T24CAN-Q	TVS DIODE 24VWM 40VC SOT23-3	D4	SOT-23	CDSOT23-T24CAN-Q	1
ESD5451N	DFN1006-2(0402) ESD Protection Devices ROHS	D5, D14, D15, D17, D18, D19, D20, D21, D22, D23	DFN1006-2L (Bi-Directional)	ESD5451N	10
ESDS341N-2/TR	4A@8/20us 15V 7V 5V Unidirectional DFN1006-2L TVS ROHS	D6, D7, D11	DFN1006-2L_	ESDS341N-2/TR	3
ESDS304D-10/TR	4A@8/20us 12V 7V 5V Unidirectional DFN2510-10L TVS ROHS	D8, D9, D10	DFN2510-10L_	ESDS304D-10/TR	3
SS16	60V 700mV@1A 1A SMA(DO-214AC) Schottky Barrier Diodes (SBD) ROHS	D12	SMA	SS16	1
BSB19W5	DIODE SCHOTTKY 40V 1A SOD323	D13	SOD-323	BSB19W5	1
BSMD1812-150-33V	33V 1.5A 45A 3A 1812 Resettable Fuses ROHS	F1	Fuse-1812_	BSMD1812-150-33V	1
BLM18PG181SN1D	0603 180Ω ±25% DCR=0.09Ω 1.5A	FB1	IND-0603 (1608 Metric)	BLM18PG181SN1D	1
X6511WV-02H-C60D30	Gold 250V 3A Straight Square Pins 2.5mm 2P 260°C 6mm - 40°C~+105°C 3mm 2.54mm Plugin Black Brass 1x2P Plugin,P=2.54mm Pin Headers ROHS	J1	HDR1X2_	X6511WV-02H-C60D30	1
HDMI-101W	SMD HDMI Connectors ROHS	J2	HDMI-101W	HDMI-101W	1
TF31-305-0.5SH(800)	CONN FFC BOTTOM 30POS 0.5MM R/A	J3	TF31-305-0.5SH(800)	TF31-305-0.5SH(800)	1
PB-6215R13-TF	SMD Button And Strip Battery Connector ROHS	J4	PB-6215R13-TF	PB-6215R13-TF	1
X6511WV-03H-C60D30	Gold 250V 3A Straight Square Pins 2.5mm 3P 260°C 6mm - 40°C~+105°C 3mm 2.54mm Plugin Black Brass 1x3P Plugin,P=2.54mm Pin Headers ROHS	J5	HDR1X3_	X6511WV-03H-C60D30	1
U.FL-R-SMT-1(10)	CONN U.FL RCPT STR 50 OHM SMD	J6	U.FL-R-SMT-1(10)	U.FL-R-SMT-1(10)	1
SDMM0806H-2-900T	90Ω@100MHz 4Ω 2 0302 Common Mode Filters ROHS	L1	0302	SDMM0806H-2-900T	1
22uH	SMD / SMT Inductor (Coil), 2.2 - 47 H, 100 kHz, 0.71 - 2.76 A, 58 - 875 Ohm, 5 x 5 x 2 (LxWxH)	L2	IND_VLCF5020T-220MR75-1	VLCF5020T-220MR75-1	1
6.8nH	600mA 6.8nH ±5% 110mΩ 0805 Inductors (SMD) ROHS	L3	Ind-0805	BKWB085LC06N8JGT	1
RED	RED LED 0603 Light Emitting Diodes	LED1, LED4	LED-0603	NCD0603R3	2
Emerald	Emerald 0603 Light Emitting Diodes (LED) ROHS	LED2	LED-0603	NCD0603G2	1
Yellow	yellow 0603 Light Emitting Diodes (LED) ROHS	LED3	LED-0603	NCD0603Y2	1
S8050	Trans Gp BjtNPN 25V 1.5A 300MW 3-PIN SOT-23T/r	Q1, Q2	SOT-23	S8050	2
499R	RES 499 OHM 1% 1/16W 0402	R1	Res-0402	RC0402FR-07499RL	1
0R	RES 0 OHM JUMPER 1/8W 0805	R2	Res-0805	RC0805FR-070RL	1
10K	RES 10K OHM 1% 1/16W 0402	R3, R19, R33, R34	Res-0402	RC0402FR-0710KL	4
6.8K	RES SMD 6.8K OHM 0.1% 1/16W 0402	R4	Res-0402	RT0402BRC076K8L	1
4.7K	RES 4.7K OHM 1% 1/16W 0402	R5	Res-0402	RC0402FR-074K7L	1
0R	RES 0 OHM JUMPER 1/16W 0402	R6, R7, R8, R9, R10, R17, R23, R24, R25, R27, R28, R32	Res-0402	RC0402FR-070RL	12
120R	RES 120 OHM 1% 1/10W 0603	R11	Res-0603	RC0603FR-07120RL	1
DNP	RES 0 OHM JUMPER 1/8W 0805	R12	Res-0805	RC0805FR-070RL	1
5.1K	RES 5.1K OHM 1% 1/16W 0402	R13, R14	Res-0402	RC0402FR-075K1L	2
1K	RES 1K OHM 1% 1/16W 0402	R15, R37, R121, R122, R123, R124, R125	Res-0402	RC0402FR-071KL	7
DNP	RES 0 OHM JUMPER 1/16W 0402	R16, R20	Res-0402	RC0402FR-070RL	2
5.1R	RES 5.1 OHM 5% 1/8W 0805	R18	RES-0805	RC0805JR-075R1L	1
1.5K	RES 1.5K OHM 1% 1/16W 0402	R21	Res-0402	RC0402FR-071K5L	1
100R	RES 100 OHM 1% 1/16W 0402	R22, R26, R29, R30, R31	Res-0402	RC0402FR-07100RL	5
100K	RES 100K OHM 1% 1/16W 0402	R35, R36	Res-0402	RC0402FR-07100KL	2
B3U-1000P	SWITCH TACTILE SPST-NO 0.05A 12V	SW1, SW2, SW3	B3U-1000P	B3U-1000P	3
VRB1205S-10WR3	SIP Isolated Power Modules ROHS	U1	VRB1205S-10WR3	VRB1205S-10WR3	1
TCAN1044VDRQ1	IC TRANSCEIVER 1/1 8SOIC	U2	SOIC-8(0.154", 3.90mm Width)	TCAN1044VDRQ1	1
1240181624024	CONN RCP USB3.1 TYPEC 24P SMD R/A	U3	1240181624024	1240181624024	1
AP23315A-7	IC CURRENT SWITCH SOT23-3	U4	SOT-23	AP23315A-7	1
TPS61161ADRVR	White LED driver with PWM brightness control in 2mm x 2mm WSON Package, up to 10 LEDs in Series 6-WSON -40 to 85	U5	TPS61161ADRVR	TPS61161ADRVR	1
ATGM336H-6N-74	SMD,10.1x9.7mm Satellite Positioning Modules ROHS	U6	ATGM336H-6N-74	ATGM336H-6N-74	1
AT2659	1.4V~3.6V 4.3mA DFN-6(1x1.6) Low Noise Amplifiers (LNA) - RF ROHS	U7	DFN-6(1x1.6)	AT2659	1
ST1L05APUI3R	IC REG LINEAR 3.3V 1.3A 6DFN	U8	DFN-6(3x3)	ST1L05APUI3R	1
DF40C-30DP-0.4V(51)	CONN RCPT 100POS SMD GOLD	U13A, U13B	DF40C-100DS-0.4V(51)	DF40C-30DP-0.4V(51)	2
SN74HC14QDRQ1	IC INVERT SCHMITT 6CH 1IN 14SOIC	U16	SOIC-14	SN74HC14QDRQ1	1