



DC Input









Power 3.3V_SYS





Power 3.3V_S




Power 5V











eSpark Consulting Group

Title: Power-DC-IN-Sheet.SchDoc	
File: MVP-Dash-v1.0.PrjPcb	
Date: 25-Apr-24	Page Num: 1
Drawn By: Huzaifa Ali	Page Total: 25


PMIC RK809 DC-DC




PMIC RK809 LDO



PMIC RK809 Management



PMIC RK809 CODEC



RESETn
EXT_EN
PMIC_INT_L
RK809_32KOUT_WIFI
PMIC_SLEEP_H

I2C0
I2C0_SDA_PMIC
I2C0_SCL_PMIC

I2S1
I2S1_MCLK_M0_RK809
I2S1_SCLK_TX_M0_RK809
I2S1_LRCK_TX_M0_RK809
I2S1_SDO0_M0_RK809
I2S1_SDI0_M0/PDM_SDI0_M0_RK809
PDM_CLK0_M0_RK809


VCC3V3_SYS
VDD_LOGIC
VDD_GPU
VDD_NPU
VCC_DDR
VDDA0V9_IMAGE
VDDA_0V9
VDDA0V9_PMU
VCCIO_ACODEC
VCCIO_SD
VCC_5V_S

VCC3V3_PMU
VCCA_1V8
VCCA1V8_PMU
VCCA1V8_IMAGE
VCC3V3_SD
VCC_3V3
VCC_1V8
VCC5V0_SYS
VCCIO_WL
GND

eSpark Consulting Group


Title: Power-PMIC-Sheet.SchDoc	
File: MVP-Dash-v1.0.PrjPcb	
Date: 25-Apr-24	Page Num: 2
Drawn By: Huzaifa Ali	Page Total: 25


VDD_CPU




	VCCIO2 domain voltage: Recommend voltage value (VCCIO_FLASH)	FLASH_VOL_SEL state decided to VCCIO2 domain IO driven by default
eMMC	1.8V	FLASH_VOL_SEL --> Logic=H
Nand flash	Default 3.3V, Adjust according to demand 1.8V	FLASH_VOL_SEL --> Logic=L(Default)
SPI flash	Default 3.3V, Adjust according to demand 1.8V	FLASH_VOL_SEL --> Logic=L(Default)


Flash Power Manage














eSpark Consulting Group


Title: Power-Others-Sheet.SchDoc	
File: MVP-Dash-v1.0.PrjPcb	
Date: 25-Apr-24	Page Num: 3
Drawn By: Huzaifa Ali	Page Total: 25


RK3568 Power & GND














eSpark Consulting Group

Title:	RK3568-Power-Sheet.SchDoc
File:	MVP-Dash-v1.0.PrjPcb
Date: 25-Apr-24	Page Num: 4
Drawn By: Huzaifa Ali	Page Total: 25

RK3568 DDR PHY

U1F

	DDR4	LPDDR4	DDR3	LPDDR3
A_DQ0 F2	DDR_DQ0_A	DDR4_DQL0_A	LPDDR4_DQ0_A	DDR3_DQ0	LPDDR3_DQ15
A_DQ1 E1	DDR_DQ1_A	DDR4_DQL2_A	LPDDR4_DQ1_A	DDR3_DQ1	LPDDR3_DQ14
A_DQ2 E2	DDR_DQ2_A	DDR4_DQL4_A	LPDDR4_DQ2_A	DDR3_DQ2	LPDDR3_DQ10
A_DQ3 D1	DDR_DQ3_A	DDR4_DQL6_A	LPDDR4_DQ3_A	DDR3_DQ3	LPDDR3_DQ9
A_DQ4 J1	DDR_DQ4_A	DDR4_DQL7_A	LPDDR4_DQ4_A	DDR3_DQ4	LPDDR3_DQ13
A_DQ5 J2	DDR_DQ5_A	DDR4_DQL5_A	LPDDR4_DQ5_A	DDR3_DQ5	LPDDR3_DQ12
A_DQ6 H1	DDR_DQ6_A	DDR4_DQL3_A	LPDDR4_DQ6_A	DDR3_DQ6	LPDDR3_DQ8
A_DQ7 H4	DDR_DQ7_A	DDR4_DQL1_A	LPDDR4_DQ7_A	DDR3_DQ7	LPDDR3_DQ11
A_DM0 H5	DDR_DM0_A	DDR4_DML_A	LPDDR4_DM0_A	DDR3_DM0	LPDDR3_DM1
A_DQS0_P G1	DDR_DQS0P_A	DDR4_DQSL_P_A	LPDDR4_DQS0P_A	DDR3_DQS0P	LPDDR3_DQS1P
A_DQS0_N G2	DDR_DQS0N_A	DDR4_DQSL_N_A	LPDDR4_DQS0N_A	DDR3_DQS0N	LPDDR3_DQS1N
A_DQ8 M1	DDR_DQ8_A	DDR4_DQU3_A	LPDDR4_DQ8_A	DDR3_DQ8	LPDDR3_DQ25
A_DQ9 N2	DDR_DQ9_A	DDR4_DQU1_A	LPDDR4_DQ9_A	DDR3_DQ9	LPDDR3_DQ24
A_DQ10 L7	DDR_DQ10_A	DDR4_DQU7_A	LPDDR4_DQ10_A	DDR3_DQ10	LPDDR3_DQ28
A_DQ11 L6	DDR_DQ11_A	DDR4_DQU5_A	LPDDR4_DQ11_A	DDR3_DQ11	LPDDR3_DQ29
A_DQ12 K2	DDR_DQ12_A	DDR4_DQU2_A	LPDDR4_DQ12_A	DDR3_DQ12	LPDDR3_DQ26
A_DQ13 J6	DDR_DQ13_A	DDR4_DQU4_A	LPDDR4_DQ13_A	DDR3_DQ13	LPDDR3_DQ31
A_DQ14 J7	DDR_DQ14_A	DDR4_DQU6_A	LPDDR4_DQ14_A	DDR3_DQ14	LPDDR3_DQ30
A_DQ15 L4	DDR_DQ15_A	DDR4_DQU0_A	LPDDR4_DQ15_A	DDR3_DQ15	LPDDR3_DQ27
A_DM1 J4	DDR_DM1_A	DDR4_DMU_A	LPDDR4_DM1_A	DDR3_DM1	LPDDR3_DM3
A_DQS1_P L2	DDR_DQS1P_A	DDR4_DQSU_P_A	LPDDR4_DQS1P_A	DDR3_DQS1P	LPDDR3_DQS3P
A_DQS1_N L1	DDR_DQS1N_A	DDR4_DQSU_N_A	LPDDR4_DQS1N_A	DDR3_DQS1N	LPDDR3_DQS3N
B_DQ0 B10	DDR_DQ0_B	DDR4_DQU7_B	LPDDR4_DQ0_B	DDR3_DQ16	LPDDR3_DQ1
B_DQ1 A9	DDR_DQ1_B	DDR4_DQU5_B	LPDDR4_DQ1_B	DDR3_DQ17	LPDDR3_DQ5
B_DQ2 D12	DDR_DQ2_B	DDR4_DQU3_B	LPDDR4_DQ2_B	DDR3_DQ18	LPDDR3_DQ6
B_DQ3 E12	DDR_DQ3_B	DDR4_DQU1_B	LPDDR4_DQ3_B	DDR3_DQ19	LPDDR3_DQ4
B_DQ4 A12	DDR_DQ4_B	DDR4_DQU0_B	LPDDR4_DQ4_B	DDR3_DQ20	LPDDR3_DQ2
B_DQ5 D15	DDR_DQ5_B	DDR4_DQU6_B	LPDDR4_DQ5_B	DDR3_DQ21	LPDDR3_DQ3
B_DQ6 E15	DDR_DQ6_B	DDR4_DQU4_B	LPDDR4_DQ6_B	DDR3_DQ22	LPDDR3_DQ7
B_DQ7 E14	DDR_DQ7_B	DDR4_DQU2_B	LPDDR4_DQ7_B	DDR3_DQ23	LPDDR3_DQ0
B_DM0 D14	DDR_DM0_B	DDR4_DMU_B	LPDDR4_DM0_B	DDR3_DM2	LPDDR3_DM0
B_DQS0_P A11	DDR_DQS0P_B	DDR4_DQSU_P_B	LPDDR4_DQS0P_B	DDR3_DQS2P	LPDDR3_DQS0P
B_DQS0_N B11	DDR_DQS0N_B	DDR4_DQSU_N_B	LPDDR4_DQS0N_B	DDR3_DQS2N	LPDDR3_DQS0N
B_DQ8 A16	DDR_DQ8_B	DDR4_DQL0_B	LPDDR4_DQ8_B	DDR3_DQ24	LPDDR3_DQ18
B_DQ9 B17	DDR_DQ9_B	DDR4_DQL2_B	LPDDR4_DQ9_B	DDR3_DQ25	LPDDR3_DQ19
B_DQ10 A17	DDR_DQ10_B	DDR4_DQL4_B	LPDDR4_DQ10_B	DDR3_DQ26	LPDDR3_DQ22
B_DQ11 B18	DDR_DQ11_B	DDR4_DQL6_B	LPDDR4_DQ11_B	DDR3_DQ27	LPDDR3_DQ23
B_DQ12 B13	DDR_DQ12_B	DDR4_DQL7_B	LPDDR4_DQ12_B	DDR3_DQ28	LPDDR3_DQ16
B_DQ13 A13	DDR_DQ13_B	DDR4_DQL5_B	LPDDR4_DQ13_B	DDR3_DQ29	LPDDR3_DQ17
B_DQ14 D17	DDR_DQ14_B	DDR4_DQL1_B	LPDDR4_DQ14_B	DDR3_DQ30	LPDDR3_DQ20
B_DQ15 B14	DDR_DQ15_B	DDR4_DQL3_B	LPDDR4_DQ15_B	DDR3_DQ31	LPDDR3_DQ21
B_DM1 E17	DDR_DM1_B	DDR4_DML_B	LPDDR4_DM1_B	DDR3_DM3	LPDDR3_DM2
B_DQS1_P B15	DDR_DQS1P_B	DDR4_DQSL_P_B	LPDDR4_DQS1P_B	DDR3_DQS3P	LPDDR3_DQS2P
B_DQS1_N A15	DDR_DQS1N_B	DDR4_DQSL_N_B	LPDDR4_DQS1N_B	DDR3_DQS3N	LPDDR3_DQS2N
P5	DDR_ECC_DQ0	DDR4_ECC_DQ7	--	DDR3_ECC_DQ0 /
M4	DDR_ECC_DQ1	DDR4_ECC_DQ0	--	DDR3_ECC_DQ1
M5	DDR_ECC_DQ2	DDR4_ECC_DQ2	------	DDR3_ECC_DQ2
R5	DDR_ECC_DQ3	DDR4_ECC_DQ1	------	DDR3_ECC_DQ3
M7	DDR_ECC_DQ4	DDR4_ECC_DQ6	------	DDR3_ECC_DQ4
R7	DDR_ECC_DQ5	DDR4_ECC_DQ4	------	DDR3_ECC_DQ5
P4	DDR_ECC_DQ6	DDR4_ECC_DQ3	------	DDR3_ECC_DQ6
R4	DDR_ECC_DQ7	DDR4_ECC_DQ5	------	DDR3_ECC_DQ7
P7	DDR_ECC_DM	DDR4_ECC_DM	------	DDR3_ECC_DM
P2	DDR_ECC_DQS_P	DDR4_ECC_DQS_P	------	DDR3_ECC_DQS_P
P1	DDR_ECC_DQS_N	DDR4_ECC_DQS_N	------	DDR3_ECC_DQS_N

DDR4	LPDDR4	DDR3	LPDDR3	
DDR4_A0	LPDDR4_CLKP_B	DDR3_A9	----------	AC0
DDR4_A1	---- ----- ----------	DDR3_A2	-- ---------	AC1
DDR4_A2	LPDDR4_A1_A	DDR3_A4	LPDDR3_A6	AC2
DDR4_A3	LPDDR4_CKE1_A	DDR3_A3	----------	AC3
DDR4_A4	LPDDR4_A3_B	DDR3_BA1	LPDDR3_A3	AC4
DDR4_A5	LPDDR4_A5_B	DDR3_A11	LPDDR3_A2	AC5
DDR4_A6	LPDDR4_A1_B	DDR3_A13	LPDDR3_A1	AC6
DDR4_A7	LPDDR4_ODT0_CA_B	DDR3_A8	----------	AC7
DDR4_A8	LPDDR4_ODT0_CA_A	DDR3_A6	LPDDR3_A9	AC8
DDR4_A9	LPDDR4_CLKN_B	DDR3_A5	-------- ---------	AC9
DDR4_A10	LPDDR4_CKE0_B	DDR3_A10	----------	AC10
DDR4_A11	LPDDR4_A0_A	DDR3_A7	LPDDR3_A8	AC11
DDR4_A12	LPDDR4_A3_A	DDR3_BA2	----------	AC12
DDR4_A13	LPDDR4_A0_B	DDR3_A14	LPDDR3_A0	AC13
DDR4_A14_WEn	LPDDR4_A4_A	DDR3_A15	LPDDR3_A5	AC14
DDR4_A15_CASn	LPDDR4_A2_A	DDR3_A0	----------	AC15
DDR4_A16_RASn	LPDDR4_A5_A	DDR3_RASn	LPDDR3_A7	AC16
DDR4_ACTn	LPDDR4_CKE1_B	DDR3_CASn	----------	AC17
DDR4_BA0	LPDDR4_A2_B	DDR3_A1	----------	AC18
DDR4_BA1	LPDDR4_A4_B	DDR3_A12	LPDDR3_A4	AC19
DDR4_BG0	LPDDR4_ODT1_CA_B	DDR3_WEn	----------	AC20
DDR4_BG1	LPDDR4_ODT1_CA_A	DDR3_BA0	----------	AC21
DDR4_CKE	LPDDR4_CKE0_A	DDR3_CKE	LPDDR3_CKE	AC22
DDR4_CLKP	LPDDR4_CLKP_A	DDR3_CLKP	LPDDR3_CLKP	AC23
DDR4_CLKN	LPDDR4_CLKN_A	DDR3_CLKN	LPDDR3_CLKN	AC24
DDR4_CS0n	LPDDR4_CS0n_A	DDR3_ODT1	LPDDR3_ODT0	AC25
DDR4_CS1n	LPDDR4_CS1n_A	DDR3_CS1n	LPDDR3_ODT1	AC26
DDR4_ODT0	LPDDR4_CS1n_B	DDR3_ODT0	LPDDR3_CS1n	AC27
DDR4_ODT1	LPDDR4_CS0n_B	DDR3_CS0n	LPDDR3_CS0n	AC28
DDR4_RESETn	LPDDR4_RESETn	DDR3_RESETn	----------	AC29

Note: Sequences can not be swap.

B6 B_CLK_P
F5
B1 A_A1
F4 A_CLKE1
D9 B_A3
B7 B_A5
A7 B_A1
A8 B_ODT0_CA
C1 A_ODT0_CA
A5 B_CLK_N
D6 B_CLKE0
C2 A_A0
C4 A_A3
B8 B_A0
C5 A_A4
E4 A_A2
D5 A_A5
E6 B_CLKE1
E11 B_A2
E9 B_A4
F8
F7
B3 A_CLKE0
B4 A_CLK_P
A4 A_CLK_N
A2 A_CS0
B2 A_CS1
E8 B_CS1
D8 B_CS0
F11 A_RESET

DDR_RZQ
H7 DDR_RZQ R40 120R
VCC_DDR

DDR_VREFOUT
P8

DDR3L #NAME?
DDR3 #NAME?
DDR4 #NAME?
LPDDR3 #NAME?
LPDDR4x #NAME?
LPDDR4 #NAME?

H9 DDRPHY_VDDQ_1
H11 DDRPHY_VDDQ_2
H12 DDRPHY_VDDQ_3
H14 DDRPHY_VDDQ_4
H15 DDRPHY_VDDQ_5
J9 DDRPHY_VDDQ_6
L9 DDRPHY_VDDQ_7
M9 DDRPHY_VDDQ_8

VCC_DDR
C108 100nF C110 100nF C112 4.7uF C114 4.7uF C116 10uF
GND GND GND GND GND

DDR3L #NAME?
DDR3 #NAME?
DDR4 #NAME?
LPDDR3 #NAME?
LPDDR4 #NAME?
LPDDR4x = 0.6V

J11 DDRPHY_VDDQL_1
J12 DDRPHY_VDDQL_2
J14 DDRPHY_VDDQL_3
K10 DDRPHY_VDDQL_4
L10 DDRPHY_VDDQL_5
M10 DDRPHY_VDDQL_6


VCC0V6_DDR
C109 100nF C111 100nF C113 4.7uF C115 4.7uF C117 4.7uF
GND GND GND GND GND


Note:
Except DDR3, other DQ sequences can not be swap

DDR_AVSS
J8
GND

Caps should be placed under the U1 package

RK3568B2






eSpark Consulting Group

Title: RK3568-DDR-PHY.SchDoc	
File: MVP-Dash-v1.0.PrjPcb	
Date: 25-Apr-24	Page Num: 5
Drawn By: Huzaifa Ali	Page Total: 25

RK3568 OSC/PLL/PMUIO1/2



Note:
Caps of between dashed black lines and U1 should be placed under the U1 package. Other caps should be placed close to the U1 package.

UART2_DEBUG
UART2_RX_M0_DEBUG
UART2_TX_M0_DEBUG


I2C0
I2C0_SDA_PMIC
I2C0_SCL_PMIC

VCCA1V8_PMU
VDDA_0V9
VCCA_1V8
VCC3V3_PMU
VDDA0V9_PMU
GND


eSpark Consulting Group

Title:	RK3568-OSC-PMUIO-Sheet.SchDoc
File:	MVP-Dash-v1.0.PrjPcb
Date: 25-Apr-24	Page Num: 6
Drawn By: Huzaifa Ali	Page Total: 25


RK3568 Flash (VCCIO2 Domain)



RK3568 SD (VCCIO3 Domain)




Note:
Caps of between dashed black lines and U1 should be placed under the U1 package



eSpark Consulting Group


Title: RK3568-Flash-SD-Controller.SchDoc	
File: MVP-Dash-v1.0.PrjPcb	
Date: 25-Apr-24	Page Num: 7
Drawn By: Huzaifa Ali	Page Total: 25

RK3568 USB3.0/SATA/QSGMII/PCIe2.0 x1





Note:
Caps of between dashed black lines and U1 should be placed under the U1 package. Other caps should be placed close to the U1 package.


RK3568 USB2.0 HOST




RK3568 PCIe3.0 x2











eSpark Consulting Group

Title: RK3568-USB-PCIe-Sheet.SchDoc		
File: MVP-Dash-v1.0.PrjPcb		
Date: 25-Apr-24	Page	Num: 8
Drawn By: Huzaifa Ali	Page	Total: 25


RK3568 (VCCIO4 Domain)




RK3568 (VCCIO7 Domain)



RK3568 (SARADC/OTP)





SARADC_VIN1_EVB_HW_ID	Rup	Rdown	ADC	
EVB1	10K	DNP	1023	1.8V
EVB2	20K	100K	852	1.5V
EVB3	18K	36K	681	1.2V
EVB4	51K	51K	512	0.9V
EVB5	36K	18K	340	0.6V
EVB6	100K	20K	170	0.3V
EVB7	DNP	10K	0	0V
EVB8				



Note:
Caps of between dashed black lines and U1 should be placed under the U1 package.








eSpark Consulting Group


Title: RK3568-SARADC-GPIO.SchDoc		
File: MVP-Dash-v1.0.PrjPcb		
Date: 25-Apr-24	Page	Num: 9
Drawn By: Huzaifa Ali	Page	Total: 25

RK3568 (MIPI CSI RX)



Option1	Sensor1 x4Lane	MIPI_CSI_RX_D0-3 MIPI_CSI_RX_CLK0
Option2	Sensor1 x2Lane + Sensor2 x2Lane	MIPI_CSI_RX_D0-1 MIPI_CSI_RX_CLK0 MIPI_CSI_RX_D2-3 MIPI_CSI_RX_CLK1


RK3568 (VCCIO6 Domain)



Mode	16bit	12bit	10bit	8bit
CIF_D0	D0	--	--	--
CIF_D1	D1	--	--	--
CIF_D2	D2	--	--	--
CIF_D3	D3	--	--	--
CIF_D4	D4	D0	--	--
CIF_D5	D5	D1	--	--
CIF_D6	D6	D2	D0	--
CIF_D7	D7	D3	D1	--
CIF_D8	D8	D4	D2	D0
CIF_D9	D9	D5	D3	D1
CIF_D10	D10	D6	D4	D2
CIF_D11	D11	D7	D5	D3
CIF_D12	D12	D8	D6	D4
CIF_D13	D13	D9	D7	D5
CIF_D14	D14	D10	D8	D6
CIF_D15	D15	D11	D9	D7

Support BT601 YCbCr 422 8bit input
Support BT656 YCbCr 422 8bit input
Support RAW 8/10/12bit input
Support BT1120 YCbCr 422 8/10/12/16bit input, single/dual-edge sampling
Support 2/4 mixed BT656/BT1120 YCbCr 422 8bit input






eSpark Consulting Group

Title: RK3568-VI-Interface-Sheet.SchDoc


File: MVP-Dash-v1.0.PrjPcb

Date: 25-Apr-24	Page Num: 10
Drawn By: Huzaifa Ali	Page Total: 25


RK3568 (MIPI DSI TX0)



RK3568 (MIPI DSI TX1)





RK3568 (eDP TX)




Note:
Caps of between dashed black lines and U1 should be placed under the U1 package. Other caps should be placed close to the U1 package.

RK3568 (HDMI2.0 TX)











eSpark Consulting Group

Title: RK3568-VO-Interface-1.SchDoc		
File: MVP-Dash-v1.0.PrjPcb		
Date: 25-Apr-24	Page	Num: 11
Drawn By: Huzaifa Ali	Page	Total: 25

RK3568 (VCCIO5 Domain)




Note:
Caps of between dashed black line and U1 should be placed under the U1 package



Title: RK3568-VO-Interface-2.SchDoc	
File: MVP-Dash-v1.0.PrjPcb	
Date: 25-Apr-24	Page Num: 12
Drawn By: Huzaifa Ali	Page Total: 25

RK3568 (VCCIO1 Domain)



Note:
Caps of between dashed black line and U1 should be placed under the U1 package








eSpark Consulting Group

Title: RK3568-Audio-Interface.SchDoc		
File: MVP-Dash-v1.0.PrjPcb		
Date: 25-Apr-24	Page	Num: 13
Drawn By: Huzaifa Ali	Page	Total: 25

USB2.0 HOST 3











eSpark Consulting Group


Title: USB-Ports.SchDoc		
File: MVP-Dash-v1.0.PrjPcb		
Date: 25-Apr-24	Page	Num: 14
Drawn By: Huzaifa Ali	Page	Total: 25


Debug





Recovery Key
















eSpark Consulting Group


Title: LED-Debug-Sheet.SchDoc		
File: MVP-Dash-v1.0.PrjPcb		
Date: 25-Apr-24	Page	Num: 15
Drawn By: Huzaifa Ali	Page	Total: 25


LPDDR4X


























eSpark Consulting Group


Title: DRAM-LPDDR4x-Sheet.SchDoc	
File: MVP-Dash-v1.0.PrjPcb	
Date: 25-Apr-24	Page Num: 16
Drawn By: Huzaifa Ali	Page Total: 25

eMMC











eSpark Consulting Group

Title: eMMC-Sheet.SchDoc		
File: MVP-Dash-v1.0.PrjPcb		
Date: 25-Apr-24	Page	Num: 17
Drawn By: Huzaifa Ali	Page	Total: 25

MicroSD Card




SPI Flash












eSpark Consulting Group

Title: MicroSD-SPI-Flash-Sheet.SchDoc		
File: MVP-Dash-v1.0.PrjPcb		
Date: 25-Apr-24	Page	Num: 18
Drawn By: Huzaifa Ali	Page	Total: 25


HDMI 2.0














eSpark Consulting Group


Title: VO-HDMI2.0-TX-Sheet.SchDoc	
File: MVP-Dash-v1.0.PrjPcb	
Date: 25-Apr-24	Page Num: 19
Drawn By: Huzaifa Ali	Page Total: 25

MIPI Display










KD050FHFID103

NO.	Pin Name
1	NC
2	LEDK
3	NC
4	LEDA
5	NC
6	GND
7	MIPI_D0N
8	MIPI_D0P
9	GND
10	MIPI_D1N
11	MIPI_D1P
12	GND
13	MIPI_CLN
14	MIPI_CLP
15	GND
16	MIPI_D2N
17	MIPI_D2P
18	GND
19	MIPI_D3N
20	MIPI_D3P
21	GND
22	GND
23	BIST
24	GND
25	NC
26	RESET
27	NC
28	VCI
29	GND
30	GND









eSpark Consulting Group


Title: VO-LCM-MIPI-DSI-TX0.SchDoc		
File: MVP-Dash-v1.0.PrjPcb		
Date: 25-Apr-24	Page	Num: 20
Drawn By: Huzaifa Ali	Page	Total: 25

Dual Band WiFi










eSpark Consulting Group


Title: WIFI-BT-SDIO-Sheet.SchDoc		
File: MVP-Dash-v1.0.PrjPcb		
Date: 25-Apr-24	Page	Num: 21
Drawn By: Huzaifa Ali	Page	Total: 25




eSpark Consulting Group

Title: Type-C-Sheet.SchDoc	
File: MVP-Dash-v1.0.PrjPcb	
Date: 25-Apr-24	Page Num: 22
Drawn By: Huzaifa Ali	Page Total: 25


GPS




Tachometer




Speedometer




ADC




FUEL LEVEL SENSOR











eSpark Consulting Group

Title: Sensors-Sheet-1.SchDoc	
File: MVP-Dash-v1.0.PrjPcb	
Date: 25-Apr-24	Page Num: 23
Drawn By: Huzaifa Ali	Page Total: 25


Alert Signals





Gear Signals



Buttons Signals









eSpark Consulting Group


Title: Sensors-Sheet-2.SchDoc	
File: MVP-Dash-v1.0.PrjPcb	
Date: 25-Apr-24	Page Num: 24
Drawn By: Huzaifa Ali	Page Total: 25

Harness Connector














eSpark Consulting Group

Title: Connector-Sheet.SchDoc		
File: MVP-Dash-v1.0.PrjPcb		
Date: 25-Apr-24	Page	Num: 25
Drawn By: Huzaifa Ali	Page	Total: 25