




Title		
Size: A	Number	Revision
Date: 11/15/2023		Sheet of
File: C:\Users\..\Top_Sheet.SchDoc		Drawn By:


USB to Power Board




3V3 LDO REGULATOR




BATTERY BACK-UP




TEST POINTS




SCREW TERMINALS




RELAY WITH DRIVER





J-LINK



BOOT HEADER









Title		
Size: A	Number	Revision
Date: 11/15/2023		Sheet of
File: C:\Users\..\Power_Sheet.SchDoc		Drawn By:


RESET




8MHz CRYSTAL




32.768kHz CRYSTAL






LCD CONNECTOR



POWER LED




LIMITING RESISTOR




Naming of Pads should be done like COM NO NC + -


BUTTON +




BUTTON -




SET BUTTON





LIGHT BUTTON




PUMP BUTTON







Title		
Size: A	Number	Revision
Date: 11/15/2023		Sheet of
File: C:\Users\..\Controller_Sheet.SchDoc		Drawn By:



Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	Solder Resist	3.00mil	3.5	
1	Top Layer		10.00mil		
	Dielectric 1	FR-4	37.00mil	4.8	
2	Bottom Layer		10.00mil		
	Bottom Solder	Solder Resist	3.00mil	3.5	
	Bottom Overlay				
Total board thickness:			63.00mil		