
Drill Drawing View




FABRICATION NOTES:
1. MATERIAL: FR4 - IPC4101/126 OR EQUIVALENT
2. LAYERS: 2
3. OVERALL THICKNESS: 0.093" +/- 0.009"
4. FINISHED COPPER WEIGHT SHALL BE 3 OZ FINISHED ON OUTER LAYERS.
5. PLATING FINISH: HASL (HOT AIR SOLDER LEVEL [SN63/PB37] - NON ROHS)
6. APPLY SOLDERMASK (LIQUID PHOTO IMAGEABLE) OVER BARE COPPER. SOLDERMASK TO BE PER IPC-SM-840, TYPE B, CLASS 3. COLOR: GREEN
7. SILKSCREEN IS REQUIRED – WHITE – TOP SIDE.
8. ALL DIMENSIONS ARE IN [MM] MILS.
9. ALL BOARD FAB DIMENSIONS ARE +/- 0.010" AND ALL FAB LINES WILL BE REMOVED FROM BOARD.
10. MANUFACTURE TO IPC-6012B, CLASS 2, LATEST REVISION).

Drill Table

Symbol	Count	Hole Size	Plated	Hole Tolerance
C	3	2.500mm	Plated	+/-0.075mm
B	2	1.100mm	Plated	+/-0.075mm
D	8	1.800mm	Plated	+/-0.075mm
E	8	1.300mm	Plated	+/-0.075mm
A	37	1.600mm	Plated	+/-0.075mm
□	4	5.000mm	Non-Plated	+/-0.127mm
F	24	0.762mm	Plated	+/-0.075mm

Layer Stack Legend



Material	Layer	Dielectric Material	Type	Gerber
	Silkscreen Top		Legend	GTO
Surface Material	Solder Mask Top	Solder Resist	Solder Mask	GTS
Copper	Top		Signal	GTL
		FR-4	*Dielectric*	
Copper	Bottom Layer		Signal	GBL
Surface Material	Bottom Solder	Solder Resist	Solder Mask	GBS

Total thickness: 93 mils +/- 9 mils

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF Chesapeake Mission Critical. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN

PROPRIETARY AND CONFIDENTIAL

NEXT ASSY	USED ON	
APPLICATION		

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL±
ANGULAR: MACH± BEND ±
TWO PLACE DECIMAL ±
THREE PLACE DECIMAL ±
INTERPRET GEOMETRIC TOLERANCING PER:
MATERIAL
FINISH
DO NOT SCALE DRAWING

	NAME	DATE
DRAWN		5/11/2022
CHECKED		
ENG APPR.		
MFG APPR.		
Q.A.		

COMMENTS:


Chesapeake Mission Critical

TITLE


Fabrication Drawing, P/N: CMC-R001 Rev A

SIZE	DWG. NO.	
SCALE: 1:1	WEIGHT:	SHEET 1 OF 2


Top Copper (Scale 1:2)




Bottom Copper (Scale 1:2)



Top Solder Mask (Scale 1:2)



Bottom Solder Mask (Scale 1:2)



THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF Chesapeake Mission Critical. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN

PROPRIETARY AND CONFIDENTIAL

NEXT ASSY	USED ON
APPLICATION	

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL±
ANGULAR: MACH± BEND ±
TWO PLACE DECIMAL ±
THREE PLACE DECIMAL ±
INTERPRET GEOMETRIC TOLERANCING PER:
MATERIAL
FINISH
DO NOT SCALE DRAWING

	NAME	DATE
DRAWN		5/11/2022
CHECKED		
ENG APPR.		
MFG APPR.		
Q.A.		

COMMENTS:


Chesapeake Mission Critical

TITLE

Fabrication Drawing, P/N: CMC-R001 Rev A

SIZE	DWG. NO.	
SCALE: 1:1	WEIGHT:	SHEET 2 OF 2

View from Top side (Scale 1:1)



ASSEMBLY NOTES

Board Name: CMC-R001 Rev A

1. Assemble in accordance with IPC-A-610, current revision, Class 2.
2. Solder electrical connections per latest revision of IPC J-STD-001.
3. This assembly contains ESD sensitive components. Handle per ANSI/ESD S20.20.
4. RoHS compliance required: No.
5. Mark with current assembly revision.
6. Mount components with polarity and orientation as shown on component designators/silkscreen.

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF Chesapeake Mission Critical. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN

PROPRIETARY AND CONFIDENTIAL

NEXT ASSY	USED ON
APPLICATION	

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL±
ANGULAR: MACH± BEND ±
TWO PLACE DECIMAL ±
THREE PLACE DECIMAL ±
INTERPRET GEOMETRIC TOLERANCING PER:
MATERIAL
FINISH
DO NOT SCALE DRAWING

	NAME	DATE
DRAWN		5/11/2022
CHECKED		
ENG APPR.		
MFG APPR.		
Q.A.		

COMMENTS:

Chesapeake Mission Critical

TITLE

Assembly Drawing, P/N: CMC-R001 Rev A

SIZE	DWG. NO.	
SCALE: 1:1	WEIGHT:	SHEET 1 OF 1