




eSpark Consulting Group


Title: Top-Sheet.SchDoc	
File: FMM-v1.0.PrjPcb	
Date: 29-Jan-24	Page Num: 1
Drawn By: Huzaifa Ali	Page Total: 9




Title:	Power-Sheet-1.SchDoc
File:	FMM-v1.0.PrjPcb
Date: 29-Jan-24	Page Num: 2
Drawn By: Huzaifa Ali	Page Total: 9



3.3V LDO




ISOLATED POWER SUPPLY



eSpark Consulting Group

Title: Power-Sheet-2.SchDoc	
File: FMM-v1.0.PrjPcb	
Date: 29-Jan-24	Page Num: 3
Drawn By: Huzaifa Ali	Page Total: 9




USB-TO-UART


TXD
RXD
RXD0
RXD
EN
IO0
EN
IO0
3V3
GND
3V3
GND

eSpark Consulting Group

Title: USB-to-UART-Sheet.SchDoc	
File: FMM-v1.0.PrjPcb	
Date: 29-Jan-24	Page Num: 4
Drawn By: Huzaifa Ali	Page Total: 9




CONTROLLER SHEET




eSpark Consulting Group

Title: Controller-Sheet.SchDoc	
File: FMM-v1.0.PrjPcb	
Date: 29-Jan-24	Page Num: 5
Drawn By: Huzaifa Ali	Page Total: 9




SD NAND






Title: Storage-Sheet.SchDoc	
File: FMM-v1.0.PrjPcb	
Date: 29-Jan-24	Page Num: 6
Drawn By: Huzaifa Ali	Page Total: 9




ISOLATED CAN TRANSCIEVER NMEA2000





eSpark Consulting Group

Title: CAN-Transceiver-Sheet.SchDoc	
File: FMM-v1.0.PrjPcb	
Date: 29-Jan-24	Page Num: 7
Drawn By: Huzaifa Ali	Page Total: 9




Note:
Constant Current = ~10.42mA

For 240 - 33Ω sensor:
Tank Empty Expected Value = 2.5V
Tank Full Expected Value = 0.34V


TANK-LEVEL SENSORS








eSpark Consulting Group


Title: Tank-Level-Sensor-Sheet.SchDoc	
File: FMM-v1.0.PrjPcb	
Date: 29-Jan-24	Page Num: 8
Drawn By: Huzaifa Ali	Page Total: 9














P80 FUEL FLOW AND TEMPERATURE SENSOR







eSpark Consulting Group

Title: Fuel-Sensor-Sheet.SchDoc	
File: FMM-v1.0.PrjPcb	
Date: 29-Jan-24	Page Num: 9
Drawn By: Huzaifa Ali	Page Total: 9