

Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	Solder Resist	0.50mil	3.5	
1	Top Layer		12.50mil		
	Dielectric 1	FR-4	37.00mil	4.8	
2	Bottom Layer		12.50mil		
	Bottom Solder	Solder Resist	0.50mil	3.5	
	Bottom Overlay				




53.42 (mm)
36.93 (mm)
POWER_IN
MOTOR_OUT
BRAKE
DRV OFF
DIRECTION
Board Edge
Board Edge
Board Edge
SB3
SB2
SB1
C1
C9
U4
C11
C12
C14
C13
Q2
C2
SB5
C17
SB4
POWER
FAULT
R16
R6
SDA
SCL
SPEED
FG
VBK
SDA_E
SCL_E
CSN_E
GND_E
3V3_E

Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	Solder Resist	0.50mil	3.5	
1	Top Layer		12.50mil		
	Dielectric 1	FR-4	37.00mil	4.8	
2	Bottom Layer		12.50mil		
	Bottom Solder	Solder Resist	0.50mil	3.5	
	Bottom Overlay				




53.42 (mm)
36.93 (mm)
Q1
D1
C6
C4
C5
C3
C8
C7
C16
L3
U1
C15
R17
C10
RoHS
compliant
ZERO CARBON FOOTPRINT
Note:
*>> 5.1K
#>> 10K