



Cannot open file C:\Users\user\Pictures\Saved Pictures\espark-consulting-group-150x150.jpg	Title: Sound_Sensor.PrjPcb		
	Size: A4	Number: 1	Revision: 1
	Date: 4/05/2022	Sheet 1 of 7	
	File: D:\Github\..\Top_Sheet.SchDoc	Drawn By: Huzaifa Ali	


ORING STATUS SIGNAL




ORING CIRCUITRY




DECOUPLING CAPS




3.3V LDO







Fixed 3.3V output
150mV dropout @500mA
Max output current is 1A
Enable High to activitate the chip

Cannot open file C:\Users\user\Pictures\Saved Pictures\espark-consulting-group-150x150.jpg	Title: Sound_Sensor.PrjPcb		
	Size: A4	Number: 1	Revision: 1
	Date: 4/05/2022	Sheet 2 of 7	
	File: D:\Github\..\Power_Section.SchDoc	Drawn By: Huzaifa Ali	











Cannot open file C:\Users\user\Pictures\Saved Pictures\espark-consulting-group-150x150.jpg	Title: Sound_Sensor.PrjPcb		
	Size: A4	Number: 1	Revision: 1
	Date: 4/05/2022	Sheet 3 of 7	
	File: D:\Github\..\Sensor_Sheet.SchDoc	Drawn By: Huzaifa Ali	


ADC1 OUTPUT




ADC 2 OUTPUT SIGNALS




ORING STATUS SIGNAL




PROGRAM INPUTS




DECOUPLING CAPS




ESP32-MODULE



AUTO BOOTLOADER CIRCUIT




HARD RESET






Cannot open file C:\Users\user\Pictures\Saved Pictures\espark-consulting-group-150x150.jpg	Title: Sound_Sensor.PrjPcb		
	Size: A4	Number: 1	Revision: 1
	Date: 4/05/2022	Sheet 4 of 7	
	File: D:\Github\..\Controller_Sheet.SchDoc	Drawn By: Huzaifa Ali	


PROGRAM INPUTS




5V INPUT




PROGRAMMING HEADER




BATTERY INPUT






Cannot open file C:\Users\user\Pictures\Saved Pictures\espark-consulting-group-150x150.jpg	Title: Sound_Sensor.PrjPcb		
	Size: A4	Number: 1	Revision: 1
	Date: 4/05/2022	Sheet 5 of 7	
	File: D:\Github\..\Connector_Sheet.SchDoc	Drawn By: Huzaifa Ali	


MIC OUT SIGNALS




ADC OUTPUT




DECOUPLING CAPS



ADC WITH SPI INTERFACE



8.192 MHz Crystal





Title		
Size: A4	Number	Revision
Date: 4/05/2022		Sheet of
File: D:\Github\..\ADC_1_Section.SchDoc		Drawn By:

I2C CONTROL SIGNALS

ADC2_I2C

ADC2_I2C — SCL — SCL
ADC2_I2C — SDA — SDA

MIC OUT SIGNALS

MIC_OUTS

MIC_OUTS — OUT1_N — MIC_OUTS.OUT1_N
MIC_OUTS — OUT1_P — MIC_OUTS.OUT1_P
MIC_OUTS — OUT2_N — MIC_OUTS.OUT2_N
MIC_OUTS — OUT2_P — MIC_OUTS.OUT2_P
MIC_OUTS — OUT3_N — MIC_OUTS.OUT3_N
MIC_OUTS — OUT3_P — MIC_OUTS.OUT3_P
MIC_OUTS — OUT4_N — MIC_OUTS.OUT4_N
MIC_OUTS — OUT4_P — MIC_OUTS.OUT4_P
MIC_OUTS — OUT5_N — MIC_OUTS.OUT5_N
MIC_OUTS — OUT5_P — MIC_OUTS.OUT5_P
MIC_OUTS — OUT6_N — MIC_OUTS.OUT6_N
MIC_OUTS — OUT6_P — MIC_OUTS.OUT6_P
MIC_OUTS — OUT7_N — MIC_OUTS.OUT7_N
MIC_OUTS — OUT7_P — MIC_OUTS.OUT7_P
MIC_OUTS — OUT8_N — MIC_OUTS.OUT8_N
MIC_OUTS — OUT8_P — MIC_OUTS.OUT8_P

DECOUPLING CAPS

3V3
C56 10uF
C57 10uF
C58 0.1uF
C59 0.1uF
GND

24.576 MHz Crystals

XI_A — X2 — XO_A
C61 18pF — GND — GND — S3224576121060 — C62 18pF
GND GND GND

XI_B — SB49 — X3 — SB50 — XO_B
C73 18pF — GND — GND — S3224576121060 — C74 18pF
GND GND GND

INT_SIG

INT_SIG — INTA — INTA
INTB — INTB
INTC — INTC
INTA# — INTA#
INTB# — INTB#
INTC# — INTC#

ADC_I2S

ADC_I2S — SCKA — SCKA
LRCKA — LRCKA
BCKA — BCKA
SCKB — SCKB
LRCKB — LRCKB
BCKB — BCKB
DOUT1 — DOUT1
DOUT2 — DOUT2

ADC ICs

3V3

U5

SB26 SB27 SB28 — AVDD 8, DVDD 13, IOVDD 14
XO 9 — XO_A
DOUT 18 — DOUT1
INT 19 — INTC
MD0 26, MD1 25, MD2 22, MD3 24 — SCL, SDA
MD4 21 — INTA
MD5 20 — INTB
MD6
VINL2/VIN1M, VINR2/VIN2M, VINL1/VIN1P, VINR1/VIN2P, VINL4/VIN4M, VINR4/VIN3M, VINL3/VIN4P, VINR3/VIN3P

MIC_OUTS1_N — C45 680nF 1
MIC_OUTS2_N — C46 680nF 2
MIC_OUTS1_P — C47 680nF 3
MIC_OUTS2_P — C48 680nF 4
MIC_OUTS4_N — C49 680nF 27
MIC_OUTS3_N — C50 680nF 28
MIC_OUTS4_P — C51 680nF 29
MIC_OUTS3_P — C52 680nF 30

C53 1uF — C54 0.1uF — LDO 11 — GND
Mic Bias 5
VREF 6 — C55 1uF
AGND 7, DGND 12 — GND

XI_A 10
SCKA 15
LRCKA 16
BCKA 17

PCM1865DBTR

3V3

U6

SB70 SB71 SB72 — AVDD 8, DVDD 13, IOVDD 14
XO 9 — XO_B
DOUT 18 — DOUT2
INT 19 — INTC#
MD0 26, MD1 25, MD2 22, MD3 24 — SCL, SDA
MD4 21 — INTA#
MD5 20 — INTB#
MD6
VINL2/VIN1M, VINR2/VIN2M, VINL1/VIN1P, VINR1/VIN2P, VINL4/VIN4M, VINR4/VIN3M, VINL3/VIN4P, VINR3/VIN3P

MIC_OUTS2_N — C60 680nF 1
MIC_OUTS1_N — C63 680nF 2
MIC_OUTS2_P — C64 680nF 3
MIC_OUTS1_P — C65 680nF 4
MIC_OUTS3_N — C66 680nF 27
MIC_OUTS4_N — C67 680nF 28
MIC_OUTS3_P — C68 680nF 29
MIC_OUTS4_P — C69 680nF 30

C70 1uF — C71 0.1uF — LDO 11 — GND
Mic Bias 5
VREF 6 — C72 1uF
AGND 7, DGND 12 — GND

XI_B 10
SCKB 15
LRCKB 16
BCKB 17

PCM1865DBTR

3V3 — 3V3
GND — GND