





# Intra-ACP Climate Service and related applications (ClimSA)

# **Climate Station**

Product Report
Version 1.1.1

July 2022

**Date**: 06/07/2022

**Ref**: ClimSA/DOC/C-Station/ProductReport

# Abstract / Résumé

This document lists all the products available on Climate Station (or C-Station)

	Name	Position
Prepared by	Marco Clerici	JRC-EC responsible for ClimSA
Contributions/Reviews by	Christophe Lavaysse	JRC-EC thematic Expert for ClimSA
	Jurriaan Van't Klooster	IT-GIS Specialist
	Vijay Charan Venkatachalam	IT-GIS Specialist
	Dario Simonetti	IT-GIS Specialist
	Fabrizio Cappucci	IT-GIS Specialist

	Details	Date
Version history		
Version 1.1.0	Initial Release	April 2022
Version 1.1.1		July 2022

## Contents

1.	INT	ROD	UCTION	VI
	1.1	APPL	LICABLE AND REFERENCE DOCUMENTS	VI
	1.2	Sco	PE OF THE DOCUMENT	. 1
2.	DA	ΓASE	TS DISTRIBUTED ON CLIMATE STATION	. 2
	2.1	VEG	ETATION PRODUCTS	. 2
	2.1.	.1	Input products	. 2
	2.2	INL	AND WATER PRODUCTS	. 3
	2.2.	1	Input products	. 3
	2.3	RAII	NFALL PRODUCTS	. 4
	2.3.	.1	Input Products	. 4
	2.4	RAII	NFALL FORECAST PRODUCTS	. 5
	2.4.	.1	Input products	. 5
	2.5	FIRE	PRODUCTS	. 6
	2.5.	.1	Input Products	. 6
	2.6	Mis	CELLANEOUS (MONITORING & FORECAST) PRODUCTS	. 6
	2.6.	.1	Input Products	. 6
	2.7	MAF	rine Products	. 7
	2.7.	.1	Input Products	. 7
	2.8	TEM	IPERATURE MONITORING PRODUCTS	
	2.8.		Input Products	
	2.9	TEM	IPERATURE FORECAST PRODUCTS	
	2.9.	.1	Input products	.9
2	DEC	CDID	OTION OF THE 'STANDARD' DROCESSING CHAINS	12

# List of Figures and Tables

Table 1: Applicable documents	vi
Table 2: Reference documents	vi

## **ACRONYMS and DEFINITIONS**

ACMAD	African Centre of Meteorological Applications for Development
AGRHYMET	Centre Régional de Formation et d'Application en Agro météorologie et
	Hydrologie Opérationnelle
AU	African Union
CAPC-CA	Central Africa Regional Climate Centre
CIMH	Caribbean Institute of Meteorology and Hydrology
EO	Earth Observation
EUMETSAT	European Organisation for the Exploitation of Meteorological Satellites
EUMETCast	EUMETSAT's primary dissemination mechanism for the near real-time delivery
	of satellite data and products
FTP	File Transfer Protocol
GIS	Geographical Information System
IOC	Indian Ocean Commission
JRC	Joint Research Centre of the European Commission
MOI	Mauritius Oceanography Institute
REC	Regional Economic Communities
RCC	Regional Climate Centre
SADC-CSC	SADC Climate Services Centre
SPREP	Secretariat of Pacific Regional Environment Programme
TA	Technical Assistance
TAT	Technical Assistance Team
ACP	Africa Pacific Caribbean
ECCC	Environment and Climate Change Canada
NCEP	National Centers for Environmental Prediction
MF	Meteo France
UKMO	UK Met Office
JMA	Japan Meteorological Agency
ECMWF	European Centre for Medium-Range Weather Forecasts

## 1. Introduction

## 1.1 APPLICABLE AND REFERENCE DOCUMENTS

Id	Title	Date	Reference
AD-1			
AD-2			
AD-3			
AD-4			

Table 1: Applicable documents

Id	Title	Date	Reference
RD-1			
RD-2			
RD-3			

**Table 2: Reference documents** 

1.2 SCOPE OF THE DOCUMENT									
This document describes all EO products processed and visualized on the Climate Station, release 1.1.1. It is meant mainly for the thematic expert making use of the system.									

#### 2. DATASETS DISTRIBUTED ON CLIMATE STATION

The following tables contain the products treated on the Climate Station: firstly, the input products are listed, followed by the derived products computed by each processing chain. The reference period for the computation of LTA (Long Term Anomalies) is also indicated: normally, it corresponds to the whole datasets length, and is therefore longer then the temporal extension of time series locally available on the stations.

#### 2.1 VEGETATION PRODUCTS

The products indicated in grey correspond to previous versions, which are still available on the Climate Station but not automatically activated.

#### 2.1.1 Input products

Product code	Version	Ingested sub-product	Description	Coverage	Period for LTA	Ref
vgt-ndvi	vgt-pv-olci <sup>1</sup>	ndvi	NDVI from CGLS (1km)	Africa	1999-2019	<u>link</u>
vgt-ndvi	olci-v2.0	ndv	NDVI from CGLS (300m)	Africa	N/A	<u>link</u>
modis-ndvi <sup>2</sup>	1.0	ndvi, zndvi, ndvid	NDVI from BOKU university (1km)	Africa	N/A	<u>link</u>
modis-fapar <sup>3</sup>	1.0	fapar, 10dzscore	FAPAR products from DRO (0.01 degree)	Africa	N/A	<u>link</u>
wsi-hp	V1.0	nacture crop	Water Satisfaction Index from JRC/MARS (1km)	Africa	N/A	<u>link</u>
wsi-iip		pasture, crop	(TKIII)			

<sup>&</sup>lt;sup>1</sup> Since July 2020, the PROBAV platform ended its operations and was replaced by Sentinel-3 products in Copernicus Global Land Service (CGLS). The NDVI vgt-pv-olci version is the temporal composition of VEGETATION, PROBAV and S3-OLCI (see olci-v2.0 below) products into a single timeseries, in order to allow LT anomaly detection.

<sup>&</sup>lt;sup>2</sup> These products are available only for visualization on eStation online version <a href="http://estation.jrc.ec.europa.eu/eStation2/">http://estation.jrc.ec.europa.eu/eStation2/</a>

### 2.2 INLAND WATER PRODUCTS

The following table describes the 'Inland water' products that are retrieved and ingested in the Climate Station. The reference period for the computation of LTA (Long Term Anomalies) is also indicated: normally, it corresponds to the whole datasets length, and is therefore longer then the temporal extension of timeseries locally available on the stations.

## 2.2.1 Input products

	Version Inge	Ingested sub-			Period for LTA	Ref
Product code	version	product	Description	Coverage	Period for LTA	Kei
wd-gee	V1.0	occurr	Inland water surface from Landsat – monthly occurrences (30m)	Africa <sup>3</sup>		<u>link</u>
wd-gee	V1.0	avg	Long Term average occurrences (30m)	Africa	1985-2015	
theia-wl	1.0	n.a.	Water level over lakes and rivers (CSV Point data) <sup>4</sup>			<u>link</u>

<sup>&</sup>lt;sup>3</sup> The product is computed globally, but distributed over Africa only, divided by region

<sup>&</sup>lt;sup>4</sup> This product serves only for data download over the lakes and rivers selected in data source description

### 2.3 RAINFALL PRODUCTS

The following table describes the 'rainfall' monitoring products that are retrieved and ingested in the Climate Station. The reference period for the computation of LTA (Long Term Anomalies) is also indicated: normally, it corresponds to the whole datasets length, and is therefore longer then the temporal extension of timeseries locally available on the stations.

## 2.3.1 Input Products

Product code	Version	Ingested sub- product	Description	Coverage	Period for LTA	Ref
fewsnet-rfe	2.0	10d	Precipitation estimates over 10 days (8km)	Africa	2001-2017	<u>link</u>
tamsat-rfe	3.0	10d	Precipitation estimates over 10 days (4km)	Africa	1983-2017	<u>link</u>
tamsat-rfe	3.1	10d	Precipitation estimates over 10 days (4km)	Africa	1983-2020	<u>link</u>
tamsat-rfe	3.1	1d	Precipitation estimates over 1 day (4km)	Africa	NA	<u>link</u>
chirps-dekad	2.0	10d	Precipitation estimates over 10 days (0.05deg)	Global	1981-2017	<u>link</u>
arc2-rain	2.0	1d	Precipitation estimates from NASA-CPC(1983-Present) (0.1deg)	Africa	NA	<u>link</u>
rain-spi	V1.0	spi-1mon	Standard Precipitation Index over 1month from JRC-MARS (0.05deg)	Global	NA	<u>link</u>
rain-spi	V1.0	spi-3mon	Standard Precipitation Index over 3months from JRC-MARS (0.05deg)	Global	NA	<u>link</u>
era-hourly-tp	1.0	tp	CDS ERA5 Total Precipitation rate hourly (25km)	ACP	NA	<u>link</u>
cdas-monthly- prcp	1.0	prcp	CDAS Monthly Precipitation (2.5 Degree)	ACP	NA	<u>link</u>

## 2.4 RAINFALL FORECAST PRODUCTS

The following table describes the 'rainfall' forecast products that are retrieved and ingested in the Climate Station.

## 2.4.1 Input products

Product code	Version	Ingested sub- product	Description	Coverage	Period for LTA	Ref
eccc3-monthly-tp	1.0	tp	Seasonal forecast - Environment and Climate Change Canada system 3 monthly mean of Total Precipitation rate (1 degree)	ACP	NA	link
ukmo601-monthly-tp	1.0	tp	Seasonal forecast - UK met office system 601 monthly mean of Total Precipitation rate (1 degree)	ACP	NA	<u>link</u>
mf8-monthly-tp	1.0	tp	Seasonal forecast - Meteo France system 8 monthly mean of Total Precipitation rate (1 degree)	ACP	NA	<u>link</u>
s5-monthly-tp	1.0	tp	Seasonal forecast - ECMWF system 5 monthly mean of Total Precipitation rate (1 degree)	ACP	NA	<u>link</u>
jma3-monthly-tp	1.0	tp	Seasonal forecast - JMA system 3 monthly mean of Total Precipitation rate (1 degree)	ACP	NA	<u>link</u>
ncep2-monthly-tp	1.0	tp	Seasonal forecast - NCEP system 2 monthly mean of Total Precipitation rate (1 degree)	ACP	NA	<u>link</u>
efi-spi	1.0	1month	Wet and Dry Spells 1month forecast (1 degree)	ACP	NA	<u>link</u>
efi-spi	1.0	3month	Wet and Dry Spells 3 months forecast (1 degree)	ACP	NA	<u>link</u>
efi-spi	1.0	6month	Wet and Dry Spells 6 months forecast (1 degree)	ACP	NA	<u>link</u>
s5-subdaily-tp	1.0	tp	Seasonal forecast - ECMWF system 5 subdaily 4 weeks forecast of Total Precipitation rate (1 degree)	ACP	NA	<u>link</u>

#### 2.5 FIRE PRODUCTS

The following table describes the 'Fire' products that are retrieved and ingested in the Climate Station. The reference period for the computation of LTA (Long Term Anomalies) is also indicated: normally, it corresponds to the whole datasets length, and is therefore longer then the temporal extension of timeseries locally available on the stations.

### 2.5.1 Input Products

Product code	Version	Ingested sub- product	Description	Coverage	Period for LTA	Ref
modis-firms	V6.1	1day	Daily Active Fires at 1 km resolution	Africa	2002-Till date	<u>link</u>

## 2.6 MISCELLANEOUS (MONITORING & FORECAST) PRODUCTS

The following table describes the 'Miscellaneous' monitoring and forecast products that are retrieved and ingested in the Climate Station. The reference period for the computation of LTA (Long Term Anomalies) is also indicated: normally, it corresponds to the whole datasets length, and is therefore longer then the temporal extension of time series locally available on the stations.

## 2.6.1 Input Products

Product code	Version	Ingested sub- product	Description	Coverage	Period for LTA	Ref
ascat-swi	V3.1	swi	Soil Water Index- Every day product (0.1 degree)	Global	NA	<u>link</u>
cpc-sm⁵	1.0	sm	Soil Moisture – Monthly product (0.5 degree)	Global	NA	<u>link</u>
Isasaf-et	Undefined	et	Evapotranspiration 30mins product (1km)	MSG-disk	NA	<u>link</u>
lsasaf-lst	Undefined	lst	Land Surface temperature 15mins product (1km)	MSG-disk	NA	<u>link</u>
era-hourly- ssrd	1.0	ssrd	ERA5 hourly Surface solar radiation downwards (25km)	ACP	NA	<u>link</u>
era-hourly- 10uwind	1.0	10uwind	ERA5 hourly 10m u component of wind (25km)	ACP	NA	<u>link</u>
era-hourly- 10vwind	1.0	10vwind	ERA5 hourly 10m v component of wind (25km)	ACP	NA	<u>link</u>

-

<sup>&</sup>lt;sup>5</sup> This product data are available on JRC server since 2008.

s5-monthly- 10mws	1.0	10mws	Seasonal forecast - ECMWF system 5 - monthly mean of 10m Wind Speed (1 degree)	ACP	NA	<u>link</u>
s5-monthly-	1.0	maln	Seasonal forecast - ECMWF system 5 - monthly mean of	ACP	NA	<u>link</u>
mslp		mslp	Mean sea level pressure (1 degree)			
s5-monthly-	1.0		Seasonal forecast - ECMWF system 5 - monthly mean of	ACP	NA	link
ssrd	1.0	ssrd	Surface solar radiation downwards (1 degree)		INA	IIIIK
s2-l1c <sup>6</sup>	V1.0	N/A	Sentinel 2 L1C products from SentinelSat API	NA	NA	<u>link</u>

#### 2.7 MARINE PRODUCTS

The following table describes the 'Marine' monitoring and forecast products that are retrieved and ingested in the Climate Station. The reference period for the computation of LTA (Long Term Anomalies) is also indicated: normally, it corresponds to the whole datasets length, and is therefore longer then the temporal extension of time series locally available on the stations.

## 2.7.1 Input Products

Product code	Version	Ingested sub- product	Description	Covera ge	Period for LTA	Ref
modis-sst	v2019.0	sst-day	Ingested daily Sea Surface temperature SST (4km)	Global	Since 2002	<u>link</u>
modis-chla	v2018.0	chl-day	Ingested daily Chlorophyll a (4km)	Global	Since 2002	<u>link</u>
modis-par	v2018.0	par-day	Ingested daily Photosynthetically Available Radiation - PAR (4km)	Global	Since 2002	<u>link</u>
modis-kd490	v2018.0	kd490-day	Ingested daily Diffuse attenuation coefficient for downwelling irradiance at 490 nm - KD490 (4km)	Global	Since 2002	<u>link</u>
pml-modis-chla	3.0	chl-3day	Ingested CHL (1km)	Region	NA	<u>link</u>
pml-modis-sst	3.0	sst-3day	Ingested SST (1km)	Region	NA	<u>link</u>
olci-wrr	V02.0	chl-oc4me	Chlorophyl-a computed with oc4me algo (1km)	Africa	NA	<u>link</u>
olci-wrr	V02.0	tsm-nn	Total Suspended Matter computed with nn algo (1km)	Africa	NA	<u>link</u>
slstr-sst	1.0	wst	Sea Surface Temperature (1km)	Africa	NA	<u>link</u>

-

<sup>&</sup>lt;sup>6</sup> This product is introduced for Sentinel 1 & 2 data acquisition <u>SentinelSat API</u>. The detailed description how to use the acquisition for other Sentinel 2 sensors (L2A) in mentioned in Appendix. Also this product should be activated manually from Product Administrator and not available from Portfolio

era-hourly-sst	1.0	sst	ERA5 Sea Surface Temperature hourly (25km)	ACP	NA	<u>link</u>
era-monthly-sst	1.0	sst	ERA5 Sea Surface Temperature Monthly (25km)	ACP	NA	<u>link</u>
s5-monthly-sst	1.0	sst	Seasonal forecast 5 ensemble monthly mean of Sea Surface temperature (1 degree)	ACP	NA	<u>link</u>

## 2.8 TEMPERATURE MONITORING PRODUCTS

The following table describes the 'Temperature' monitoring products that are retrieved and ingested in the Climate Station.

## 2.8.1 Input Products

Product code	Ver sio n	Ingested sub- product	Description	Covera ge	Period for LTA	Ref
era-hourly-2mt	1.0	2mt	ERA5 2 meter temperature hourly (25km)	ACP	NA	<u>link</u>
era-hourly-2mt	1.0	2mtmax	ERA5 Hourly maximum 2m temperature since previous post processing (25km)	ACP	NA	<u>link</u>
era-hourly-2mt	1.0	2mtmin	ERA5 Hourly minimum 2m temperature since previous post processing (25km)	ACP	NA	<u>link</u>
era-monthly-2mt	1.0	2mt	ERA5 2 meter temperature monthly (25km)	ACP	NA	<u>link</u>
era-hourly-2mdw	1.0	2mdw	ERA5 2 meter dew point temperature hourly (25km)	ACP	NA	<u>link</u>
cdas-daily-temperature	1.0	tmax	Gridded daily temperature max (0.5 degree)	ACP	NA	<u>link</u>
cdas-daily-temperature	1.0	tmin	Gridded daily temperature min (0.5 degree)	ACP	NA	<u>link</u>

### 2.9 TEMPERATURE FORECAST PRODUCTS

The following table describes the 'Temperature' forecast products that are retrieved and ingested in the Climate Station.

## 2.9.1 Input products

Product code	Ver sio n	Ingested sub- product	Description	Covera ge	Period for LTA	Ref
s5-monthly-2mt	1.0	2mt	Seasonal forecast - ECMWF system 5 - monthly mean of 2 meter temperature (1 degree)	ACP	NA	<u>link</u>
eccc3-monthly-2mt	1.0	2mt	Seasonal forecast - Environment and Climate Change Canada(ECCC) system 3 - monthly mean of 2 meter temperature (1 degree)	ACP	NA	<u>link</u>

eccc3-monthly-2mt	1.0	2mtmax	Seasonal forecast - ECCC system 3 - monthly mean of 2 meter temperature maximum in the last 24 hours (1 degree)	ACP	NA	<u>link</u>
eccc3-monthly-2mt	1.0	2mtmin	Seasonal forecast - ECCC system 3 - monthly mean of 2 meter temperature minimum in the last 24 hours (1 degree)	ACP	NA	link
mf8-monthly-2mt	1.0	2mt	Seasonal forecast – Meteo France (MF) system 8 - monthly mean of 2 meter temperature (1 degree)	ACP	NA	<u>link</u>
mf8-monthly-2mt	1.0	2mtmax	Seasonal forecast – Meteo France (MF) system 8 - monthly mean of 2 meter temperature maximum in the last 24 hours (1 degree)	ACP	NA	<u>link</u>
mf8-monthly-2mt	1.0	2mtmin	Seasonal forecast – Meteo France (MF) system 8 - monthly mean of 2 meter temperature minimum in the last 24 hours (1 degree)	ACP	NA	<u>link</u>
ukmo601-monthly-2mt	1.0	2mt	Seasonal forecast – UK Met Office (UKMO) system 601 - monthly mean of 2 meter temperature (1 degree)	ACP	NA	<u>link</u>
ukmo601-monthly-2mt	1.0	2mtmax	Seasonal forecast – UK Met Office (UKMO) system 601 - monthly mean of 2 meter temperature maximum in the last 24 hours (1 degree)	ACP	NA	<u>link</u>
ukmo601-monthly-2mt	1.0	2mtmin	Seasonal forecast – UK Met Office (UKMO) system 601 - monthly mean of 2 meter temperature minimum in the last 24 hours (1 degree)	ACP	NA	<u>link</u>
s5-monthly-2mt	1.0	2mtmax	Seasonal forecast - ECMWF system 5 - monthly mean of 2 meter temperature maximum in the last 24 hours (1 degree)	ACP	NA	<u>link</u>
s5-monthly-2mt	1.0	2mtmin	Seasonal forecast - ECMWF system 5 - monthly mean of 2 meter temperature minimum in the last 24 hours (1 degree)	ACP	NA	<u>link</u>
s5-monthly-2mdw	1.0	2mdw	Seasonal forecast ECMWF system 5 - monthly mean of 2 meter dew point temperature (1 degree)	ACP	NA	<u>link</u>
s5-subdaily-2mdw	1.0	2mdw	Seasonal forecast ECMWF system 5 - subdaily 4 weeks forecast of 2m dew point temperature (1 degree)	ACP	NA	<u>link</u>
s5-subdaily-2mt	1.0	2mt	Seasonal forecast ECMWF system 5 - subdaily 4 weeks forecast of 2m temperature (1 degree)	ACP	NA	<u>link</u>
s5-subdaily-2mt	1.0	2mtmax	Seasonal forecast ECMWF system 5 - subdaily 4 weeks forecast of 2m temperature maximum in the last 24 hours (1 degree)	ACP	NA	<u>link</u>
s5-subdaily-2mt	1.0	2mtmin	Seasonal forecast ECMWF system 5 - subdaily 4 weeks forecast of 2m temperature minimum in the last 24 hours (1 degree)	ACP	NA	<u>link</u>
ncep2-monthly-2mt	1.0	2mt	Seasonal forecast – NCEP system 2 - monthly mean of 2 meter temperature (1 degree)	ACP	NA	<u>link</u>


ncep2-monthly-2mt	1.0	2mtmax	Seasonal forecast – NCEP system 2 - monthly mean of 2 meter temperature maximum in the last 24 hours (1 degree)	ACP	NA	<u>link</u>
ncep2-monthly-2mt	1.0	2mtmin	Seasonal forecast – NCEP system 2 - monthly mean of 2 meter temperature minimum in the last 24 hours (1 degree)	ACP	NA	<u>link</u>
jma3-monthly-2mt	1.0	2mt	Seasonal forecast – JMA system 3 - monthly mean of 2 meter temperature (1 degree)	ACP	NA	<u>link</u>
jma3-monthly-2mt	1.0	2mtmax	Seasonal forecast – JMA system 3 - monthly mean of 2 meter temperature maximum in the last 24 hours (1 degree)	ACP	NA	<u>link</u>
jma3-monthly-2mt	1.0	2mtmin	Seasonal forecast – JMA system 3 - monthly mean of 2 meter temperature minimum in the last 24 hours (1 degree)	ACP	NA	<u>link</u>

### 3. DESCRIPTION OF THE 'STANDARD' PROCESSING CHAINS

The current paragraph presents in a graphic manner how the 'derived' products are computed in the 'standard' processing chains, available in release 2.X.X, according to the following conventions:

- The 'entry' point of the processing chain is displayed at the top-left corner, and indicated with the number 0. It is normally an ingested product.
- Every group of derived products is indicated with an increasing number, according to the order of the computation.
- Some processing chains can be called with an option, which activates/deactivates some steps. When he steps are de-activated, the corresponding outputs are not updated (e.g. long-term statistics).
- The options are indicated in a table, together with the products the chain is applied to (non-exhaustive list). The default option is also indicated, for which the active computational steps are indicated in green in the diagram.

# Processing chain: std\_precip




Processing chain: Standard Precipitation processing chain (std\_precip)


Applied to: fewsnet-rfe, tamsat-rfe, chirps-dekad

10davg	Statistic: multi-years average for each dekad
10dmin	Statistic: multi-years minimum for each dekad
10dmax	Statistic: multi-years maximum for each dekad
10ddiff	Anomaly: ABSOLUTE DIFFERENCE (10d – 10davg)
10dperc	Anomaly: RELATIVE DIFFERENCE % ((10d – 10davg)/10davg)
10dnp	Anomaly: Normalized Precipitation (10d- 10dmin)/(10dmax-10dmin)
10dratio	Anomaly: Precipitation Ratio 100*(10d/10davg)
1moncum	Cumulated 10day RFE over each month
1monavg	Statistic: multi-years average for each month
1monmin	Statistic: multi-years minimum for each month
1monmax	Statistic: multi-years maximum for each month
1mondif	Anomaly: ABSOLUTE DIFFERENCE (1moncum-1monavg)
1monperc	Anomaly: RELATIVE DIFFERENCE (1moncum-1monavg)/1monavg
1monnp	Anomaly: Normalized Precipitation (1moncum- 1monmin)/(1monmax-1monmin)

# Processing chain: std\_ndvi



# Processing chain: std\_ndvi (continued)




Derived products

Processing chain: Standard Precipitation processing chain for VGT NDVI (std\_vgt\_ndvi)

Applied to: vgt-ndvi

	T
ndvi-linearx2	Filtered NDVI (linear filtering applied twice)
10davg-linearx2	Statistic: AVG of ndvi-linearx2
10dmin-linearx2	Statistic: MIN of ndvi-linearx2
10dmax-linearx2	Statistic: MAX of ndvi-linearx2
10dmed-linearx2	Statistic: MED of ndvi-linearx2
10dstd-linearx2	Statistic: STD of ndvi-linearx2
10ddiff-linearx2	Anomaly: DIF of ndvi-linearx2
10dsndvi-linearx2	Anomaly: SNDVI of ndvi-linearx2 (aka z-score)
10dperc-linearx2	Anomaly: PERC difference of ndvi-linearx2 (100*(curr-LTA)/LTA)
linearx2diff-linearx2	Anomaly: Absolute Difference (ndvi-linearx2 -10davg-linearx2)
vci-linearx2	Anomaly: VCI (linearx2 vs. linearx2 statistics)
icn-linearx2	Anomaly: ICN (linearx2 vs. linearx2 statistics)
ratio-linearx2	Anomaly: Ratio (100 * ndvi-linearx2/10davg-linearx2)
monndvi	Indicator: monthly NDVI (from ndvi-linearx2)
1monavg	Statistic: monthly multi-year average NDVI
1monmin	Statistic: monthly multi-year min NDVI
1monmax	Statistic: monthly multi-year max NDVI
1monicn	Statistic: monthly ICN NDVI
1monvci	Statistic: monthly VCI NDVI
1monstd	Statistic: monthly std NDVI
1mondiff	Anomaly: monthly diff NDVI
1monperc	Anomaly: monthly perc NDVI
1monsndvi	Anomaly: monthly SNDVI (aka z-score)
monthly-ratio	Anomaly: monthly ratio

## Processing chain: std\_lsasaf\_et




Applied to:	Isasaf-et
Only default option	
Notes:	10d and 1mon stats and anomalies to be added

Processing chain: Standard Processing chain for LSASAF ET related products (std\_lsasaf\_et)

Applied to: Isasaf-et

10d30min <sup>2</sup>	Statistics (30min average over 10 days)	MSG-disk
10dcum	Indicator: ET cumulated over 10 days	Africa
1moncum	Indicator: ET cumulated over 1 month	Africa


# Processing chain: std\_lsasaf\_lst



Processing chain: Standard Processing chain for LSASAF LST related products (std\_lsasaf\_lst)

Applied to: Isasaf-Ist

10d15min <sup>2</sup>	Statistics (15min max over 10 days)	MSG-disk
1dmax	Indicator: LST maximum over 1 day	Africa
10dmax	Indicator: LST maximum over 10 days	Africa
10dmin	Indicator: LST minimum over 10 days	Africa



Applied to:	modis-chla modis-sst modis-kd490 modis-par
Only default option	
Notes:	The computation of 1monclim is done ond for all (no updated)

Processing chain: Applied to:

Standard Processing chain for MODIS monthly average computation (std\_modis\_derived)

modis-chla, modis-sst, modis-par, modis-kd490

8daysavg	8 days Average
monavg	Monthly average
monclim	Monthly Climatology
monanom	Monthly Anomaly (monthly - climatology)



Applied to: modis-sst pml-modis-sst slstr-sst

Only default option

Processing chain: Applied to:


Proc library based processing chain for front's computation (proc\_fronts)

pml-modis-sst, slstr-sst

sst-fronts	Fronts of Sea Surface Temperature
sst-fronts-shp <sup>7</sup>	Fronts of SST in shapefile format

<sup>&</sup>lt;sup>7</sup> On top of the GeoTiff file (sst-fronts) this product is created for usage in QGIS or other applications (it is not visualized by Climate Station viewer).

# Processing chain: std\_modis\_firms




Processing chain:

Processing chain of standard MODIS FIRMS products (std\_modis\_firms)

Applied to: modis-firms

10dcount	Number of fires over 10 day period
10dcountavg	Multi-years average number of 10dcount
10dcountmin	Multi-years minimum number of 10dcount
10dcountmax	Multi-years maximum number of 10dcount
10dcountdiff	Difference between 10dcount and 10dcountavg
10dcount10K	Number of fires over 10 day period over 10 Km grids
10dcount10Kavg	Multi-years average number of 10dcount over 10 Km grids
10dcount10Kmin	Multi-years minimum number of 10dcount over 10 Km grids
10dcount10Kmax	Multi-years maximum number of 10dcount over 10 Km grids
10dcount10Kdiff	Difference between 10dcount and 10dcountavg over 10 Km grids
10dcount10Kratio	Ratio between 10dcount and 10dcountavg over 10 Km grids

# Processing chain: std\_olci\_wrr



Processing chain: Applied to:

Standard Processing chain for 3day average, monthly average products computation (std\_olci\_wrr)

slstr-sst, olci-wrr

3daysavg	3day average Product
monavg	Monthly average product

# Processing chain: <a href="mailto:std\_gradient">std\_gradient</a>



# Processing chain: std\_monavg



# Processing chain: std\_3dayavg



Processing chain:

Proc library based Processing chain for gradient computation (proc\_gradient)

Applied to: modis-chla, slstr-sst, olci-wrr

gradient

Horizontal Gradient for chlorophyll and sea surface temperature.

Processing chain:

Standard Processing chain for monthly average computation from daily products (std\_monavg)

Applied to:

monavg

slstr-sst, olci-wrr

Monthly averaged for sst or chla

Processing chain:

Applied to:


Standard Processing chain for monthly average computation from daily products (std\_3dayavg)

slstr-sst

3dayavg

Three day averaged for sst or chla

# Processing chain: modis\_pp



Processing chain: Applied to:

Non Standard Processing chain for Primary production computation (**modis\_pp**) modis-chla, modis-sst, modis-par, modis-kd490 are the 4 inputs for computing PP

8daysavg	Average Primary production over 8 days
monavg	Monthly average primary production

# Processing chain: std\_reproject



Processing chain: Applied to:

Standard Processing chain to convert to one resolution, one projection from existing resolution and projection (std\_reproject)

vgt-ndvi

ndvi Reprojected data from 300m to 1km

# Processing chain: std\_opfish



Processing chain: Applied to:

Standard Processing chain to generate Ocean productivity index from chorophyll (std\_opfish)

modis-chla

opfish

Ocean productivity index from Modis chlorophyll data