





Global Monitoring for Environment and Security (GMES) and **Africa**

eStation 3.0

Product Report Version 1.4.0

August 2025

Date: 2025

Ref: GMES/DOC/eStation3.0/EN/ProductReport

























Abstract / Résumé

This document lists all the products available on Climate Station (or C-Station)

	Name	Position
Prepared by	Marco Clerici	JRC-EC responsible for ClimSA
Contributions/Reviews by	Christophe Lavaysse	JRC-EC thematic Expert for ClimSA
	Jurriaan Van't Klooster	IT-GIS Specialist
	Vijay Charan Venkatachalam	IT-GIS Specialist
	Dario Simonetti	IT-GIS Specialist
	Fabrizio Cappucci	IT-GIS Specialist

	Details	Date
Version history		
Version 1.1.0	Initial Release	April 2022
Version 1.1.1	Update for version 1.1.1	July 2022
Version 1.1.2	Update for version 1.1.2	February 2023
Version 1.2.0	Update for version 1.2.0	October 2023
Version 1.3.1	Addition of new products and processing chains	September 2024
Version 1.3.3	Addition of SPI and Marine products	April 2025
Version 1.4.0	Addition of vegetation products	August 2025

Contents

1.	INT	ITRODUCTION	VI
	1.1	APPLICABLE AND REFERENCE DOCUMENTS	V
	1.2	SCOPE OF THE DOCUMENT	
2.	DA	ATASETS DISTRIBUTED ON THE STATION	2
	2.1	VEGETATION PRODUCT	2
	2.1.	1.1 Input products	2
	2.2	INLAND WATER PRODUCTS	3
	2.2.	2.1 Input products	3
	2.3	RAINFALL PRODUCTS	4
	2.3.	3.1 Input Products	4
	2.4	RAINFALL FORECAST PRODUCTS	5
	2.4.	4.1 Input products	5
	2.5	FIRE PRODUCTS	6
	2.5.	5.1 Input Products	6
	2.6	MISCELLANEOUS (MONITORING & FORECAST) PRODUCTS	7
	2.6.	6.1 Input Products	
	2.7	Marine Products	g
	2.7.	7.1 Input Products	g
	2.8	TEMPERATURE MONITORING PRODUCTS	10
	2.8.	8.1 Input Products	
	2.9	TEMPERATURE FORECAST PRODUCTS	11
	2.9.	9.1 Input products	11
	2.10	ATMOSPHERE PRODUCTS	13
	2.1	10.1 Input products	
3.	DES	ESCRIPTION OF THE 'STANDARD' PROCESSING CHAINS	14

List of Figures and Tables

Table 1: Applicable documents	vi
Table 2: Reference documents	vi

ACRONYMS and DEFINITIONS

ACMAD	African Centre of Meteorological Applications for Development
AGRHYMET	Centre Régional de Formation et d'Application en Agro météorologie et
	Hydrologie Opérationnelle
AU	African Union
CAPC-CA	Central Africa Regional Climate Centre
CIMH	Caribbean Institute of Meteorology and Hydrology
EO	Earth Observation
EUMETSAT	European Organisation for the Exploitation of Meteorological Satellites
EUMETCast	EUMETSAT's primary dissemination mechanism for the near real-time delivery
	of satellite data and products
FTP	File Transfer Protocol
GIS	Geographical Information System
IOC	Indian Ocean Commission
JRC	Joint Research Centre of the European Commission
MOI	Mauritius Oceanography Institute
REC	Regional Economic Communities
RCC	Regional Climate Centre
SADC-CSC	SADC Climate Services Centre
SPREP	Secretariat of Pacific Regional Environment Programme
TA	Technical Assistance
TAT	Technical Assistance Team
ACP	Africa Pacific Caribbean
ECCC	Environment and Climate Change Canada
NCEP	National Centers for Environmental Prediction
MF	Meteo France
UKMO	UK Met Office
JMA	Japan Meteorological Agency
ECMWF	European Centre for Medium-Range Weather Forecasts

1. Introduction

1.1 APPLICABLE AND REFERENCE DOCUMENTS

Id	Title	Date	Reference
AD-1			
AD-2			
AD-3			
AD-4			

Table 1: Applicable documents

Id	Title	Date	Reference
RD-1			
RD-2			
RD-3			

Table 2: Reference documents

1.2 SCOPE OF THE DOCUMENT
This document describes all EO and Climate products processed and visualized on the Station current release. It is meant mainly for the thematic expert making use of the system.

2. DATASETS DISTRIBUTED ON THE STATION

The following tables contain the products treated on the Station: firstly, the input products are listed, followed by the derived products computed by each processing chain. The reference period for the computation of LTA (Long Term Anomalies) is also indicated: normally, it corresponds to the whole datasets length, and is therefore longer then the temporal extension of time series locally available on the stations.

2.1 VEGETATION PRODUCT

The products indicated in grey correspond to previous versions, which are still available on the Station but not automatically activated.

2.1.1 Input products

Product code	Version	Ingested sub- product	Description	Coverage	Available Period ¹	Ref
vat ndvi	vgt-pv-olci ²	ndvi	NDVI from CGLS (1km)	Africa	1999- current	<u>link</u>
vgt-ndvi	olci-v2.0	ndv	NDVI from CGLS (300m)	Africa, Carribean	2020-current	<u>link</u>
asap-fapar	1.0	fpar, fpard, rfparc, zfpar, zfparc	FAPAR & anomalies from JRC/MARS (500m)	Global	2020-current	<u>link</u>
gdo-fapar	1.0	fparv, fpanv	FAPAR products from VIIRS GDO (10km)	ACP	2025-current	<u>link</u>
wsi-hp	V1.0	pasture, crop	Water Satisfaction Index from JRC/MARS (1km)	Africa	2003-current	<u>link</u>
vgt-dmp	olci-v1.0	dmp	DMP from CGLS (300m)	Africa, Carribean	2021-current	<u>link</u>
vgt-fapar	olci-v1.0	fapar	FAPAR from CGLS (300m)	Africa, Carribean	2021-current	<u>link</u>
vgt-fcover	olci-v1.0	fcover	FCOVER from CGLS (300m)	Africa, Carribean	2021-current	<u>link</u>
vgt-lai	olci-v1.0	lai	LAI from CGLS (300m)	Africa, Carribean	2021-current	<u>link</u>
gdo-rdri	V2.3.2	rdri	Risk of Drought Impacts for Agriculture (1deg)	Global	2010-current	<u>link</u>

¹ Available period are the one from the station reference server.

² Since July 2020, the PROBAV platform ended its operations and was replaced by Sentinel-3 products in Copernicus Global Land Service (CGLS). The NDVI vgt-pv-olci version is the temporal composition of VEGETATION, PROBAV and S3-OLCI (see olci-v2.0 below) products into a single timeseries, in order to allow LT anomaly detection.

2.2 INLAND WATER PRODUCTS

The following table describes the 'Inland water' products that are retrieved and ingested in the Station. The reference period for the computation of LTA (Long Term Anomalies) is also indicated: normally, it corresponds to the whole datasets length, and is therefore longer then the temporal extension of timeseries locally available on the stations.

2.2.1 Input products

	Varcion	Ingested sub-			Available	Dof
Product code	Version	product	Description	Coverage	Period	Ref
		occurr	Inland water surface from Landsat – monthly occurrences (30m)	Africa ³	2019-current	<u>link</u>
	V1.0	2).49			1985-	
wd-gee		avg	Long Term average occurrences (30m)	Africa	2015(LTA)	
theia-wl ⁴	1.0	n.a.	Water level over lakes and rivers (CSV Point data)			<u>link</u>

³ The product is calculated on a global scale, but distributed only on Africa, divided by region.

⁴ This product serves only for data download over the lakes and rivers selected in data source description

2.3 RAINFALL PRODUCTS

The following table describes the 'rainfall' monitoring products that are retrieved and ingested in the Station. The reference period for the computation of LTA (Long Term Anomalies) is also indicated: normally, it corresponds to the whole datasets length, and is therefore longer then the temporal extension of timeseries locally available on the stations.

2.3.1 Input Products

Product code	Version	Ingested sub- product	Description	Coverage	Available Period	Ref
fewsnet-rfe	2.0	10d	Precipitation estimates over 10 days (8km)	Africa	2001-current	<u>link</u>
	3.0	10d	Precipitation estimates over 10 days (4km)	Africa	1983-current	<u>link</u>
tamsat-rfe	3.1	10d	Precipitation estimates over 10 days (4km)	Africa	1983-current	<u>link</u>
	3.1	1d	Precipitation estimates over 1 day (4km)	Africa	2000-current	<u>link</u>
chirps-dekad	2.0	10d	Precipitation estimates over 10 days (0.05deg)	Global	1981-current	<u>link</u>
arc2-rain	2.0	1d	Precipitation estimates from NASA-CPC(1983-Present) (0.1deg)	Africa	1983-current	<u>link</u>
rain cni	V1.0	spi-1mon	Standard Precipitation Index over 1month from JRC-MARS (0.05deg)	Global	1989-current	<u>link</u>
rain-spi		spi-3mon	Standard Precipitation Index over 3months from JRC-MARS (0.05deg)	Global	1989-current	<u>link</u>
		era5-spi-1mon era5-spi-3mon era5-spi-6mon era5-spi-6mon era5-spi-6mon era5-spi-6mon era5-spi-1mon era5-spi-1mon era5-spi-3mon era5-spi-3mon era5-spi-6mon	Global	current	<u>link</u>	
gdo-spi	1.0		•	Global	current	<u>link</u>
			Global	current	<u>link</u>	
era-hourly-tp	1.0	tp	CDS ERA5 Total Precipitation rate hourly (25km)	ACP	Refer CDS	<u>link</u>
cdas-monthly- prcp	1.0	prcp	CDAS Monthly Precipitation (2.5 Degree)	ACP	2019-current	<u>link</u>
gpcc-gpac	V.2022	fg-monthly	GPCC rainfall first guess monthly(1 degree)	Global	2013-current	<u>link</u>

2.4 RAINFALL FORECAST PRODUCTS

The following table describes the 'rainfall' forecast products that are retrieved and ingested in the Station.

2.4.1 Input products

Product code	Version	Ingested sub- product	Description	Coverage	Available Period	Ref
eccc3-monthly-tp	1.0	tp	Seasonal forecast - Environment and Climate Change Canada system 3 monthly mean of Total Precipitation rate (1 degree)	ACP	Refer CDS	<u>link</u>
ukmo601-monthly-tp	1.0	tp	Seasonal forecast - UK met office system 601 monthly mean of Total Precipitation rate (1 degree)	ACP	Refer CDS	<u>link</u>
mf8-monthly-tp	1.0	tp	Seasonal forecast - Meteo France system 8 monthly mean of Total Precipitation rate (1 degree)	ACP	Refer CDS	<u>link</u>
	1.0	tp	Seasonal forecast - ECMWF system 51 monthly mean of Total Precipitation rate (1 degree)	ACP	Refer CDS	<u>link</u>
s51-monthly-tp ⁵		tp-anom	Seasonal forecast - ECMWF system 51 monthly anomaly of Total Precipitation rate (1 degree)	ACP	Refer CDS	<u>link</u>
jma3-monthly-tp	1.0	tp	Seasonal forecast - JMA system 3 monthly mean of Total Precipitation rate (1 degree)	ACP	Refer CDS	<u>link</u>
ncep2-monthly-tp	1.0	tp	Seasonal forecast - NCEP system 2 monthly mean of Total Precipitation rate (1 degree)	ACP	Refer CDS	<u>link</u>
		1month	Wet and Dry Spells 1month forecast (1 degree)	ACP	2023-current	<u>link</u>
efi-spi	1.0	3month	Wet and Dry Spells 3 months forecast (1 degree)	ACP	2023-current	<u>link</u>
		6month	Wet and Dry Spells 6 months forecast (1 degree)	ACP	2023-current	<u>link</u>
s51-subdaily-tp	1.0	tp	Seasonal forecast - ECMWF system 51 subdaily 4 weeks forecast of Total Precipitation rate (1 degree)	АСР	Refer CDS	<u>link</u>

⁵ The ECMWF system 5 version was replaced by S51 at the end of 2022. This apply to all S5 products.

2.5 FIRE PRODUCTS

The following table describes the 'Fire' products that are retrieved and ingested in the Station. The reference period for the computation of LTA (Long Term Anomalies) is also indicated: normally, it corresponds to the whole datasets length, and is therefore longer then the temporal extension of timeseries locally available on the stations.

2.5.1 **Input Products**

Product code	Version	Ingested sub- product	Description	Coverage	Available Period	Ref
modis-firms	V6.1	1day	Daily Active Fires at 1 km resolution	Africa	2021-current	<u>link</u>

2.6 MISCELLANEOUS (MONITORING & FORECAST) PRODUCTS

The following table describes the 'Miscellaneous' monitoring and forecast products that are retrieved and ingested in the Station. The reference period for the computation of LTA (Long Term Anomalies) is also indicated: normally, it corresponds to the whole datasets length, and is therefore longer then the temporal extension of time series locally available on the stations.

2.6.1 **Input Products**

Product code	Version	Ingested sub- product	Description	Coverage	Available Period	Ref
ascat-swi	V3.1	swi	Soil Water Index- Every day product (0.1 degree)	Global	2019-current	<u>link</u>
ascat-swi	V4.0	swi	Soil Water Index- Every day product (0.1 degree)	Global	2025-current	<u>link</u>
cpc-sm	1.0	sm	Soil Moisture – Monthly product (0.5 degree)	Global	2012-current	<u>link</u>
lsasaf-et	Undefined	et	Evapotranspiration 30mins product (1km)	MSG-disk	NA	<u>link</u>
lsasaf-lst	Undefined	lst	Land Surface temperature 15mins product (1km)	MSG-disk	NA	<u>link</u>
era-hourly- ssrd	1.0	ssrd	ERA5 hourly Surface solar radiation downwards (25km)	ACP	Refer CDS	<u>link</u>
era-hourly- 10uwind	1.0	10uwind	ERA5 hourly 10m u component of wind (25km)	ACP	Refer CDS	<u>link</u>
era-hourly- 10vwind	1.0	10vwind	ERA5 hourly 10m v component of wind (25km)	ACP	Refer CDS	<u>link</u>
s51-monthly- 10mws	1.0	10mws	Seasonal forecast - ECMWF system 51 - monthly mean of 10m Wind Speed (1 degree)	ACP	Refer CDS	<u>link</u>
s51-monthly- mslp	1.0	mslp	Seasonal forecast - ECMWF system 51 - monthly mean of Mean sea level pressure (1 degree)	ACP	Refer CDS	<u>link</u>
s51-monthly- ssrd	1.0	ssrd	Seasonal forecast - ECMWF system 51 - monthly mean of Surface solar radiation downwards (1 degree)	ACP	Refer CDS	<u>link</u>
s2-l1c ⁶	V1.0	N/A	Sentinel 2 L1C products from SentinelSat API	NA	NA	<u>link</u>
gdo-tws	V1.1.0	twsan	GRACE Total Water Storage Anomaly (1deg)	Global	2002-current	<u>link</u>

_

⁶ This product is introduced for Sentinel 1 & 2 data acquisition <u>SentinelSat API</u>. The detailed description how to use the acquisition for other Sentinel 2 sensors (L2A) in mentioned in Appendix. Also this product should be activated manually from Product Administrator and not available from Portfolio

gdo-sma	V3.0.1	sma	Ensemble Soil Moisture Anomaly (0.1 degree)	Global	2023-current	<u>link</u>
cdas-dekad- mslp	1.0	mslp	NCEP-NCAR CDAS dekad Mean Sea level Pressure (2.5 deg)	ACP	1991-current	<u>link</u>
cdas-dekad- geopt	1.0	geopt-500	NCEP-NCAR CDAS dekad Geopotential height data @ 500 hPa (2.5 deg)	ACP	1991-current	<u>link</u>
cdas-dekad- rhum	1.0	rhum-700, rhum-850	NCEP-NCAR CDAS dekad Relative humidity data @ 700 & 850 hPa (2.5 deg)	ACP	1991-current	<u>link</u>
cdas-dekad- vwind	1.0	vwind-200, vwind-700, vwind-850, vwind -925	NCEP-NCAR CDAS dekad V:meridional wind data @ 200, 700, 850 & 925 hPa (2.5 deg)	АСР	1991-current	<u>link</u>
cdas-dekad- uwind	1.0	uwind-200, uwind-700, uwind-850, uwind -925	NCEP-NCAR CDAS dekad U: Zonal wind data @ 200, 700, 850 & 925 hPa (2.5 deg)	АСР	1991-current	link
era5-hourly- mslp	1.0	mslp	ERA5 hourly Mean Sea level Pressure (25km)	ACP	1991-current	<u>link</u>
era5-hourly- geopt	1.0	geopt-500	ERA5 hourly Geopotential height data @ 500 hPa (25km)	ACP	1991-current	<u>link</u>
era5-hourly- rhum	1.0	rhum-700, rhum-850	ERA5 hourly Relative humidity data @ 700 & 850 hPa (25km)	ACP	1991-current	<u>link</u>
era5-hourly- vwind	1.0	vwind-200, vwind-700, vwind-850, vwind -925	ERA5 hourly V:meridional wind data @ 200, 700, 850 & 925 hPa (25km)	АСР	1991-current	<u>link</u>
era5-hourly- uwind	1.0	uwind-200, uwind-700, uwind-850, uwind -925	ERA5 hourly U: Zonal wind data @ 200, 700, 850 & 925 hPa (25km)	АСР	1991-current	<u>link</u>

2.7 MARINE PRODUCTS

The following table describes the 'Marine' monitoring and forecast products that are retrieved and ingested in the Station. The reference period for the computation of LTA (Long Term Anomalies) is also indicated: normally, it corresponds to the whole datasets length, and is therefore longer then the temporal extension of time series locally available on the stations.

2.7.1 **Input Products**

Product code	Versio n	Ingested sub-product	Description	Coverage	Available Period	Ref												
modis-sst	v2019. 0	sst-day	Ingested daily Sea Surface temperature SST (4km)	Global	2003- current	<u>link</u>												
modis-chla	v2022. 0	chl-day	Ingested daily Chlorophyll a (4km)	Global	2003- current	<u>link</u>												
modis-par	v2022. 0	par-day	Ingested daily Photo synthetically Available Radiation - PAR (4km)	Global	2003- current	<u>link</u>												
modis-kd490	v2022. 0	kd490-day	Ingested daily Diffuse attenuation coefficient for down welling irradiance at 490 nm - KD490 (4km)	Global	2003- current	<u>link</u>												
pml-modis	3.0	Chla-3days, sst-3day	Ingested SST and Chla (1km)	Region	2015-2023	<u>link</u>												
		chl-oc4me-s3a, chl-oc4me-s3b	Chlorophyll-a computed with oc4me algo (1km)	Global	NA	<u>link</u>												
olci-wrr	V02.0	V02.0	V02.0	V02.0	V02.0	V02.0	V02.0	V02.0	V02.0	V02.0	V02.0	V02.0	V02.0	chl-oc4me-s3ab	Chlorophyll-a computed with oc4me algo (4km) from both S3A&B	Global	NA	<u>link</u>
		gradient-s3ab	Chlorophyll-a gradient (4km) from both S3A&B	Global	NA	<u>link</u>												
slstr-sst	1.0	wst	Sea Surface Temperature (1km)	Africa	NA	<u>link</u>												
era-hourly-sst	1.0	sst	ERA5 Sea Surface Temperature hourly (25km)	ACP	Refer CDS	<u>link</u>												
era-monthly-sst	1.0	sst	ERA5 Sea Surface Temperature Monthly (25km)	ACP	Refer CDS	<u>link</u>												
aF1 magnitudes	1.0	sst	Seasonal forecast 51 ensemble monthly mean of Sea Surface temperature (1 degree)	ACP	Refer CDS	<u>link</u>												
s51-monthly-sst 1.0	1.0	sst-anom	Seasonal forecast 51 monthly anomaly of Sea Surface temperature (1 degree)	ACP	Refer CDS	<u>link</u>												
cmems-phy	1.0		3D global ocean forecasts updated daily.(4km)	ACP	Refer CMEMS	<u>link</u>												

2.8 TEMPERATURE MONITORING PRODUCTS

The following table describes the 'Temperature' monitoring products that are retrieved and ingested in the Station.

2.8.1 **Input Products**

Product code	Ver sio n	Ingested sub- product	Description	Covera ge	Available Period	Ref
		2mt	ERA5 2 meter temperature hourly (25km)	ACP	Refer CDS	<u>link</u>
era-hourly-2mt	1.0	2mtmax	ERA5 Hourly maximum 2m temperature since previous post processing (25km)	ACP	Refer CDS	<u>link</u>
		2mtmin	ERA5 Hourly minimum 2m temperature since previous post processing (25km)	ACP	Refer CDS	<u>link</u>
era-monthly-2mt	1.0	2mt	ERA5 2 meter temperature monthly (25km)	ACP	Refer CDS	<u>link</u>
era-hourly-2mdw	1.0	2mdw	ERA5 2 meter dew point temperature hourly (25km)	ACP	Refer CDS	<u>link</u>
edas daily tomporatura	1.0	tmax	Gridded daily temperature max (0.5 degree)	ACP	2020- current	<u>link</u>
cdas-daily-temperature	1.0	tmin	Gridded daily temperature min (0.5 degree)	ACP	2020- current	<u>link</u>
cdas-month-temperature	1.0	temp	Gridded monthly temperature (0.5 degree)	ACP	2020- current	<u>link</u>
	1.0	tanom	Gridded temperature monthly anomaly (0.5 degree)	ACP	2020- current	<u>link</u>

2.9 TEMPERATURE FORECAST PRODUCTS

The following table describes the 'Temperature' forecast products that are retrieved and ingested in the Station.

2.9.1 Input products

Product code	Versi on	Ingested sub- product	Description	Covera ge	Available Period	Ref
		2mt	Seasonal forecast - ECMWF system 51 - monthly mean of 2 meter temperature (1 degree)	ACP	Refer CDS	<u>link</u>
s51-monthly-	1.0	2mtmax	Seasonal forecast - ECMWF system 51 - monthly mean of 2 meter temperature maximum in the last 24 hours (1 degree)	ACP	Refer CDS	<u>link</u>
2mt	1.0	2mtmin	Seasonal forecast - ECMWF system 51 - monthly mean of 2 meter temperature minimum in the last 24 hours (1 degree)	ACP	Refer CDS	<u>link</u>
		2mt- anom	Seasonal forecast - ECMWF system 51 - monthly anomaly of 2 meter temperature (1 degree)	ACP	Refer CDS	<u>link</u>
		2mt	Seasonal forecast - Environment and Climate Change Canada(ECCC) system 3 - monthly mean of 2 meter temperature (1 degree)	ACP	Refer CDS	<u>link</u>
eccc3- monthly-2mt	1.0	2mtmax	Seasonal forecast - ECCC system 3 - monthly mean of 2 meter temperature maximum in the last 24 hours (1 degree)	ACP	Refer CDS	<u>link</u>
		2mtmin	Seasonal forecast - ECCC system 3 - monthly mean of 2 meter temperature minimum in the last 24 hours (1 degree)	ACP	Refer CDS	<u>link</u>
		2mt	Seasonal forecast – Meteo France (MF) system 8 - monthly mean of 2 meter temperature (1 degree)	ACP	Refer CDS	<u>link</u>
mf8- monthly-2mt	1.0	2mtmax	Seasonal forecast – Meteo France (MF) system 8 - monthly mean of 2 meter temperature maximum in the last 24 hours (1 degree)	ACP	Refer CDS	<u>link</u>
		2mtmin	Seasonal forecast – Meteo France (MF) system 8 - monthly mean of 2 meter temperature minimum in the last 24 hours (1 degree)	ACP	Refer CDS	<u>link</u>
ukmo601-	1.0	2mt	Seasonal forecast – UK Met Office (UKMO) system 601 - monthly mean of 2 meter temperature (1 degree)	ACP	Refer CDS	<u>link</u>
monthly-2mt	1 0	2mtmax	Seasonal forecast – UK Met Office (UKMO) system 601 - monthly mean of 2 meter temperature maximum in the last 24 hours (1 degree)	ACP	Refer CDS	<u>link</u>

		2mtmin	Seasonal forecast – UK Met Office (UKMO) system 601 - monthly mean of 2 meter temperature minimum in the last 24 hours (1 degree)	ACP	Refer CDS	<u>link</u>
s51-monthly- 2mdw	1.0	2mdw	Seasonal forecast ECMWF system 51 - monthly mean of 2 meter dew point temperature (1 degree)	ACP	Refer CDS	<u>link</u>
s51-subdaily- 2mdw	1.0	2mdw	Seasonal forecast ECMWF system 51 - subdaily 4 weeks forecast of 2m dew point temperature (1 degree)	ACP	Refer CDS	<u>link</u>
		2mt	Seasonal forecast ECMWF system 51 - subdaily 4 weeks forecast of 2m temperature (1 degree)	ACP	Refer CDS	<u>link</u>
s51-subdaily- 2mt	1.0	2mtmax	Seasonal forecast ECMWF system 51 - subdaily 4 weeks forecast of 2m temperature maximum in the last 24 hours (1 degree)	ACP	Refer CDS	<u>link</u>
		2mtmin	Seasonal forecast ECMWF system 51 - subdaily 4 weeks forecast of 2m temperature minimum in the last 24 hours (1 degree)	ACP	Refer CDS	<u>link</u>
		2mt	Seasonal forecast – NCEP system 2 - monthly mean of 2 meter temperature (1 degree)	ACP	Refer CDS	<u>link</u>
ncep2- monthly-2mt	1.0	2mtmax	Seasonal forecast – NCEP system 2 - monthly mean of 2 meter temperature maximum in the last 24 hours (1 degree)	ACP	Refer CDS	<u>link</u>
		2mtmin	Seasonal forecast – NCEP system 2 - monthly mean of 2 meter temperature minimum in the last 24 hours (1 degree)	ACP	Refer CDS	<u>link</u>
		2mt	Seasonal forecast – JMA system 3 - monthly mean of 2 meter temperature (1 degree)	ACP	Refer CDS	<u>link</u>
jma3- monthly-2mt	1.0	2mtmax	Seasonal forecast – JMA system 3 - monthly mean of 2 meter temperature maximum in the last 24 hours (1 degree)	ACP	Refer CDS	<u>link</u>
		2mtmin	Seasonal forecast – JMA system 3 - monthly mean of 2 meter temperature minimum in the last 24 hours (1 degree)	ACP	Refer CDS	<u>link</u>

2.10 ATMOSPHERE PRODUCTS

The following table describes the 'Atmosphere' observation and forecast products that are retrieved and ingested in the Station.

2.10.1 Input products

Product code	Versi on	Ingested sub-product	Description	Covera ge	Available Period	Ref
		subdaily	CAMS subdaily forecast of Black Carbon Aerosol Optical Depth at 550nm	ACP	Refer ADS	<u>link</u>
cams-bcaod550	1.0	daily ⁷	CAMS daily observation of Black Carbon Aerosol Optical Depth at 550nm	ACP	Refer ADS	<u>link</u>
		monthly ⁹	CAMS monthly Black Carbon Aerosol Optical Depth at 550nm	ACP	Refer ADS	<u>link</u>
		subdaily	CAMS subdaily forecast of Dust aerosol optical depth at 550 nm	ACP	Refer ADS	<u>link</u>
cams-duaod550	1.0	daily ⁹	CAMS daily observation of Dust aerosol optical depth at 550 nm	ACP	Refer ADS	<u>link</u>
		monthly ⁹	CAMS monthly Dust aerosol optical depth at 550 nm	ACP	Refer ADS	<u>link</u>
		subdaily	CAMS subdaily forecast of Organic matter aerosol optical depth at 550 nm	ACP	Refer ADS	<u>link</u>
cams-omaod550	1.0	daily ⁹	CAMS daily observation of Organic matter aerosol optical depth at 550 nm	ACP	Refer ADS	<u>link</u>
		monthly ⁹	CAMS monthly Organic matter aerosol optical depth at 550 nm	ACP	Refer ADS	<u>link</u>
		subdaily	CAMS subdaily forecast of Particulate Matter 10um	ACP	Refer ADS	<u>link</u>
cams-pm10	1.0	daily ⁹	CAMS daily observation of Particulate Matter 10um	ACP	Refer ADS	<u>link</u>
		monthly ⁹	CAMS monthly Particulate Matter 10um	ACP	Refer ADS	<u>link</u>
		subdaily	CAMS subdaily forecast of Particulate Matter 2.5um	ACP	Refer ADS	<u>link</u>
cams-pm2p5	1.0	daily ⁹	CAMS daily observation of Particulate Matter 2.5um	ACP	Refer ADS	<u>link</u>
		monthly ⁹	CAMS monthly Particulate Matter 2.5um	ACP	Refer ADS	<u>link</u>
		subdaily	CAMS subdaily forecast of Total aerosol optical depth at 550 nm	ACP	Refer ADS	<u>link</u>
cams-aod550	1.0	daily ⁹	CAMS daily observation of Total aerosol optical depth at 550 nm	ACP	Refer ADS	<u>link</u>
		monthly ⁹	CAMS monthly Total aerosol optical depth at 550 nm	ACP	Refer ADS	<u>link</u>


⁷ These products are updated twice a year with 4-6month delay.

3. DESCRIPTION OF THE 'STANDARD' PROCESSING CHAINS

The current paragraph presents in a graphic manner how the 'derived' products are computed in the processing chains, available, according to the following conventions:

- The 'entry' point of the processing chain is displayed at the top-left corner, and indicated with the number 0. It is normally an ingested product.
- Every group of derived products is indicated with an increasing number, according to the order of the computation.
- Some processing chains can be called with an option, which activates/deactivates some steps. When he steps are de-activated, the corresponding outputs are not updated (e.g. long-term statistics).
- The options are indicated in a table, together with the products the chain is applied to (non-exhaustive list). The default option is also indicated, for which the active computational steps are indicated in green in the diagram.

Processing chain: std_precip




Processing chain: Standard Precipitation processing chain (std_precip)


Applied to: fewsnet-rfe, tamsat-rfe, chirps-dekad

10davg	Statistic: multi-years average for each dekad
10dmin	Statistic: multi-years minimum for each dekad
10dmax	Statistic: multi-years maximum for each dekad
10ddiff	Anomaly: ABSOLUTE DIFFERENCE (10d – 10davg)
10dperc	Anomaly: RELATIVE DIFFERENCE % ((10d – 10davg)/10davg) (Computed only when LTA > 7mm)
10dnp	Anomaly: Normalized Precipitation (10d- 10dmin)/(10dmax-10dmin) (Computed only when LTA > 7mm)
10dratio	Anomaly: Precipitation Ratio 100*(10d/10davg)
1moncum	Cumulated 10day RFE over each month
1monavg	Statistic: multi-years average for each month
1monmin	Statistic: multi-years minimum for each month
1monmax	Statistic: multi-years maximum for each month
1mondif	Anomaly: ABSOLUTE DIFFERENCE (1moncum-1monavg)
1monperc	Anomaly: RELATIVE DIFFERENCE (1moncum-1monavg)/1monavg (Computed only when LTA > 20mm)
1monnp	Anomaly: Normalized Precipitation (1moncum- 1monmin)/(1monmax-1monmin) (Computed only when LTA > 20mm)

Processing chain: std_ndvi



Processing chain: std_ndvi (continued)



Derived products

Processing chain: Standard Precipitation processing chain for VGT NDVI (std_vgt_ndvi)

Applied to: vgt-ndvi

ndvi-linearx2	Filtered NDVI (linear filtering applied twice)
10davg-linearx2	Statistic: AVG of ndvi-linearx2
10dmin-linearx2	Statistic: MIN of ndvi-linearx2
10dmax-linearx2	Statistic: MAX of ndvi-linearx2
10dmed-linearx2	Statistic: MED of ndvi-linearx2
10dstd-linearx2	Statistic: STD of ndvi-linearx2
10ddiff-linearx2	Anomaly: DIF of ndvi-linearx2
10dsndvi-linearx2	Anomaly: SNDVI of ndvi-linearx2 (aka z-score)
10dperc-linearx2	Anomaly: PERC difference of ndvi-linearx2 (100*(curr-LTA)/LTA)
linearx2diff-linearx2	Anomaly: Absolute Difference (ndvi-linearx2 -10davg-linearx2)
vci-linearx2	Anomaly: VCI (linearx2 vs. linearx2 statistics)
icn-linearx2	Anomaly: ICN (linearx2 vs. linearx2 statistics)
ratio-linearx2	Anomaly: Ratio (100 * ndvi-linearx2/10davg-linearx2)
monndvi	Indicator: monthly NDVI (from ndvi-linearx2)
1monavg	Statistic: monthly multi-year average NDVI
1monmin	Statistic: monthly multi-year min NDVI
1monmax	Statistic: monthly multi-year max NDVI
1monicn	Statistic: monthly ICN NDVI
1monvci	Statistic: monthly VCI NDVI
1monstd	Statistic: monthly std NDVI
1mondiff	Anomaly: monthly diff NDVI
1monperc	Anomaly: monthly perc NDVI
1monsndvi	Anomaly: monthly SNDVI (aka z-score)
monthly-ratio	Anomaly: monthly ratio

Processing chain: std_lsasaf_et




Applied to:	Isasaf-et
Only default option	
Notes:	10d and 1mon stats and anomalies to be added

Processing chain: Standard Processing chain for LSASAF ET related products (std_lsasaf_et)

Applied to: Isasaf-et

10d30min ²	Statistics (30min average over 10 days)	MSG-disk
10dcum	Indicator: ET cumulated over 10 days	Africa
1moncum	Indicator: ET cumulated over 1 month	Africa


Processing chain: std_lsasaf_lst



Processing chain: Standard Processing chain for LSASAF LST related products (std_lsasaf_lst)

Applied to: Isasaf-Ist

10d15min ²	Statistics (15min max over 10 days)	MSG-disk
1dmax	Indicator: LST maximum over 1 day	Africa
10dmax	Indicator: LST maximum over 10 days	Africa
10dmin	Indicator: LST minimum over 10 days	Africa




Applied to:	modis-chla modis-sst modis-kd490 modis-par
Only default option	
Notes:	The computation of 1monclim is done once for all (no updated)

Processing chain: Applied to:

Standard Processing chain for MODIS monthly average computation (std_modis_derived)

modis-chla, modis-sst, modis-par, modis-kd490

8daysavg	8 days Average
monavg	Monthly average
monclim	Monthly Climatology
monanom	Monthly Anomaly (monthly - climatology)



Applied to:	modis-sst pml-modis-sst slstr-sst
Only default option	

Processing chain: Applied to:


Proc library based processing chain for front's computation (proc_fronts)

pml-modis-sst, slstr-sst

sst-fronts	Fronts of Sea Surface Temperature
sst-fronts-shp ⁸	Fronts of SST in shapefile format

⁸ On top of the GeoTiff file (sst-fronts) this product is created for usage in QGIS or other applications (it is not visualized by Climate Station viewer).

Processing chain: std_modis_firms




Processing chain:

Processing chain of standard MODIS FIRMS products (std_modis_firms)

Applied to: modis-firms

10dcount	Number of fires over 10 day period
10dcountavg	Multi-years average number of 10dcount
10dcountmin	Multi-years minimum number of 10dcount
10dcountmax	Multi-years maximum number of 10dcount
10dcountdiff	Difference between 10dcount and 10dcountavg
10dcount10K	Number of fires over 10 day period over 10 Km grids
10dcount10Kavg	Multi-years average number of 10dcount over 10 Km grids
10dcount10Kmin	Multi-years minimum number of 10dcount over 10 Km grids
10dcount10Kmax	Multi-years maximum number of 10dcount over 10 Km grids
10dcount10Kdiff	Difference between 10dcount and 10dcountavg over 10 Km grids
10dcount10Kratio	Ratio between 10dcount and 10dcountavg over 10 Km grids

Processing chain: std_olci_wrr



Processing chain: Applied to:

Standard Processing chain for 3day average, monthly average products computation (std_olci_wrr)

slstr-sst, olci-wrr

3daysavg	3day average Product
monavg	Monthly average product

Processing chain: std_gradient



Processing chain: std_monavg



Processing chain: std_3dayavg



Processing chain:

Proc library based Processing chain for gradient computation (proc_gradient)

Applied to:

modis-chla, slstr-sst, olci-wrr

gradient

slstr-sst, olci-wrr

Horizontal Gradient for chlorophyll and sea surface temperature.

Processing chain:

Standard Processing chain for monthly average computation from daily products (std_monavg)

Applied to:

monavg

Standard Processing chain for monthly average computation from daily products (std_3dayavg)

Applied to:

Processing chain:


slstr-sst

3dayavg

Three day averaged for sst or chla

Monthly averaged for sst or chla

Processing chain: modis_pp



Processing chain: Applied to:

Non Standard Processing chain for Primary production computation (**modis_pp**) modis-chla, modis-sst, modis-par, modis-kd490 are the 4 inputs for computing PP

8daysavg	Average Primary production over 8 days
monavg	Monthly average primary production

Processing chain: std_reproject



Processing chain: Applied to:

Standard Processing chain to convert to one resolution, one projection from existing resolution and projection (std_reproject)

vgt-ndvi

ndvi

Reprojected data from 300m to 1km

Processing chain: std_opfish



Processing chain: Applied to:

Standard Processing chain to generate Ocean productivity index from chorophyll (std_opfish)

modis-chla

opfish

Ocean productivity index from Modis chlorophyll data

Processing chain: proc_precip_1hour



Processing chain: Chain converts hourly precipitation to daily and dekad cumulation

Applied to: ERA5 Total Precipitation

1day	1day cumulated Total Precipitation
10d	10 day cumulated Total Precipitation

Processing chain: proc_temperature_hour



Processing chain: Chain converts hourly ERA5 temperature to daily & its min,max

Applied to: ERA5 2m Temperature

1day	1 Day 2m Temperature in Celicus
daymax	1 Day 2m Temperature max
daymin	1 Day 2m Temperature min

Processing chain: proc_temperature_month



Processing chain: Chain converts monthly ERA5 temperature to Celsius and derived stats and anomaly.

Applied to: ERA5 2m Temperature

210 6 211 Temperature	
1mon	1 Month 2MT in Celsius
1monavg	1 Month 2MT Long term Average
1mondiff	2m temperature monthly anomaly