






A



B



D

Company:	e-Tech Racing	e-techracing.es	
Project:	SHIELD	Variant: [No Variations]	
Size:	Page Contents:	Version: 1.0	
-	[1] Supply.SchDoc	Department: Hardware	
Author:	Bernat Costa Cesari	bernat.costa.cesari@estudiantat.upc.edu	Sheet 2 of 4
Checked by:	Andreu Senis		Date: 16/10/2023

1

2

3

4


A

B

C



D

USB OTG







XTAL Oscillator

XTAL301 is a 20MHz HSE base for the internal PLL




Company:	e-Tech Racing	e-techracing.es	
Project:	SHIELD	Variant: [No Variations]	
Size:	Page Contents:	Version: 1.0	
-	[2] MCU.SchDoc	Department: Hardware	
Author:	Bernat Costa Cesari	bernat.costa.cesari@estudiantat.upc.edu	Sheet 3 of 4
Checked by:	Andreu Senis	Date: 16/10/2023	




A



B



C



D

Company:	e-Tech Racing	e-techracing.es	
Project:	SHIELD	Variant: [No Variations]	
Size:	Page Contents: [3] CAN SchDoc	Version: 1.0	
Department:	Hardware		
Author:	Bernat Costa Cesari	bernat.costa.cesari@estudiantat.upc.edu	Sheet 4 of 4
Checked by:	Andreu Senis		Date: 16/10/2023