

eYSIP2016

QUESTION BANK MANAGEMENT



Bhalchandra Naik
and Tushar Shah

Mentors : Shubham Gupta, Uttam Kumar Gupta and Yogita
Mali

Duration of Internship: 10/06/2016-24/07/2016

2016, e-Yantra Publication

Question Bank Management

Abstract

The aim of this project is to organize and ease the process of question bank management through a web-based application. Question Bank Management can mainly be bifurcated into two important tasks viz. Question Creation and Question Reviewal.

The application simplifies the task of adding elements like diagram, equations and code to questions by providing interfaces for the same. For better discretion of solving the questions, elements like difficulty level, Category, tags and expected solving time can also be added to question.

The application shall automate the task of evenly distributing the questions amongst the users. Revision history to keep track of all changes made to a question and control the versions of a question, is also maintained by this application.

The ultimate goal of this application is to reduce the fuss created in a closed group during the conventional question bank management process and give the process a drive(which the conventional process may lack) that is required for efficient and harmonious performance of the outfit.



1.1. HARDWARE PARTS

Completion status

- Task Accomplished
 1. Freezing the SRS (Software Requirements Specification)
 2. Set up and study Laravel and Database Management
 3. Schema Development
 4. Account management (including access management)
 5. Revision History of Question
 6. Difficulty level of questions and expected solving time
 7. Converting question text to image
 8. Adding diagrams to questions
 9. Adding questions with choices
 10. Equation box (latex to image)
 11. Coding window (code text to image)
 12. Adding difficulty level tags and category tags
 13. Navigating Questions
 14. Documentation
- All specified tasks have been accomplished

1.1 Hardware parts

- No Hardware parts used



1.2. SOFTWARE USED

1.2 Software used

1. Linux environment

- Setting up the system:
 - (a) Software Used: Ubuntu
 - (b) Software version: 16.04
 - (c) [download link](#)
- Setting up the server
 - (a) Software used :
 - Apache
 - PHP
 - (b) Versions:
 - Apache 2.4.12
 - PHP 5.6.11
 - (c) Installation:
 - Apache

```
sudo apt-get install apache2 libapache2-mod-php
```
 - PHP

```
sudo add-apt-respository ppa:ondrej/php5
sudo apt-get update
sudo apt-get install php5 php5-mcrypt php5-gd
sudo php5enmod mcrypt
```
- Setting up the PHP framework
 - (a) Software Used :
 - Composer
 - Laravel
 - (b) Version:
 - Laravel 5.2.39
 - Composer 1.1.2
 - (c) Installation:
 - Composer

```
curl -sS https://getcomposer.org/installer | php
sudo mv composer.phar /usr/local/bin/composer
```
 - Laravel



1.2. SOFTWARE USED

```
cd /var/www/html
sudo composer create-project laravel/laravel
your-project --prefer-dist
```

(d) Configuring Apache :

- Ensure that the project folder has proper permissions.

```
sudo chgrp -R www-data /var/www/html/project
sudo chmod -R 775 /var/www/html/project/storage
```

- Now go to the /etc/apache2/sites-available directory and use the following command to create a configuration file for our laravel install

```
cd /etc/apache2/sites-available
sudo nano laravel.conf
```

- Now add the following content to the file and close it after saving.

```
<VirtualHost *:80>
    ServerName localhost

    ServerAdmin webmaster@localhost
    DocumentRoot /var/www/html/project/public

    <Directory /var/www/html/project>
        AllowOverride All
    </Directory>

    ErrorLog ${APACHE_LOG_DIR}/error.log
    CustomLog ${APACHE_LOG_DIR}/access.log combined
</VirtualHost>
```

2. Revisionable Trait

- Revisionable Trait named sofaRevisionable Trait is used
- Refer the link of the trait for importing [link here](#)
- According to the need the Revisionabletrait.php was modified and used



1.3 Assembly of hardware

No Hardware has been used

1.4 Software and Code

[Github link](#)

1.4.1 Database Schema

The database schema used in the application has been described in detail in the following sections

1. *equations*(*exp_id*, *exp_latex*, *exp_image*, *created_at*, *updated_at*)
 - *exp_id* : auto-incrementing primary key
 - *exp_latex* : expression of the equation in L^AT_EX
 - *exp_image* : link to the image stored in the file-system
 - *created_at* : timestamp of creation
 - *updated_at* : timestamp of updation
2. *codes*(*code_id*, *code_description*, *code_image_path*, *created_at*, *updated_at*)
 - *code_id* : auto-incrementing primary key
 - *code_description* : description of code
 - *code_image_path* : link to the image stored in the file-system
 - *created_at* : timestamp of creation
 - *updated_at* : timestamp of updation
3. *diagram*(*diagram_id*, *path*, *created_at*, *updated_at*)
 - *diagram_id* : auto-incrementing primary key
 - *path* : link to the diagram stored in the file-system
 - *created_at* : timestamp of creation
 - *updated_at* : timestamp of updation
4. *category*(*key*, *name*, *created_at*, *updated_at*)
 - *key* : auto-incrementing primary key



1.4. SOFTWARE AND CODE

- name : name of the category(Quantitative, Programming or Electronics)
- created_at : timestamp of creation
- updated_at : timestamp of updation

5. *difficulty*(key, name, created_at, updated_at)

- key : auto-incrementing primary key
- name : difficulty name(Easy, Medium or Hard)
- created_at : timestamp of creation
- updated_at : timestamp of updation

6. *maths_symbols*(id, code, description, type, created_at, updated_at)

- id : auto-incrementing primary key
- code : HTML UTF-8 code of the mathematical symbols
- description : short description of the symbol
- type : used to point to the subject matter where the symbol is commonly used in
- created_at : timestamp of creation
- updated_at : timestamp of updation

The data stored in this table has not been entered manually. A Map-Reduce process using Hadoop was implemented to process the data present on the web-page of w3schools.com([link here](#)) and filter it into a form conforming with structure of the table implemented. JAR file of the program used is in the project folder titled *MathSymbolsProcessor.jar*.

7. *math_symbols_group*(id, group_name, div_id, created_at, updated_at)

- id : auto-incrementing primary key
- group_name : Name of the topic pertaining to which special symbols have been stored
- div_id : used in assigning IDs to divisions created in views
- created_at : timestamp of creation
- updated_at : timestamp of updation



1.4. SOFTWARE AND CODE

8. *options(option_id, q_id, revision, option_no, description, created_at, updated_at)*
 - option_id : auto-incrementing primary key
 - q_id : key of the question whose options are being stored
 - revision : the version of the options (changed when the options are changed)
 - option_no : the serial number of the option in the list of options
 - description : Content of each option
 - created_at : timestamp of creation
 - updated_at : timestamp of updation
9. *tags(id, name, created_at, updated_at)*
 - id : auto-incrementing primary key
 - name : name of the tag with unique constraint
 - created_at : timestamp of creation
 - updated_at : timestamp of updation
10. *q_tag_relations(key, q_id, tag_revision, tag_id, created_at, updated_at)*
 - key : auto-incrementing primary key
 - q_id : key of the question whose tags are being stored
 - tag_revision : the version of the tags (changed when the tags are changed)
 - tag_id : ID of the tag whose name is stored in *tags* table
 - created_at : timestamp of creation
 - updated_at : timestamp of updation
11. *q_tables(q_id, description_id, exp_id, created_by, last_edited_by, diagram_id, current_revision, options, code_id, difficulty, time, category, tag_revision, created_at, updated_at)*
 - q_id : auto-incrementing primary key to identify each question in the database uniquely
 - description_id : contains a reference to a record in descriptions table which has the description details of the question



1.4. SOFTWARE AND CODE

- `exp_id` : contains a reference to a record in the equations table which stores all the details pertaining to the created equations
- `created_by` : contains a reference to a user in the users table who has created that particular question
- `last_edited_by` : contains a reference to a user in the users table who has most recently made any changes to the question (be it review or edit)
- `diagram_id` : contains a reference to diagrams table where details of the diagram stored in the file system are stored
- `current_revision` : stores the current version of the question
- `options` : stores the current version of options being used
- `code_id` : Stores a reference to a record in the codes table where details regarding the code being used in the questions is stored
- `difficulty` : stores the difficulty level of question
- `time` : stores the time required to solve a particular question
- `category` : category of each question (Quantitative, Electronics or aptitude)
- `tag_revision` : the current version of the tags (changed when the tags are changed)
- `created_at` : timestamp of creation
- `updated_at` : timestamp of updation

1.4.2 Features

1. User Authentication and Registration

- The application supports 2 types of users :
 - (a) Administrator
 - (b) Normal User
- Normal users may further have two roles creator (user who creates the question) and reviewer (who reviews questions allotted to him).
- The Application houses and serves a closed group of users, due to which common users are unable to register onto the application.
- Thus the Admin has the authority to add new users to the application



1.4. SOFTWARE AND CODE

- A user won't be able to access any of the utilities of the application unless she/he has been authenticated or unless she/he has a user account registered for him
- Password reset procedure has been created for normal users, where a email containing a password reset link is sent to the users on his email-ID
- The admin can also delete users if need be from the application.

2. Question Creation

- Question description and Coding box :
 - Question description being typed by the user is transformed into image in real-time and previewed below accordingly.
 - The description being typed is entered on an HTML hidden canvas which is then used to generate an image, whose URL is updated in the image present on every 'onkeyup' event
 - The same coding logic applies for the code to image conversion, only with variation in colors and text font used to give look and feel consistent with the field of coding
- Equation Box :
 - The \LaTeX code for equation typed in this window is used to obtain the image URL generated of the equation photo generated by the open API of code-cogs. [CodeCogs equation editor](#)
 - The URL of the image generated is dependent on the equation typed.
 - The URL shall have a fixed part and an variable part which varies with every equation
 - This is the permanent part :
`https://latex.codecogs.com/gif.latex?`
 - As said earlier the variable part is dependent on equation being typed which is obtained in the following manner:
 - (a) if the number of adjoining spaces is more than one then they are replaced with just one single space using the following regular expression :
`"\s+"`
 - (b) then variable part is URI encoded and then concatenated to the fixed part which generates the entire link, which



1.4. SOFTWARE AND CODE

can now be updated in the *src* of the image preview tag and the value of the hidden form field

- Options :
Options are being created on an *onkeyup* event on the number field specified. There can be 2-6 options currently
- Diagram:
Users can upload the diagrams, from their local file-systems to add to the question.
- Tags and Category :
 - Each question must fall into either of the following categories pertaining to the subject matter
 - (a) Quantitative
 - (b) Electronics
 - (c) Programming
 - Each question must have certain tags to it pertaining to the concepts of topics covered in the question
eg: turing machine, integration, C etc
- Time Required and difficulty level of questions
 - For better discretion of solving the question bank creators must give attributes to questions like Time Required(minimum 30 seconds) and Difficulty level of questions (easy, medium or hard).
- Special symbols keyboard
 - Data stored in the tables `maths_symbols` and `math_symbols_group` about the symbols is used to render the keyboard.

3. Picking a Question

- While browsing the question bank the users may want to compose a new question by making minor changes to an existing question
- The users shall be redirected to page with the form similar to that of the Compose interface, with fields set to the value of the initial question.
- on submit the post request is sent to the Controller closure of the Create a question feature and a new question is composed with the creator set to the user who picked the question

4. Editing a Question



1.4. SOFTWARE AND CODE

- While browsing his own questions in the 'Home' the user may find that the content of any question he/she created is inconsistent with the subject matter
- The user can then edit that question and correct it. For editing the user shall be directed to an interface similar to that of compose with fields set current attributes of the question.
- After making the changes, the post request for that page shall be sent to controller closure where the received values from that form are compared with the existing values, if the values are the same, no updates are made.

5. Navigating the Question Bank

- (a) Currently searching the questions is based on tags and string search on the question description. Search box for entering the string and a multiple select box for the selecting the tags is provided. This feature has been implemented in the *Home* and *Browse* interface
- (b) *Home*
 - Here the User can browse the questions created by him
 - Search queries sent from here are give results of the questions created by that user, that satisfy the submitted queries
- (c) *Browse*
 - Here the User can browse the entire questions
 - Search queries sent from here are give results of the questions that satisfy the submitted queries

6. Review

- (a) Criteria : For Distribution of questions to reviewers
 - Each questions should have only 2 reviewers.
 - The Creator of the questions should not get his/her own created questions for reviewing.
 - The Distribution of questions should be on fairness and efficiency basis.
- (b) Process : Alloting questions to review
 - The process runs a special algorithm to submit questions for review



1.4. SOFTWARE AND CODE

- The algorithm distributes questions to the different users efficiently and in such a way that the user is paired with all the other users
- From the set of all possible pairs, random pairs is given a question to review individually
- The pair should not be repeated until all the combinations of pairs of different users are allotted a question
- Once the question is allotted, the flag of allotment is set which indicates the status whether 'allotted' or not
- After the question is reviewed, the flag for allotment is set which indicates whether reviewed or not.

(c) Algorithm :

- The List of users who created question are fetched from the database
- for each user all the questions are fetched which are to be reviewed
- The matrix is formed corresponding to the self-cartesian product of users who haven't created any question
- step 1 foreach question, a pair($(row_m, column_n)$ refers to the index of users) in the upper triangular part of the matrix is allotted a question
- step 2 if the pair in the upper triangular matrix is finished then shuffle the sequence of users and reform a matrix corresponding to the self-cartesian product and repeat step 2
- step 3 if no of questions gets exhausted then break the current iteration and go to the outer loop
- iterate or end inner loop
- iterate or end outer loop

(d) Review :

- Given to the users, the question to be reviewed, the user might want to modify or might not want to modify
- If modified then there is a history on the update of the question and questions get removed from the reviewers list
- If not modified then the reviewers submits no changes and the question gets removed



1.4. SOFTWARE AND CODE

7. Review interface

- (a) Given to the users, the question to be reviewed, the user might want to modify or might not want to modify
- (b) It contains the following button
 - No Change : Whenever the reviewers does not want to modify considering it as appropriate
 - Modify : Whenever the reviewers wants to modify the edit on question method is called in the new browser
- (c) If modified then there is a history on the update of the questions and questions get removed from the reviewers list
- (d) If not modified then the reviewers submits no changes and the questions get removed

8. History interface

- (a) This Section shows the latest version of all questions and the no of version a question has in the history
- (b) Every question has a button indicating the version no, provided that the question has the version history
- (c) After clicking on the version no button the user is redirected to a new page where there will be display of latest version and n^{th} version of the question
- (d) It contains the following button
 - Cancel : Redirects the users to the previous page
 - Restore : Restores the current version to the version
- (e) According to restore the current version is thereof displayed




1.5. USE AND DEMO

1.5 Use and Demo

Some glimpses of the application


Login Page



The screenshot shows a login form with a title bar 'Login'. It contains two input fields: 'E-Mail Address' and 'Password'. Below the password field is a checkbox labeled 'Remember Me'. At the bottom, there is a blue 'Login' button and a link 'Forgot Your Password?'.

New User Registration on Admin Panel

Add Users



The screenshot shows a registration form titled 'Register a New User'. It includes five input fields: 'Name', 'UserName', 'E-Mail Address', 'Password', and 'Confirm Password'. A blue 'Add User' button is located at the bottom right of the form.



1.5. USE AND DEMO

List of Users

View or Delete

Name	Username	E-Mail	Created at	Updated at	Remove
Uttam K Gupta	UkGupta	guptauttam@gmail.com	2016-07-22 19:23:25	2016-07-23 14:18:36	Delete
Yogita Mali	maliyogita	maliyogita93@gmail.com	2016-07-22 19:32:10	2016-07-22 19:32:10	Delete
tushar	tusharshah@	tushar@gmail.com	2016-07-22 19:52:38	2016-07-23 14:11:24	Delete
qwerty	qwerty	qwerty@gmail.com	2016-07-22 19:56:16	2016-07-22 19:56:16	Delete
qwerty	qwerty123	qwerty123@gmail.com	2016-07-22 20:02:07	2016-07-22 20:02:07	Delete
zxcvb	zxcvb@gmail.com	zxcvb@gmail.com	2016-07-22 20:41:25	2016-07-22 20:41:25	Delete



Adding new Tags by Admin

Tags

Add Tags

Add a New Tag

Tag Name

Add Tag







1.5. USE AND DEMO

Displaying current tags

No.	Name	Created at	Updated at	Remove
1	artificial	2016-07-07 17:33:58	2016-07-07 17:33:58	Delete
2	algorithm	2016-07-07 17:33:58	2016-07-07 17:33:58	Delete
3	Integration	2016-07-07 18:43:44	2016-07-07 18:43:44	Delete
4	Queue	2016-07-07 18:43:44	2016-07-07 18:43:44	Delete
5	stacks	2016-07-07 18:43:44	2016-07-07 18:43:44	Delete
6	binary tree	2016-07-07 18:43:44	2016-07-07 18:43:44	Delete
7	heap	2016-07-07 18:43:44	2016-07-07 18:43:44	Delete
8	greedy algorithm	2016-07-07 18:43:44	2016-07-07 18:43:44	Delete
9	definite integral	2016-07-07 18:43:44	2016-07-07 18:43:44	Delete
10	differentiation	2016-07-07 18:43:44	2016-07-07 18:43:44	Delete

New Question for review on Admin Panel



New Questions

Submit For Review

14 New Questions Exists

Alloted to : zxcvb , Yogita Mall

Difficulty level: Easy Expected Solving time: 399

whats the mean of 10,30,50?

Created By: Uttam K Gupta Updated By: Uttam K Gupta

Queue



1.5. USE AND DEMO

Alloted or not

Alloted to : This question is not alloted

Difficulty level: *Easy* Expected Solving time: *30*

What is the next number in the series given below. find out the value

1, 4, 9, 16, 25, ?.....

Created By: Updated By:

[Queue](#) [statistics](#)

Text to image conversion and options

Home

Compose

Review

History

Browse

Compose

Equation $\frac{a}{b}$ Code `{ }` Diagram Symbols $\frac{a}{b}$

Description

what is the mean value of

what is the mean value of

Options

2

Option 1 100

Option 2 20 ohms

Choose the answer: 1. ☐ 2. ☐



1.5. USE AND DEMO

Special Symbol keyboard

what is the mean value of 10,20,30 ?

Set Algebra Calculus Boolean Algebra Arithmetic Geometry Other



Options

2

Option 1 100

Option 2 20

Choose the answer: 1. ☐ 2. ☒

LaTeX to image conversions

Options

Pick a Number between 2 and 6

Mathematical Expressions

$\int x dx$

$$\int x dx$$

Tags

[Click here to search tags](#)

Difficulty

Easy

Expected Solving Time

10 seconds

Pick a Category

Quantitative



1.5. USE AND DEMO

Code to image conversion

$$\int x dx$$

Add Code

```
int a = b + c;
```

```
int a = b + c;
```

Tags

[Click here to search tags](#)

Preview of question before submit

Choose the answer: 1. ☒ 2. ☐

Category: Quantitative

Difficulty level: Quantitative

Expected Solving time: 30

what is the mean value of 10,20,30 ?

Series

1. 100

2. 20

stacks turing machine

Close



1.5. USE AND DEMO

Browsing the question bank

Home
Compose
Review
History
Browse

Browse

Search

Click here to search tags

[Refresh](#)

14 results

Calculate the Integral of the following equation

$$\int x^2 + x + 1 . dx$$

a. 26/3
b. 8.66
c. 8.67
d. 8.6

Difficulty level: **Medium** Expected Solving time: **45**

ost:8000/usershome/Browse

History interface

Home
Compose
Review
History
Browse

History

Search

Click here to search tags

[Refresh](#)

1 results

Version: **1** 2 3 4 5

Updated By: Uttam K Gupta

whats the mean of 10,30,50?

a. 10
b. 30
c. 50

Difficulty level: **Easy** Expected Solving time: **399**

New Version



1.5. USE AND DEMO

Current Question

Difficulty level:
Easy

Expected Solving time:
399

Q. whats the mean of 10,30,50?


a. 10

b. 30

c. 50

Updated By: Uttam K Gupta

Queue



Version 4 of Question

Difficulty level:
Easy

Expected Solving time:
399

Q. fhfh hggghgj huugj lhjgj

a. a

b.

c. b

d. b nnmn

Updated By: Uttam K Gupta

Queue



1.5. USE AND DEMO

Password Reset link

Reset Password

E-Mail Address

Send Password Reset Link

Edit a question

Edit

Equation π^2 Code `{ }` Diagram Symbols £

Description

When a synchronous motor is running at synchronous speed, the damper winding produce which of the following testing edit again

When a synchronous motor is running at synchronous speed, the damper winding produce which of the following testing edit again

Options

Pick a Number between 2 and 6



Tags

x turing machine x vector calculus



1.5. USE AND DEMO

Picking a Question

Pick

Equation $\mathbf{T}^{\mathbf{e}}$ Code $\{\}$ Diagram  Symbols \mathbf{E}

Description

When a synchronous motor is running at synchronous speed, the damper winding produce which of the following testing edit again

When a synchronous motor is running at synchronous speed, the damper winding produce which of the following testing edit again

Options

Pick a Number between 2 and 6



Tags

x turing machine x vector calculus





1.6 Future Work

- Interesting insights can be gained by performing mining operations on the data generated in the system
- As every application has scope for improvement, studies can be done to develop various algorithms for distribution of questions in more selective manner and organized (as per categories or sub-categories, or difficulty level)
- The application has a coding window. APIs that give results of the code being typed and allow features such as auto-indentation can also be integrated into the existing system
- An algorithm for automating the process of creating question sets using the existing question bank can be created, each of which is of the similar difficulty level.

1.7 Bug report and Challenges

- Bugs
 1. Small UI flaws may be present
- Challenges
- Designing a good UI
- Since the database is in the Boyce Codd Normal Form, developing efficient queries for merging data was a challenge
- Creating the database that shall not suffer major modifications in the long run
- Text to image conversion

Bibliography

- [1] Ad Kamerman and Leo Monteban, *WaveLAN-II: A High-Performance Wireless LAN for the Unlicensed band*, 1997.

