

Ad-local epoch averaging

Exploratory sensitivity. Confirmatory 4 s / median Dataset A is untouched.

Dataset A medians every retained 4 s tile in a condition (median 95 tiles). This pass keeps only the k tiles nearest each visual onset, or the k tiles immediately before / after it, and re-runs the same person-level contrasts. The no-ad cell uses the matched turn-2 and turn-4 replies, so the control is local in time too.

k grid: 1, 3, 5, 10, 20. Holm hits: 12. BH hits: 15. Nominal raw $p < .05$: 64.




k=all reproduces confirmatory Dataset A (max $|\Delta\text{median}| = 0.0\text{e}+00$, gate passed).

Dataset B k=1 tiles are not onset-locked windows (median $r = 0.65$ against confirmatory Δ).

What crossed a threshold


A/around/k=1 inline_vs_block Rel. theta dz=-0.95 Holm=0.0026
A/pre/k=1 any_ad_vs_no_ads Rel. alpha dz=0.85 Holm=0.0067
B/prepost/k=3 inline_late_vs_no_ad_late Posterior alpha * dz=-0.81 Holm=0.0130
B/prepost/k=3 block_late_vs_no_ad_late Posterior alpha * dz=-0.77 Holm=0.0138
A/post/k=5 early_vs_late Kislov ratio dz=-0.74 Holm=0.0178
A/around/k=1 early_vs_late Global theta dz=-0.71 Holm=0.0239
A/around/k=3 inline_vs_block Rel. theta dz=-0.69 Holm=0.0293
B/prepost/k=5 block_late_vs_no_ad_late Posterior alpha * dz=-0.68 Holm=0.0396
A/around/k=20 early_vs_late Rel. theta dz=-0.67 Holm=0.0339
A/pre/k=1 early_vs_late Frontal alpha asym. dz=0.66 Holm=0.0370
A/post/k=5 early_vs_late Rel. gamma dz=-0.66 Holm=0.0377
A/pre/k=20 early_vs_late Rel. theta dz=-0.65 Holm=0.0408

Holm p by how many 4 s tiles are kept around each ad



Holm p for ad-locked Δ as the averaged neighbourhood grows

Dataset B · median(k post) – median(k pre)



Effect size versus neighbourhood size (same 16 measures, n=18)

