



Personalized Health Assessment Report

Report ID: be901f30-f57d-458b-8951-9f9bb47099c9 | Generated: 2026-07-23T22:58:05.168245+00:00 | Model: synthetic-ensemble-20260723-183835

01 Patient profile

Patient name	Demo Patient	Age	28 years
Sex	Male	Height	5 ft 8 in / 172.72 cm
Weight	71.2 kg	BMI	23.9
Temperature	102.6 F / 39.22 C	Heart rate	102 bpm
Respiratory rate	19 /min	Oxygen saturation	98%
Blood pressure	112/72 mmHg	Random glucose	105 mg/dL
Pain score	6 / 10	Duration and onset	3 days, Sudden

Clinical risk
Moderate

Risk score: 4
Clinical review within 24–48 hours

02 Selected symptoms

Symptom	Severity
Body Ache	4 / 5
Fever	4 / 5
Joint Pain	3 / 5
Severe Headache	3 / 5
Nausea	2 / 5
Rash	2 / 5

03 Possible conditions

Rank	Possible condition	Probability	Category	Urgency
1	Dengue	99.9%	Tropical Infectious Other	Urgent
2	Chikungunya	0.1%	Tropical Infectious Other	Urgent
3	Lyme Disease	0.0%	Tropical Infectious Other	Soon
4	Japanese Encephalitis	0.0%	Tropical Infectious Other	Emergency
5	Rubella	0.0%	Dermatological	Soon



04

Warning signs and measurements

01

High temperature (39.2°C)

05

Care guidance

Recommended actions

- 01 Arrange a clinician review within 24–48 hours.
- 02 Record symptom changes and any home measurements to discuss during the visit.

What to monitor

- 01 Track temperature, symptom severity, and duration.
- 02 Track breathing difficulty, chest pain, mental status, hydration, urine output, and new weakness.
- 03 Re-check abnormal home measurements with a reliable device when safe to do so.

A clinician may consider

- 01 infection-focused examination
- 02 locally appropriate blood tests and exposure history

Medication safety

- 01 Do not start, stop, or change prescription medicine based only on this result.
- 02 Do not use leftover antibiotics or steroids without a licensed clinician's advice.
- 03 Seek care sooner if symptoms are rapidly worsening, new warning signs appear, or you are worried.

Important limitation

Educational decision-support output only. The dataset is synthetic and the model is not clinically validated, medically certified, or a substitute for examination, testing, diagnosis, or treatment by a licensed professional.