



Здоровье семьи®

Медицинский лечебно-диагностический центр

Общество с ограниченной ответственностью «Здоровье семьи Л»

420126, РТ, г. Казань, ул. Чистопольская, д. 19а

ОГРН 1111690035225, ИНН 1657106453, КПП 165701001

Лицензия ЛО-16-01-002802 от 01.08.2013 г. выдана МЗ РТ

+7 (843) 204-2-700, www.zdorovie7i.ru

ФИО пациента: **Анинвези Эммануэль Икечукву**

Дата рождения: **03.11.2000 (20 лет)**

Пол: Мужской

ПЦР-диагностика респираторных инфекций (РТ-ПЦР)

Заказ №: 4-325206

Тип материала: Соскоб эпителиальных клеток со слизистой ротоглотки и носоглотки

Дата забора: 26.07.2021 13:03

Аналитическая система: Детектирующий амплификатор ДТ-96, ДНК-Технология, Россия.

Аналитическая чувствительность тест-системы: 500 копий/мл.

Показатель	Результат	Норма
Выявление РНК коронавируса COVID-19 (SARS-CoV-2)	Не обнаружена	Не обнаружена

Дата выполнения: **26.07.2021 19:51**

Выполнил: Ягудина Лилия Шамилевна



Интерпретация результатов не является диагнозом. Требуется консультация специалиста.

За последствия самостоятельной интерпретации результатов пациентом лаборатория ответственности не несёт.

Полученные результаты относятся к конкретной исследуемой пробе.

Лаборатория оставляет за собой право задержать выдачу результата на одну рабочую смену для перепроверки.



Здоровье семьи®
Медицинский лечебно-диагностический центр

Family Health L
Russia, 420126, Republic of Tatarstan, Kazan
19a, Chistopolskaya Street
License № ЛО-16-01-002802, August 1, 2013
+7 843 204-27-00, www.zdorovie7i.ru

Name: **EMMANUEL IKECHUKWU ANINWEZI**
Age / Sex: 20 / Male
DOB: Nov 03, 2000

Order ID: 4-325206
Specimen: Scraping of epithelial cells from the oropharynx and nasopharynx
Collection Date: Jul 26, 2021, 13:03

PCR diagnostics of respiratory infections (RT-PCR)

Test	Result	Reference range
Testing on coronavirus SARS-CoV-2, COVID-19	Negative	Negative
Analytical System: Detecting amplifier DT-96, DNA-Technology, Russia. Analytical sensitivity of the test system: 500 copies / ml.		

Reported Date: **Jul 26, 2021, 19:51**

Prepared by: LILIIA IAGUDINA

Head of Laboratory: LILIIA IAGUDINA



Scan the QR code
for verification

Interpretation of the results is not a diagnosis; diagnostic conclusion is performed by the patient's treating clinician. The laboratory is not responsible for the consequences of self-interpretation of the results by the patient. The results obtained are applicable to the specific test sample. The laboratory reserves the right to delay the issuance of the result for one working shift for rechecking.

When presenting a certificate for crossing the border, the period between the date of arrival at the border and testing should not exceed 4 days. A time frame for getting the laboratory test results to identify the RNA coronavirus COVID-19 (SARS-CoV-2) in nasopharyngeal and oropharyngeal swabs is within 2 to 3 days. Therefore, when planning a trip, it is necessary to get tested within 3 to 4 days before departure. If you get tested earlier, the certificate will be expired, if later, you don't have time to get the result of this analysis before the planned departure.

