

# 60/70

## AIRFOIL RETURN GRILLE



## 60/70 Airfoil Return Grille

---

The 60/70 Series Airfoil Return Grille features premium quality, extruded aluminum construction, resulting in clean, crisp detailing to blend with almost any architectural surrounding. The heavy extruded aluminum blades are fixed at a 45° angle for minimal see-through.



## MULTIPLE CONFIGURATIONS

- + The 60/70 Series is available with a choice of five border styles, four fastening options, and optional mounting frames making this product extremely versatile.

## FILTER FRAME

- + The filter frame option is designed for recirculating air systems.
- + The filter frame option accepts standard 1 in. filter media and is available in two styles that allow access to the filter for cleaning and maintenance, including:
  - A combination of ¼ turn fasteners and a piano hinge that allows hinging of the grille
  - ¼ turn quick release fasteners that allow complete removal of the grille



*Optional damper  
(reverse)*



*Optional filter frame  
(reverse)*

## TYPICAL APPLICATIONS

The clean lines of the extruded aluminum frame and blades make the 60/70 Series airfoil return grille well suited to architectural applications.

## CONSTRUCTION

- + Grille Spacing
  - ¾ in. (60)
  - ½ in. (70)
- + Mounting
  - Surface mount
  - Lay-In
  - Exposed duct
  - Panel mount
- + Available Sizes
  - Maximum one piece: 36 in. x 96 in.
  - Oversized construction available
- + Options
  - Filter frame (60FH/70FH)
  - Steel damper
  - Aluminum damper

# PERFORMANCE DATA

60 / 60FH – 3/4 in. blade spacing, 45° deflection

| Core Area<br>(sq. ft.) | Nominal Size |         | Core Velocity (fpm)<br>Velocity Pressure (in. w.g.)<br>Neg. Static Pressure (in. w.g.) | NC20            |                 |       |       | NC30  |       |       | NC40  |       |       |      |      |
|------------------------|--------------|---------|----------------------------------------------------------------------------------------|-----------------|-----------------|-------|-------|-------|-------|-------|-------|-------|-------|------|------|
|                        |              |         |                                                                                        | 200             | 300             | 400   | 500   | 600   | 700   | 800   | 900   | 1000  | 1100  |      |      |
|                        |              |         |                                                                                        | 0.002           | 0.006           | 0.010 | 0.016 | 0.022 | 0.031 | 0.040 | 0.050 | 0.062 | 0.075 |      |      |
|                        |              |         | 0.025                                                                                  | 0.071           | 0.127           | 0.198 | 0.279 | 0.387 | 0.507 | 0.635 | 0.787 | 0.952 |       |      |      |
| 0.15                   | 7 x 4        |         | Flow Rate (cfm)                                                                        | 30              | 45              | 60    | 75    | 90    | 105   | 120   | 135   | 150   | 165   | NC50 |      |
|                        | 6 x 5        |         | Sound (NC)                                                                             | -               | -               | 18    | 24    | 29    | 34    | 38    | 41    | 44    | 47    |      |      |
| 0.18                   | 8 x 4        | 6 x 6   | Flow Rate (cfm)                                                                        | 36              | 54              | 72    | 90    | 108   | 126   | 144   | 162   | 180   | 198   |      |      |
|                        | 7 x 5        |         | Sound (NC)                                                                             | -               | -               | 19    | 25    | 30    | 35    | 39    | 42    | 45    | 48    |      |      |
| 0.22                   | 10 x 4       | 7 x 6   | Flow Rate (cfm)                                                                        | 44              | 66              | 88    | 110   | 132   | 154   | 176   | 198   | 220   | 242   |      |      |
|                        | 8 x 5        |         | Sound (NC)                                                                             | -               | -               | 20    | 26    | 31    | 36    | 40    | 43    | 46    | 49    |      |      |
| 0.26                   | 12 x 4       | 8 x 6   | Flow Rate (cfm)                                                                        | 52              | 78              | 104   | 130   | 156   | 182   | 208   | 234   | 260   | 286   |      |      |
|                        | 10 x 5       |         | Sound (NC)                                                                             | -               | -               | 21    | 27    | 33    | 37    | 41    | 44    | 47    | 50    |      |      |
| 0.30                   | 14 x 4       |         | Flow Rate (cfm)                                                                        | 60              | 90              | 120   | 150   | 180   | 210   | 240   | 270   | 300   | 330   |      |      |
|                        |              |         | Sound (NC)                                                                             | -               | -               | 22    | 28    | 34    | 38    | 42    | 45    | 48    | 51    |      |      |
| 0.34                   | 16 x 4       | 10 x 6  | Flow Rate (cfm)                                                                        | 68              | 102             | 136   | 170   | 204   | 238   | 272   | 306   | 340   | 374   |      |      |
|                        | 12 x 5       |         | Sound (NC)                                                                             | -               | 15              | 23    | 29    | 35    | 39    | 43    | 46    | 49    | 52    |      |      |
| 0.39                   | 18 x 4       | 12 x 6  | Flow Rate (cfm)                                                                        | 78              | 117             | 156   | 195   | 234   | 273   | 312   | 351   | 390   | 429   |      |      |
|                        | 14 x 5       | 8 x 8   | Sound (NC)                                                                             | -               | 16              | 24    | 30    | 36    | 40    | 44    | 47    | 50    | 53    |      |      |
| 0.46                   | 20 x 4       | 14 x 6  | Flow Rate (cfm)                                                                        | 92              | 138             | 184   | 230   | 276   | 322   | 368   | 414   | 460   | 506   |      |      |
|                        | 16 x 5       | 10 x 8  | Sound (NC)                                                                             | -               | 17              | 25    | 31    | 37    | 41    | 45    | 48    | 51    | 54    |      |      |
| 0.52                   | 24 x 4       | 16 x 6  | Flow Rate (cfm)                                                                        | 104             | 156             | 208   | 260   | 312   | 364   | 416   | 468   | 520   | 572   |      |      |
|                        | 18 x 5       |         | Sound (NC)                                                                             | -               | 17              | 26    | 32    | 38    | 42    | 46    | 49    | 52    | 55    |      |      |
| 0.60                   | 28 x 4       | 18 x 6  | 10 x 10                                                                                | Flow Rate (cfm) | 120             | 180   | 240   | 300   | 360   | 420   | 480   | 540   | 600   |      | 660  |
|                        | 20 x 5       | 12 x 8  |                                                                                        | Sound (NC)      | -               | 18    | 26    | 33    | 38    | 43    | 46    | 50    | 53    |      | 55   |
| 0.69                   | 30 x 4       | 20 x 6  | 12 x 10                                                                                | Flow Rate (cfm) | 138             | 207   | 276   | 345   | 414   | 483   | 552   | 621   | 690   | 759  |      |
|                        | 24 x 5       | 14 x 8  |                                                                                        | Sound (NC)      | -               | 19    | 27    | 34    | 39    | 43    | 47    | 51    | 54    | 56   |      |
| 0.81                   | 36 x 4       | 22 x 6  | 14 x 10                                                                                | Flow Rate (cfm) | 162             | 243   | 324   | 405   | 486   | 567   | 648   | 729   | 810   | 891  |      |
|                        | 28 x 5       | 16 x 8  |                                                                                        | Sound (NC)      | -               | 20    | 28    | 35    | 40    | 44    | 48    | 52    | 55    | 57   |      |
| 0.90                   | 40 x 4       | 26 x 6  | 16 x 10                                                                                | Flow Rate (cfm) | 180             | 270   | 350   | 450   | 540   | 630   | 720   | 810   | 900   | 990  |      |
|                        | 30 x 5       | 18 x 8  | 12 x 12                                                                                | Sound (NC)      | -               | 21    | 29    | 35    | 41    | 45    | 49    | 52    | 55    | 58   |      |
| 1.07                   | 48 x 4       | 30 x 6  | 14 x 12                                                                                | Flow Rate (cfm) | 214             | 321   | 428   | 535   | 642   | 749   | 856   | 963   | 1070  | 1177 |      |
|                        | 36 x 5       | 18 x 10 |                                                                                        | Sound (NC)      | -               | 22    | 30    | 36    | 42    | 46    | 50    | 53    | 56    | 59   |      |
| 1.18                   | 34 x 6       | 20 x 10 | 14 x 14                                                                                | Flow Rate (cfm) | 236             | 354   | 472   | 590   | 708   | 826   | 944   | 1062  | 1180  | 1298 |      |
|                        | 24 x 8       | 16 x 12 |                                                                                        | Sound (NC)      | -               | 23    | 31    | 37    | 42    | 47    | 51    | 54    | 57    | 60   |      |
| 1.60                   | 60 x 4       | 36 x 6  | 16 x 14                                                                                | Flow Rate (cfm) | 268             | 402   | 536   | 670   | 804   | 938   | 1072  | 1206  | 1340  | 1474 |      |
|                        | 48 x 5       | 18 x 12 |                                                                                        | Sound (NC)      | -               | 23    | 32    | 38    | 43    | 48    | 51    | 55    | 58    | 61   |      |
| 1.80                   | 72 x 4       | 24 x 10 | 18 x 14                                                                                | Flow Rate (cfm) | 320             | 480   | 640   | 800   | 960   | 1120  | 1280  | 1440  | 1600  | 1760 |      |
|                        | 30 x 8       | 22 x 12 | 16 x 16                                                                                | Sound (NC)      | -               | 24    | 33    | 39    | 44    | 49    | 52    | 56    | 59    | 62   |      |
| 2.08                   | 60 x 5       | 36 x 8  | 24 x 12                                                                                | 18 x 16         | Flow Rate (cfm) | 360   | 540   | 720   | 900   | 1080  | 1260  | 1440  | 1620  | 1800 | 1980 |
|                        | 48 x 6       | 30 x 10 | 20 x 14                                                                                |                 | Sound (NC)      | -     | 25    | 33    | 40    | 45    | 50    | 53    | 57    | 60   | 62   |
| 2.45                   | 72 x 5       | 40 x 8  | 30 x 12                                                                                | 20 x 16         | Flow Rate (cfm) | 416   | 624   | 832   | 1040  | 1248  | 1456  | 1664  | 1872  | 2080 | 2288 |
|                        | 60 x 6       | 36 x 10 | 24 x 14                                                                                | 18 x 18         | Sound (NC)      | 15    | 26    | 34    | 41    | 46    | 50    | 54    | 58    | 61   | 63   |
| 2.75                   | 72 x 6       | 32 x 12 | 24 x 16                                                                                |                 | Flow Rate (cfm) | 490   | 735   | 980   | 1225  | 1470  | 1715  | 1960  | 2205  | 2450 | 2695 |
|                        | 48 x 8       | 26 x 14 | 20 x 18                                                                                |                 | Sound (NC)      | 16    | 27    | 35    | 42    | 47    | 51    | 55    | 59    | 62   | 64   |
| 2.78                   | 36 x 12      | 26 x 16 | 22 x 20                                                                                |                 | Flow Rate (cfm) | 556   | 834   | 1112  | 1390  | 1668  | 1946  | 2224  | 2502  | 2780 | 3058 |
|                        | 30 x 14      | 24 x 18 |                                                                                        |                 | Sound (NC)      | 16    | 28    | 36    | 43    | 48    | 52    | 56    | 59    | 62   | 65   |
| 3.11                   | 60 x 8       | 40 x 12 | 30 x 16                                                                                | 24 x 20         | Flow Rate (cfm) | 622   | 933   | 1244  | 1555  | 1866  | 2177  | 2488  | 2799  | 3110 | 3421 |
|                        | 48 x 10      | 36 x 14 | 26 x 18                                                                                |                 | Sound (NC)      | 17    | 29    | 37    | 43    | 49    | 53    | 57    | 60    | 63   | 66   |
| 3.61                   | 72 x 8       | 48 x 12 | 30 x 18                                                                                |                 | Flow Rate (cfm) | 722   | 1083  | 1444  | 1805  | 2166  | 2527  | 2888  | 3249  | 3610 | 3971 |
|                        | 60 x 10      | 36 x 16 | 24 x 24                                                                                |                 | Sound (NC)      | 18    | 30    | 38    | 44    | 49    | 54    | 58    | 61    | 64   | 67   |
| 4.29                   | 48 x 14      | 32 x 20 |                                                                                        |                 | Flow Rate (cfm) | 858   | 1287  | 1716  | 2145  | 2574  | 3003  | 3432  | 3861  | 4290 | 4719 |
|                        | 36 x 18      | 28 x 24 |                                                                                        |                 | Sound (NC)      | 19    | 31    | 39    | 45    | 51    | 55    | 59    | 62    | 65   | 68   |
| 4.65                   | 72 x 10      | 36 x 20 |                                                                                        |                 | Flow Rate (cfm) | 930   | 1395  | 1860  | 2325  | 2790  | 3255  | 3720  | 4185  | 4650 | 5115 |
|                        | 48 x 16      | 30 x 24 |                                                                                        |                 | Sound (NC)      | 20    | 31    | 39    | 46    | 51    | 55    | 59    | 63    | 66   | 68   |
| 5.58                   | 72 x 12      | 48 x 18 |                                                                                        |                 | Flow Rate (cfm) | 1116  | 1674  | 2232  | 2790  | 3348  | 3906  | 4464  | 5022  | 5580 | 6138 |
|                        | 60 x 14      | 36 x 24 |                                                                                        |                 | Sound (NC)      | 21    | 32    | 40    | 47    | 52    | 57    | 60    | 64    | 67   | 69   |
| 6.25                   | 72 x 14      | 48 x 20 |                                                                                        |                 | Flow Rate (cfm) | 1250  | 1875  | 2500  | 3125  | 3750  | 4375  | 5000  | 5625  | 6250 | 6875 |
|                        | 60 x 16      | 30 x 30 |                                                                                        |                 | Sound (NC)      | 21    | 33    | 41    | 48    | 53    | 57    | 61    | 64    | 67   | 70   |
|                        |              |         |                                                                                        | NC30            | NC40            | NC50  | NC60  |       |       |       |       |       |       |      |      |

## Performance Notes:

- Tested in accordance with ASHRAE Standard 70-2023 "Method of Testing for Rating the Performance of Air Outlets and Inlets."
- Air flow is in cfm.
- All pressures are in in. w.g.  
s.p. = static pressure.
- NC values are based on room absorption of 10 dB re 10<sup>-12</sup> watts.
- Blanks "-" indicate an NC level below 15.
- Grille tested with damper. Corrections for grille without damper:  
— Multiply negative static pressure by 0.77  
— Subtract 4 from listed NC.
- The performance tables are based on registers with F border. For ED border, the following correction factors must be applied due to the reduced core area for this border.

| Listed Core Area | Multiply Total Pressure | Add NC |
|------------------|-------------------------|--------|
| .15 - .30        | 2.5                     | 14     |
| .34 - .90        | 1.8                     | 10     |
| 1.07 - 1.80      | 1.4                     | 6      |
| 2.08 - 6.25      | 1.2                     | 4      |

# PERFORMANCE DATA

70 / 70FH – 1/2 in. blade spacing, 45° deflection

| Core Area<br>(sq. ft.) | Nominal Size |         | Core Velocity (fpm)<br>Velocity Pressure (in. w.g.)<br>Neg. Static Pressure (in. w.g.) | NC20            |                 |       |       |       | NC30  |       |       | NC40  |       |      |      |
|------------------------|--------------|---------|----------------------------------------------------------------------------------------|-----------------|-----------------|-------|-------|-------|-------|-------|-------|-------|-------|------|------|
|                        |              |         |                                                                                        | 200             | 300             | 400   | 500   | 600   | 700   | 800   | 900   | 1000  | 1100  |      |      |
|                        |              |         |                                                                                        | 0.002           | 0.006           | 0.010 | 0.016 | 0.022 | 0.031 | 0.040 | 0.050 | 0.062 | 0.075 |      |      |
|                        |              |         |                                                                                        | 0.014           | 0.032           | 0.056 | 0.088 | 0.126 | 0.171 | 0.224 | 0.284 | 0.350 | 0.424 |      |      |
| 0.15                   | 7 x 4        |         |                                                                                        | Flow Rate (cfm) | 30              | 45    | 60    | 75    | 90    | 105   | 120   | 135   | 150   | 165  |      |
|                        | 6 x 5        |         |                                                                                        | Sound (NC)      | -               | -     | 16    | 22    | 26    | 30    | 33    | 36    | 39    | 41   |      |
| 0.18                   | 8 x 4        | 6 x 6   | Flow Rate (cfm)                                                                        | 36              | 54              | 72    | 90    | 108   | 126   | 144   | 162   | 180   | 198   |      |      |
|                        | 7 x 5        |         | Sound (NC)                                                                             | -               | -               | 17    | 23    | 27    | 31    | 35    | 38    | 40    | 43    |      |      |
| 0.22                   | 10 x 4       | 7 x 6   | Flow Rate (cfm)                                                                        | 44              | 66              | 88    | 110   | 132   | 154   | 176   | 198   | 220   | 242   |      |      |
|                        | 8 x 5        |         | Sound (NC)                                                                             | -               | -               | 18    | 24    | 29    | 32    | 36    | 39    | 41    | 44    |      |      |
| 0.26                   | 12 x 4       | 8 x 6   | Flow Rate (cfm)                                                                        | 52              | 78              | 104   | 130   | 156   | 182   | 208   | 234   | 260   | 286   |      |      |
|                        | 10 x 5       |         | Sound (NC)                                                                             | -               | -               | 19    | 25    | 30    | 34    | 37    | 40    | 43    | 45    |      |      |
| 0.3                    | 14 x 4       |         |                                                                                        | Flow Rate (cfm) | 60              | 90    | 120   | 150   | 180   | 210   | 240   | 270   | 300   | 330  |      |
|                        |              |         | Sound (NC)                                                                             | -               | -               | 20    | 26    | 31    | 34    | 38    | 41    | 43    | 46    |      |      |
| 0.34                   | 16 x 4       | 10 x 6  | Flow Rate (cfm)                                                                        | 68              | 102             | 136   | 170   | 204   | 238   | 272   | 306   | 340   | 374   |      |      |
|                        | 12 x 5       |         | Sound (NC)                                                                             | -               | -               | 21    | 27    | 31    | 35    | 39    | 42    | 44    | 47    |      |      |
| 0.39                   | 18 x 4       | 12 x 6  | Flow Rate (cfm)                                                                        | 78              | 117             | 156   | 195   | 234   | 273   | 312   | 351   | 390   | 429   |      |      |
|                        | 14 x 5       |         | Sound (NC)                                                                             | -               | 15              | 22    | 28    | 32    | 36    | 39    | 42    | 45    | 47    |      |      |
| 0.46                   | 20 x 4       | 14 x 6  | Flow Rate (cfm)                                                                        | 92              | 138             | 184   | 230   | 276   | 322   | 368   | 414   | 460   | 506   |      |      |
|                        | 16 x 5       |         | Sound (NC)                                                                             | -               | 16              | 23    | 29    | 33    | 37    | 41    | 43    | 46    | 49    |      |      |
| 0.52                   | 24 x 4       | 16 x 6  | Flow Rate (cfm)                                                                        | 104             | 156             | 208   | 260   | 312   | 364   | 416   | 468   | 520   | 572   |      |      |
|                        | 18 x 5       |         | Sound (NC)                                                                             | -               | 17              | 24    | 29    | 34    | 38    | 41    | 44    | 47    | 49    |      |      |
| 0.6                    | 28 x 4       | 18 x 6  | 10 x 10                                                                                | Flow Rate (cfm) | 120             | 180   | 240   | 300   | 360   | 420   | 480   | 540   | 600   | 660  |      |
|                        | 20 x 5       |         |                                                                                        | Sound (NC)      | -               | 17    | 25    | 30    | 35    | 39    | 42    | 45    | 48    | 50   | 52   |
| 0.69                   | 30 x 4       | 20 x 6  | 12 x 10                                                                                | Flow Rate (cfm) | 138             | 207   | 276   | 345   | 414   | 483   | 552   | 621   | 690   | 759  |      |
|                        | 24 x 5       |         |                                                                                        | Sound (NC)      | -               | 18    | 26    | 31    | 36    | 40    | 43    | 46    | 49    | 51   | 53   |
| 0.81                   | 36 x 4       | 22 x 6  | 14 x 10                                                                                | Flow Rate (cfm) | 162             | 243   | 324   | 405   | 486   | 567   | 648   | 729   | 810   | 891  |      |
|                        | 28 x 5       |         |                                                                                        | Sound (NC)      | -               | 19    | 27    | 32    | 37    | 41    | 44    | 47    | 50    | 52   | 54   |
| 0.9                    | 40 x 4       | 26 x 6  | 16 x 10                                                                                | Flow Rate (cfm) | 180             | 270   | 360   | 450   | 540   | 630   | 720   | 810   | 900   | 990  |      |
|                        | 30 x 5       |         |                                                                                        | Sound (NC)      | -               | 20    | 27    | 33    | 37    | 41    | 45    | 48    | 50    | 53   | 55   |
| 1.07                   | 48 x 4       | 30 x 6  | 14 x 12                                                                                | Flow Rate (cfm) | 214             | 321   | 428   | 535   | 642   | 749   | 856   | 963   | 1070  | 1177 |      |
|                        | 36 x 5       |         |                                                                                        | Sound (NC)      | -               | 21    | 28    | 34    | 39    | 42    | 46    | 49    | 51    | 54   | 56   |
| 1.18                   | 34 x 6       | 20 x 10 | 14 x 14                                                                                | Flow Rate (cfm) | 236             | 354   | 472   | 590   | 708   | 826   | 944   | 1062  | 1180  | 1298 |      |
|                        | 24 x 8       |         |                                                                                        | Sound (NC)      | -               | 22    | 29    | 35    | 39    | 43    | 46    | 49    | 52    | 54   | 56   |
| 1.34                   | 60 x 4       | 36 x 6  | 16 x 14                                                                                | Flow Rate (cfm) | 268             | 402   | 536   | 670   | 804   | 938   | 1074  | 1206  | 1340  | 1474 |      |
|                        | 48 x 5       |         |                                                                                        | Sound (NC)      | -               | 23    | 29    | 35    | 40    | 44    | 47    | 50    | 53    | 55   | 57   |
| 1.6                    | 72 x 4       | 24 x 10 | 18 x 14                                                                                | Flow Rate (cfm) | 320             | 480   | 640   | 800   | 960   | 1120  | 1280  | 1440  | 1600  | 1760 |      |
|                        | 30 x 8       |         |                                                                                        | Sound (NC)      | -               | 24    | 31    | 36    | 41    | 45    | 48    | 51    | 54    | 56   | 58   |
| 1.8                    | 60 x 5       | 36 x 8  | 24 x 12                                                                                | 18 x 16         | Flow Rate (cfm) | 360   | 540   | 720   | 900   | 1080  | 1260  | 1440  | 1620  | 1800 | 1980 |
|                        | 48 x 6       |         |                                                                                        |                 | Sound (NC)      | -     | 24    | 32    | 37    | 42    | 46    | 49    | 52    | 55   | 57   |
| 2.08                   | 72 x 5       | 40 x 8  | 30 x 12                                                                                | 20 x 16         | Flow Rate (cfm) | 416   | 624   | 832   | 1040  | 1248  | 1456  | 1664  | 1872  | 2080 | 2288 |
|                        | 60 x 6       |         |                                                                                        |                 | Sound (NC)      | 15    | 25    | 33    | 38    | 43    | 47    | 50    | 53    | 56   | 58   |
| 2.45                   | 72 x 6       | 32 x 12 | 24 x 16                                                                                |                 | Flow Rate (cfm) | 490   | 735   | 980   | 1225  | 1470  | 1715  | 1960  | 2205  | 2450 | 2695 |
|                        | 48 x 8       |         |                                                                                        |                 | Sound (NC)      | 16    | 26    | 34    | 39    | 44    | 48    | 51    | 54    | 57   | 59   |
| 2.78                   | 36 x 12      | 26 x 16 | 22 x 20                                                                                |                 | Flow Rate (cfm) | 556   | 834   | 1112  | 1390  | 1668  | 1946  | 2224  | 2502  | 2780 | 3058 |
|                        | 30 x 14      |         |                                                                                        |                 | Sound (NC)      | 17    | 27    | 34    | 40    | 45    | 48    | 52    | 55    | 57   | 60   |
| 3.11                   | 60 x 8       | 40 x 12 | 30 x 16                                                                                | 24 x 20         | Flow Rate (cfm) | 622   | 933   | 1244  | 1555  | 1866  | 2177  | 2488  | 2799  | 3110 | 3421 |
|                        | 48 x 10      |         |                                                                                        |                 | Sound (NC)      | 18    | 28    | 35    | 41    | 45    | 49    | 53    | 55    | 58   | 61   |
| 3.61                   | 72 x 8       | 48 x 12 | 30 x 18                                                                                |                 | Flow Rate (cfm) | 722   | 1083  | 1444  | 1805  | 2166  | 2527  | 2888  | 3249  | 3610 | 3971 |
|                        | 60 x 10      |         |                                                                                        |                 | Sound (NC)      | 19    | 29    | 36    | 42    | 46    | 50    | 53    | 56    | 59   | 61   |
| 4.29                   | 48 x 14      | 32 x 20 | 28 x 24                                                                                |                 | Flow Rate (cfm) | 858   | 1287  | 1716  | 2145  | 2574  | 3003  | 3432  | 3861  | 4290 | 4719 |
|                        | 36 x 18      |         |                                                                                        |                 | Sound (NC)      | 20    | 30    | 37    | 43    | 47    | 51    | 55    | 57    | 60   | 62   |
| 4.65                   | 72 x 10      | 36 x 20 |                                                                                        |                 | Flow Rate (cfm) | 930   | 1395  | 1860  | 2325  | 2790  | 3255  | 3720  | 4185  | 4650 | 5115 |
|                        | 48 x 16      |         |                                                                                        |                 | Sound (NC)      | 20    | 30    | 38    | 43    | 48    | 52    | 55    | 58    | 61   | 63   |
| 5.58                   | 72 x 12      | 48 x 18 |                                                                                        |                 | Flow Rate (cfm) | 1116  | 1674  | 2232  | 2790  | 3348  | 3906  | 4464  | 5022  | 5580 | 6138 |
|                        | 60 x 14      |         |                                                                                        |                 | Sound (NC)      | 21    | 32    | 39    | 44    | 49    | 53    | 56    | 59    | 62   | 64   |
| 6.25                   | 72 x 14      | 48 x 20 |                                                                                        |                 | Flow Rate (cfm) | 1250  | 1875  | 2500  | 3125  | 3750  | 4375  | 5000  | 5625  | 6250 | 6875 |
|                        | 60 x 16      |         |                                                                                        |                 | Sound (NC)      | 22    | 32    | 39    | 45    | 50    | 54    | 57    | 60    | 63   | 65   |
|                        |              |         |                                                                                        | NC20            | NC30            | NC40  | NC50  | NC60  |       |       |       |       |       |      |      |

## Performance Notes:

- Tested in accordance with ASHRAE Standard 70-2023 "Method of Testing for Rating the Performance of Air Outlets and Inlets."
- Air flow is in cfm.
- All pressures are in in. w.g. s.p. = static pressure.
- NC values are based on room absorption of 10 dB re 10-12 watts.
- Blanks "-" indicate an NC level below 15.
- Grille tested with damper. Corrections for grille without damper:  
— Multiply negative static pressure by 0.77  
— Subtract 4 from listed NC.
- The performance tables are based on registers with F border. For ED border, the following correction factors must be applied due to the reduced core area for this border.

| Listed Core Area | Multiply Total Pressure | Add NC |
|------------------|-------------------------|--------|
| .15 - .30        | 2.6                     | +12    |
| .34 - .90        | 1.7                     | +8     |
| 1.07 - 1.80      | 1.4                     | +5     |
| 2.08 - 6.25      | 1.2                     | +3     |



Product Improvement is a continuing endeavour at Price. Therefore, specifications are subject to change without notice. Consult your Price Sales Representative for current specifications or more detailed information. Not all products may be available in all geographic areas. All goods described in this document are warranted as described in the Limited Warranty shown at [priceindustries.com](https://www.priceindustries.com). The complete Price product catalog can be viewed online at [priceindustries.com](https://www.priceindustries.com).