



Submittal Data Sheet

4.0T Cased Horizontal R-32 Coil with EEV

CHPEA4830D3

STANDARD FEATURES

- All-Aluminum evaporator coil Optimized for use with R-32 refrigerant including circuits and manifolds R-32 sensor designed for the life span of the coil Factory-installed electronic expansion valve (EEV) for precise refrigerant control - Compatibility with Daikin One+ smart thermostat and other Daikin communicating equipment - Cooling and heat pump applications - Fault recall of six most recent faults Standardized copper suction tube stub length 21" depth for easier attic access Foil-faced insulation covers the internal casing to reduce cabinet condensation Galvanized, leather grain-embossed finish Rust resistant, thermoplastic drain pans featuring a low water-retention design DecaBDE-free thermoplastic drain pan with secondary drain connections Drain pan rails designed to remove and reposition coils with ease without compromising structural integrity UV-resistant drain pan AHRI certified; ETL listed

CABINET FEATURES

- 21" depth for easier attic access
- Single front access panel
- Foil-faced insulation covers the internal casing to reduce cabinet condensation
- Galvanized, leather grain-embossed finish





Submittal Data Sheet

4.0T Cased Horizontal R-32 Coil with EEV
CHPEA4830D3

PERFORMANCE

Product Model No.	CHPEA4830D3	Product Model Name:	4.0T Cased Horizontal R-32 Coil with EEV
Type:	Coil	Cooling Capacity (Nominal) (Btu/hr):	48,000


PRODUCT DETAILS

Dimensions (HxWxD) (in):	24.5 x 30 x 21	Suction Valve Connection Size (inch):	1-1/8
Net Weight (lb):	78	Liquid Valve Connection Size (inch):	1/4
Gross Weight (lb):	81	Condensate Connection (inch):	3/4



Submittal Data Sheet
4.0T Cased Horizontal R-32 Coil with EEV
CHPEA4830D3

DIMENSIONAL DRAWING





Submittal Data Sheet

4.0T Cased Horizontal R-32 Coil with EEV
CHPEA4830D3

ACCESSORIES

PART NUMBER	DESCRIPTION	INCLUDED
No Accessories specified.		