

12mm Waterproof Momentary Push Button

Product Overview

Waterproof Push Button Momentary Switch with ON-OFF operating mode support. This switch is designed for applications requiring reliable momentary contact in wet or humid environments, making it ideal for outdoor and industrial applications.



Technical Specifications

| Parameter | Specification |
|---------------|---------------|
| Mounting Hole | 12mm |
| Head Diameter | 17.5mm |

Switch Rating

3A/125VAC, 1A/250VAC

Switch Form

SPST

Contact Resistance

20M Ω


Wire Length

20 cm (cut, stripped, tinned one end)

Actuator Color

Black

Dimensions



Features

- Waterproof construction for outdoor and wet environment use
- Momentary operation (ON while pressed, OFF when released)
- SPST (Single Pole Single Throw) configuration
- Pre-wired with 20cm leads (cut, stripped, and tinned)
- Compact 12mm mounting hole diameter
- Locknut and washer included for secure installation

Operation Mode

Momentary Switch: Supports ON-OFF operating mode

This switch operates in momentary mode - the circuit is closed (ON) when the button is pressed and opens (OFF) when the button is released. The switch is uneasy to malfunction, providing reliable operation.

Package Contents

- 1 × 12mm Waterproof Momentary Push Button Switch
- 1 × Locknut
- 1 × Washer

Product Information

| | |
|----------|---|
| Category | Uncategorized |
| Tags | Breadboard, Detection, DHT22, Digital Multimeter, Flash, Flash disk, FM stereo, GPS Module, MP3 Module, Servo Motor, ULN2003 Driver Board |