№2

2026-03-04

|

1

2

1





-
-
-



-
-
-
-



-
-
-
- . .
- 1032252356@rudn.ru



- git.

-
- git

-
- git
- ssh

-
- git
- ssh
- pgp

-
- git
- ssh
- pgp
- github

-
- git
- ssh
- pgp
- github
- PGP GitHub

-
- git
- ssh
- pgp
- github
- PGP GitHub
- git

-
- git
- ssh
- pgp
- github
- PGP GitHub
- git
- gh

-
- git
- ssh
- pgp
- github
- PGP GitHub
- git
- gh
-

2

git gh (. 1, . 2).

```
eagolovko@eagolovko:~$ sudo -i
[sudo] пароль для eagolovko:
root@eagolovko:~# dnf install git
Обновление и загрузка репозиториев:
Репозитории загружены.
Пакет "git-2.51.0-2.fc43.x86_64" уже установлен.

Нечего делать.
```

1: git

```
root@eagolovko:~# dnf install gh
Обновление и загрузка репозиториев:
Репозитории загружены.
Пакет                    Арх.      Версия                    Репозиторий    Размер
Установка:
 gh                      x86_64    2.87.0-2.fc43             updates        37.6 MiB
```

2: gh

git

(. 3).

```
root@eagolovko:~# git config --global user.name "eagolovko"
root@eagolovko:~# git config --global user.email "1032252356@pfur.ru"
```

3:

git

utf-8 git (. 4).

```
root@eagolovko:~# git config --global core.quotepath false
```

4: utf-8

git

(. 5).

```
eagolovko@eagolovko:~$ git config --global init.defaultBranch master
```

5:

git

autocrlf (. 6).

```
eagolovko@eagolovko:~$ git config --global core.autocrlf input
eagolovko@eagolovko:~$ git config --global core.safecrlf warn
```

6: autocrlf safecrlf

ssh

rsa 4096 (. 7).

```
eagolovko@eagolovko:~$ ssh-keygen -t rsa -b 4096
Generating public/private rsa key pair.
Enter file in which to save the key (/home/eagolovko/.ssh/id_rsa):
Created directory '/home/eagolovko/.ssh'.
Enter passphrase for "/home/eagolovko/.ssh/id_rsa" (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in /home/eagolovko/.ssh/id_rsa
Your public key has been saved in /home/eagolovko/.ssh/id_rsa.pub
The key fingerprint is:
SHA256:TgFU+BXkNH1+3AseLbh9oFYSizLbSAZ/a5Gcxp4lgEo eagolovko@eagolovko
The key's randomart image is:
+---[RSA 4096]----+
|     .+o..=o     |
|   E o.o o.o. .  |
|  . . o.=.= +o...|
|   .   *.% = *..+|
|      o S * B =..|
|       = * + o o |
|        o .   .  |
|                 |
|                 |
+----[SHA256]-----+
```

7: ssh- rsa

ssh

ed25519 (. 8).

```
eagolovko@eagolovko:~$ ssh-keygen -t ed25519
Generating public/private ed25519 key pair.
Enter file in which to save the key (/home/eagolovko/.ssh/id_ed25519):
Enter passphrase for "/home/eagolovko/.ssh/id_ed25519" (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in /home/eagolovko/.ssh/id_ed25519
Your public key has been saved in /home/eagolovko/.ssh/id_ed25519.pub
The key fingerprint is:
SHA256:XYH5fNLosxe5gU27xhMTsia+QVVFikup72+iS+yAzJY eagolovko@eagolovko
The key's randomart image is:
+--[ED25519 256]--+
|            o. .oo|
|           o  = . |
|            o*o.  |
|          . =*.=  |
|         S +..O + |
|      o o o..* O  |
|       E ..+o.+ B |
|      .   +.oo O  |
|           =+.*.. |
+----[SHA256]-----+
```

8: ssh- ed25519

pgp

pgp (. 9).

```
eagolovko@eagolovko:~$ gpg --full-generate-key
gpg (GnuPG) 2.4.8; Copyright (C) 2025 g10 Code GmbH
This is free software: you are free to change and redistribute it.
There is NO WARRANTY, to the extent permitted by law.

gpg: создан каталог '/home/eagolovko/.gnupg'
Выберите тип ключа:
   (1) RSA and RSA
   (2) DSA and Elgamal
   (3) DSA (sign only)
   (4) RSA (sign only)
   (9) ECC (sign and encrypt) *default*
  (10) ECC (только для подписи)
  (14) Existing key from card
Ваш выбор? 1
длина ключей RSA может быть от 1024 до 4096.
Какой размер ключа Вам необходим? (3072) 4096
Запрошенный размер ключа - 4096 бит
Выберите срок действия ключа.
         0 = не ограничен
      <n>  = срок действия ключа - n дней
      <n>w = срок действия ключа - n недель
      <n>m = срок действия ключа - n месяцев
      <n>y = срок действия ключа - n лет
Срок действия ключа? (0) 0
Срок действия ключа не ограничен
Все верно? (y/N) y
```

(. 10).

```
eagolovko@eagolovko:~$ gpg --list-secret-keys --keyid-format LONG
gpg: проверка таблицы доверия
gpg: marginals needed: 3  completes needed: 1  trust model: pgp
gpg: глубина: 0  достоверных:   1  подписанных:   0  доверие: 0-, 0q, 0n, 0m, 0f, 1u
[keyboxd]
---------
sec   rsa4096/A6486B5E2612E51E 2026-03-03 [SC]
      0F1058F6BC5D58A027753791A6486B5E2612E51E
uid               [  абсолютно ] eagolovko <1032252356@pfur.ru>
ssb   rsa4096/D24338AA27E593DA 2026-03-03 [E]
```

10:

(. 11).

```
eagolovko@eagolovko:~$ gpg --armor --export A6486B5E2612E51E | xclip -sel clip
bash: xclip: команда не найдена...
Установить пакет «xclip», предоставляющий команду «xclip»? [N/y] y


 * Ожидание в очереди...
 * Загрузка списка пакетов....
Следующие пакеты должны быть установлены:
 xclip-0.13-25.git11cba61.fc43.x86_64   Command line clipboard grabber
Продолжить с этими изменениями? [N/y] y


 * Ожидание в очереди...
 * Ожидание аутентификации...
 * Ожидание в очереди...
 * Загрузка пакетов...
 * Запрос данных...
 * Проверка изменений...
 * Установка пакетов...

eagolovko@eagolovko:~$ gpg --armor --export A6486B5E2612E51E | xclip -sel clip
```

11:

github, (. 12).


GPG keys
New GPG key
This is a list of GPG keys associated with your account. Remove any keys that you do not recognize.
GPG
Email address: 1032252356@pfur.ru
Key ID: A6486B5E2612E51E
Subkeys: D24338AA27E593DA
Added on Mar 3, 2026
Delete

12:

git

, (. 14).

```
eagolovko@eagolovko:~$ git config --global user.signingkey A6486B5E2612E51E
eagolovko@eagolovko:~$ git config --global commit.gpgsign true
eagolovko@eagolovko:~$ git config --global gpg.program $(which gpg2)
```

13:

gh

(. 14).

```
eagolovko@eagolovko:~$ gh auth login
? Where do you use GitHub? GitHub.com
? What is your preferred protocol for Git operations on this host? HTTPS
? Authenticate Git with your GitHub credentials? Yes
? How would you like to authenticate GitHub CLI? Login with a web browser

! First copy your one-time code: 9390-1AEA
```

14: gh

gh

(. 15).


GitHub CLI by GitHub
wants to access your eagolovko account
Gists
Read and write access
Organizations and teams
Read-only access
Repositories
Public and private
Workflow
Update GitHub Action Workflow files.

(. 16, . 17, . 18).

```
eagolovko@eagolovko:~$ mkdir -p ~/work/study/2025-2026/"Операционные системы"
eagolovko@eagolovko:~$ cd ~/work/study/2025-2026/"Операционные системы"
```

16:

```
eagolovko@eagolovko:~/work/study/2025-2026/Операционные системы$ gh repo create study_2025-2026_os-intro --template=yamadharma/course-direct
ory-student-template --public
✓ Created repository eagolovko/study_2025-2026_os-intro on github.com
  https://github.com/eagolovko/study_2025-2026_os-intro
```

17:

```
eagolovko@eagolovko:~/work/study/2025-2026/Операционные системы$ git clone https://github.com/eagolovko/study_2025-2026_os-intro.git os-intr
o
Клонирование в «os-intro»...
remote: Enumerating objects: 41, done.
remote: Counting objects: 100% (41/41), done.
remote: Compressing objects: 100% (39/39), done.
```

18:

(. 19).

```
eagolovko@eagolovko:~/work/study/2025-2026/Операционные системы$ cd os-intro
eagolovko@eagolovko:~/work/study/2025-2026/Операционные системы/os-intro$ rm package.json
```

19:

(. 20).

```
eagolovko@eagolovko:~/work/study/2025-2026/Операционные системы/os-intro$ echo os-intro > COURSE
eagolovko@eagolovko:~/work/study/2025-2026/Операционные системы/os-intro$ make
```

20:

(. 21).

```
eagolovko@eagolovko:~/work/study/2025-2026/Операционные системы/os-intro$ git add .
eagolovko@eagolovko:~/work/study/2025-2026/Операционные системы/os-intro$ git commit -am 'feat(main): make course structure'
[master 7a1f3fd] feat(main): make course structure
 2 files changed, 1 insertion(+), 14 deletions(-)
 delete mode 100644 package.json
eagolovko@eagolovko:~/work/study/2025-2026/Операционные системы/os-intro$ git push
Перечисление объектов: 5, готово.
Подсчет объектов: 100% (5/5), готово.
При сжатии изменений используется до 6 потоков
Сжатие объектов: 100% (2/2), готово.
Запись объектов: 100% (3/3), 947 байтов | 947.00 Киб/с, готово.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/eagolovko/study_2025-2026_os-intro.git
   db0b8b0..7a1f3fd  master -> master
```

21:

, git.