№7

2026-03-27

|

1

2

3

1

-
-

-
-
-
- 1032252356@rudn.ru

-
-
-
- 1032252356@rudn.ru
- https://eagolovko.github.io/ru/

Linux, , .
, ( ), .

1. ,

1. ,
2. , 2

1. ,
2. , 2
3. chmod

1. ,
2. , 2
3. chmod
4. 4

1. ,
2. , 2
3. chmod
4. 4
5. man mount, fsck, mkfs, kill

2

№1

, , , , (. 1).

```
eagolovko@eagolovko:~$ touch filename
eagolovko@eagolovko:~$ cat filename
eagolovko@eagolovko:~$ mousepad filename
eagolovko@eagolovko:~$ cat filename
bvhbwG" WKegj"J G

B IOrhg ?JBi rlb S
b jKS j giJSRGkm
gRKgniSNbifrb


nbJNIBrd?Ib/iDNrbnrbindrnBeagolovko@eagolovko:~$
```

1: ,

№1

less (. 2).


eagolovko@eagolovko:/home/eagolovko — less filename
bvhbwG" WKegj"J G
B IOrhg ?JBi rlb S
b jKS j giJSRGkm
gRKgniSNbifrb

№1

10 (. 3).

```
nbJNIBrd?Ib/iDNrbnrbindrnBeagolovko@eagolovko:~$ head filename
bvhbwG" WKegj"J G

B IOrhg ?JBi rlb S
b jKS j giJSRGkm
gRKgniSNbifrb
```

3: head

№1

10 tail (. 4).

№1

```
nbJNIBrd?Ib/iDNrbnrbindrnBeagolovko@eagolovko:~$ tail filename
bvhbwG" WKegj"J G

B IOrhg ?JBi rlb S
b jKS j giJSRGkm
gRKgniSNbifrb


nbJNIBrd?Ib/iDNrbnrbindrnBeagolovko@eagolovko:~$
```

4: tail

№1

, , ,
(. 5).

```
eagolovko@eagolovko:~$ touch abc1
eagolovko@eagolovko:~$ cp abc1 april
eagolovko@eagolovko:~$ cp abc1 may
eagolovko@eagolovko:~$ ls
 abc1     Documents    git-extended    may
 april    Downloads    gitflow-avh     node_modules
 bin      filename     LICENSE         opt
eagolovko@eagolovko:~$
```

5:

№1

, , (. 6).

```
eagolovko@eagolovko:~$ mkdir monthly
eagolovko@eagolovko:~$ cp april may monthly
eagolovko@eagolovko:~$ ls monthly
april  may
eagolovko@eagolovko:~$
```

6: ,

№1

(. 7).

```
eagolovko@eagolovko:~$ cp monthly/may monthly/june
eagolovko@eagolovko:~$ ls monthly
april  june  may
eagolovko@eagolovko:~$
```

7:

№1

, , (. 8).

```
eagolovko@eagolovko:~$ mkdir monthly.00
eagolovko@eagolovko:~$ cp -r monthly monthly.00
eagolovko@eagolovko:~$ ls monthly.00
monthly
eagolovko@eagolovko:~$
```

8:

№1

(. 9).

```
eagolovko@eagolovko:~$ cp -r monthly.00 /tmp
eagolovko@eagolovko:~$ ls /tmp
monthly.00
systemd-private-d4bb491ae2cd4de5b1f15e533d655b72-abr
systemd-private-d4bb491ae2cd4de5b1f15e533d655b72-chr
systemd-private-d4bb491ae2cd4de5b1f15e533d655b72-col
systemd-private-d4bb491ae2cd4de5b1f15e533d655b72-dbu
systemd-private-d4bb491ae2cd4de5b1f15e533d655b72-fwu
systemd-private-d4bb491ae2cd4de5b1f15e533d655b72-geo
systemd-private-d4bb491ae2cd4de5b1f15e533d655b72-irq
systemd-private-d4bb491ae2cd4de5b1f15e533d655b72-low
eagolovko@eagolovko:~$
```

9:

№1

(. 10).

```
eagolovko@eagolovko:~$ mv april july
eagolovko@eagolovko:~$ ls
 abc1        Downloads      gitflow-avh    may
 bin         filename       july           monthly
 Documents   git-extended   LICENSE        monthly.0
eagolovko@eagolovko:~$
```

10:

№1

(. 11).

```
eagolovko@eagolovko:~$ mv july monthly.00
eagolovko@eagolovko:~$ ls monthly.00
july  monthly
eagolovko@eagolovko:~$
```

11:

№1

, , (. 12).

```
eagolovko@eagolovko:~$ mv monthly.01 reports
eagolovko@eagolovko:~$ ls
 abc1        Downloads      gitflow-avh   monthly        package.json                      reports   Документ
 bin         filename       LICENSE       node_modules   package-lock.json                 work      Загрузки
 Documents   git-extended   may           opt            quarto-1.8.27-linux-amd64.tar.gz  Видео     Изображе
eagolovko@eagolovko:~$ mv reports/monthly.01 reports/monthly
eagolovko@eagolovko:~$ ls reports
monthly
eagolovko@eagolovko:~$
```

12:

№2

, , , , 1,

. , .

(. 13).

```
agolovko@eagolovko:~$ cp /usr/include/sys/io.h ~/equipment
agolovko@eagolovko:~$ ls
 abc1        Downloads   git-extended   may            opt            quarto-1.8.27-linux-amd64.tar.gz   Видео       Изобр
 bin         equipment   gitflow-avh    monthly        package.json   reports                            Документы   Музык
 Documents   filename    LICENSE        node_modules   package-lock.json   work                          Загрузки    Общед
agolovko@eagolovko:~$ mkdir ~/ski.places
agolovko@eagolovko:~$ mv ~/equipment ~/ski.places/
agolovko@eagolovko:~$ ls ski.places
equipment
agolovko@eagolovko:~$ mv ~/ski.places/equipment ~/ski.places/equiplist
agolovko@eagolovko:~$ ls ski.places
equiplist
agolovko@eagolovko:~$ touch ~/abc1
agolovko@eagolovko:~$ cp ~/abc1 ~/ski.places/equiplist2
agolovko@eagolovko:~$ ls
 abc1        Downloads      gitflow-avh   monthly        package.json                      reports      Видео       Изображени
 bin         filename       LICENSE       node_modules   package-lock.json                 ski.places   Документы   Музыка
 Documents   git-extended   may           opt            quarto-1.8.27-linux-amd64.tar.gz  work         Загрузки    Общедоступ
agolovko@eagolovko:~$ ls ski.places
equiplist  equiplist2
agolovko@eagolovko:~$ mkdir ~/ski.places/equipment
agolovko@eagolovko:~$ ls ski.places
equiplist  equiplist2  equipment
agolovko@eagolovko:~$ mv ~/ski.places/equiplist ~/ski.places/equiplist2 ~/ski.places/equipment
agolovko@eagolovko:~$ ls ski.places
equipment
agolovko@eagolovko:~$ ls ski.places/equipment
equiplist  equiplist2
agolovko@eagolovko:~$ mkdir ~/newdir
agolovko@eagolovko:~$ mv ~/newdir ~/ski.places/plans
agolovko@eagolovko:~$ ls ski.places
equipment  plans
agolovko@eagolovko:~$
```

№3

, chmod (. 14).

```
eagolovko@eagolovko:~$ touch australia
eagolovko@eagolovko:~$ chmod 744 australia
eagolovko@eagolovko:~$ touch play
eagolovko@eagolovko:~$ chmod 711 play
eagolovko@eagolovko:~$ touch my_os
eagolovko@eagolovko:~$ chmod 544 my_os
eagolovko@eagolovko:~$ touch feathers
eagolovko@eagolovko:~$ chmod 664 feathers
```

14:

№4

/etc/passwd (. 15).

```
eagolovko@eagolovko:~$ cat /etc/passwd
root:x:0:0:Super User:/root:/bin/bash
bin:x:1:1:bin:/bin:/usr/sbin/nologin
daemon:x:2:2:daemon:/sbin:/usr/sbin/nologin
adm:x:3:4:adm:/var/adm:/usr/sbin/nologin
lp:x:4:7:lp:/var/spool/lpd:/usr/sbin/nologin
sync:x:5:0:sync:/sbin:/bin/sync
shutdown:x:6:0:shutdown:/sbin:/sbin/shutdown
halt:x:7:0:halt:/sbin:/sbin/halt
mail:x:8:12:mail:/var/spool/mail:/usr/sbin/nologin
operator:x:11:0:operator:/root:/usr/sbin/nologin
games:x:12:100:games:/usr/games:/usr/sbin/nologin
ftp:x:14:50:FTP User:/var/ftp:/usr/sbin/nologin
nobody:x:65534:65534:Kernel Overflow User:/:/usr/sbin/nologin
dbus:x:81:81:System Message Bus:/:/usr/sbin/nologin
tss:x:59:59:Account used for TPM access:/:/usr/sbin/nologin
systemd-oom:x:999:999:systemd Userspace OOM Killer:/:/usr/sbin/nologin
polkitd:x:114:114:User for polkitd:/:/sbin/nologin
systemd-coredump:x:998:998:systemd Core Dumper:/:/usr/sbin/nologin
systemd-timesync:x:997:997:systemd Time Synchronization:/:/usr/sbin/nologin
chrony:x:996:996:chrony system user:/var/lib/chrony:/sbin/nologin
systemd-network:x:192:192:systemd Network Management:/:/usr/sbin/nologin
systemd-resolve:x:193:193:systemd Resolver:/:/usr/sbin/nologin
avahi:x:70:70:Avahi mDNS/DNS-SD Stack:/var/run/avahi-daemon:/usr/sbin/nologin
```

15:

№4

(. 16).

```
eagolovko@eagolovko:~$ cp ~/feathers ~/file.old
```

16:

№4

, , (. 17).

```
eagolovko@eagolovko:~$ mkdir ~/play
eagolovko@eagolovko:~$ mv ~/file.old ~/play/
eagolovko@eagolovko:~$ ls ~/play
file.old
```

17:

№4

, , . (. 18).

```
eagolovko@eagolovko:~$ mkdir ~/fun
eagolovko@eagolovko:~$ ls
 abc1        Downloads   git-extended   monthly        package.json
 australia   feathers    gitflow-avh    my_os          package-lock.json
 bin         filename    LICENSE        node_modules   play
 Documents   fun         may            opt            quarto-1.8.27-linux-amd64.tar.gz
eagolovko@eagolovko:~$ cp -r ~/play ~/fun
eagolovko@eagolovko:~$ ls ~/fun
play
eagolovko@eagolovko:~$ mv ~/fun ~/play/games
eagolovko@eagolovko:~$ ls
 abc1        Documents   filename       LICENSE   my_os          package.json        quar
 australia   Downloads   git-extended   may       node_modules   package-lock.json   repo
 bin         feathers    gitflow-avh    monthly   opt            play                ski.
eagolovko@eagolovko:~$ ls play
file.old  games
eagolovko@eagolovko:~$ ls ~/play/games
play
eagolovko@eagolovko:~$
```

18: ,

№4

, - - , (. 19).

```
eagolovko@eagolovko:~$ chmod u-r ~/feathers
eagolovko@eagolovko:~$ cat ~/feathers
cat: /home/eagolovko/feathers: Отказано в доступе
eagolovko@eagolovko:~$ cp ~/feathers ~/play/
cp: невозможно открыть '/home/eagolovko/feathers' для чтения: Отказано в доступе
eagolovko@eagolovko:~$ chmod u+r ~/feathers
eagolovko@eagolovko:~$ cat ~/feathers
eagolovko@eagolovko:~$
```

19:

№4

, , , (. 20).

```
eagolovko@eagolovko:~$ chmod u-x ~/play
eagolovko@eagolovko:~$ cd ~/play
bash: cd: /home/eagolovko/play: Отказано в доступе
eagolovko@eagolovko:~$ chmod u+x ~/play
eagolovko@eagolovko:~$ cd ~/play
eagolovko@eagolovko:~/play$ cd
```

20:

mount (. 21).

21: mount

№5

fsck (. 22).



22: fsck

mkfs (. 23).



23: mkfs

kill (. 24).



```
eagolovko@eagolovko:/home/eagolovko — man kill

KILL(1)                                User Commands                                KILL(1)

NAME
       kill - terminate a process

SYNOPSIS
       kill  [-signal|-s signal|-p]  [-q value] [-a] [--timeout milliseconds signal] [--] pid|name...

       kill -l [number|0xsigmask] | -L

       kill -d pid

DESCRIPTION
       The command kill sends the specified signal to the specified processes or process groups.

       If no signal is specified, the TERM signal is sent. The default action for this signal is to terminate the process. This signal should be used in preference to the
       KILL signal (number 9), since a process may install a handler for the TERM signal in order to perform clean-up steps before terminating in an orderly fashion. If a
       process does not terminate after a TERM signal has been sent, then the KILL signal may be used; be aware that the latter signal cannot be caught, and so does not
       give the target process the opportunity to perform any clean-up before terminating.

       Most modern shells have a builtin kill command, with a usage rather similar to that of the command described here. The --all, --pid, and --numeric options, and the
```

24: kill

3

, , .

, ( ),

.