№1

2026-03-04

|

1

2

3

4

5

6

7

1



-
-



-
-
-





-
-
-
- . .
- 1032252356@rudn.ru



2

-
-

-
-
-

-
-
-
-

3

- (. 1).


Имя и операционная система виртуальной машины
Имя ВМ
eagolovko
Папка ВМ
C:\Users\ecate\VirtualBox VMs
Образ ISO
C:\Users\ecate\Downloads\Fedora-Workstation-Live-43-1.6.x86_64.iso
Редакция ОС
ОС
Linux
x64
Дистрибутив ОС
Fedora
Версия ОС
Fedora (64-bit)
Осуществить установку автоматически

1:

- (. 2).


Укажите виртуальное оборудование
Основная память
4096 МБ
4 МБ
16384 МБ
Число ЦПУ
6
1 ЦПУ
12 ЦПУ

2:

- (. 3).


Укажите виртуальный жёсткий диск
Создать новый виртуальный жёсткий диск
Расположение и размер файла жёсткого диска
C:\Users\ecate\VirtualBox VMs\eagolovko\eagolovko.vdi
Размер диска
80,00 ГБ
4,00 МБ
2,00 ТБ
Тип и формат файла жёсткого диска
VDI (VirtualBox Disk Image)
Выделить место в полном размере
Разделить на куски размером до 2x ГБ

3:

- liveinst (. 4).

```
liveuser@localhost-live:~$ liveinst
```

4:

- (. 5).


Установка Fedora Linux 43 (Workstation Edition)
Выполняется установка
Конфигурация хранилища: в настоящее время хранилище настраивается.
Конфигурация устройств хранения
В ходе выполнения
Создание biosboot на /dev/sda1
Установка программного обеспечения
Ожидание
Конфигурация системы
Ожидание
Завершение
Ожидание

5:

- , (. 6).


Носители
Устройства
Контроллер: IDE
Fedora-Workstation-Live-43-1.6.x86_...
Контроллер: SATA
eagolovko.vdi
Атрибуты
Оптический привод
Первичное устройство ID
Живой CI
Информация
Тип
Образ
Размер
2,55 ГБ
Расположение
C:\Users\ecate\Do
Подключен к
eagolovko
Выбрать/создать виртуальный оптический диск...
Выбрать файл диска...
Fedora-Workstation-Live-43-1.6.x86_64.iso
ubuntu-24.04.3-desktop-amd64.iso
Fedora-Sway-Live-x86_64-43-1.6.iso
Fedora-Sway-Live-x86_64-43-1.6.iso
Изъять диск из виртуального привода

6:

4

(. 7).

```
root@fedora:~# sudo dnf -y group install development-tools
Обновление и загрузка репозиториев:
 RPM Fusion for Fedora 43 - Nonfree - N ???% |   0.0   B/s |   0.0   B |  00m00s
 RPM Fusion for Fedora 43 - Nonfree - S 100% |  22.0   B/s |   8.3 KiB |  00m00s
```

7:

(. 8).

```
root@fedora:~# sudo dnf -y update
Обновление и загрузка репозиториев:
Репозитории загружены.
```

8:

(. 9).

```
root@fedora:~# sudo dnf -y install tmux mc
Обновление и загрузка репозиториев:
Репозитории загружены.
Пакет "tmux-3.5a-5.fc43.x86_64" уже установлен.

Пакет                  Арх.    Версия                  Репозиторий      Размер
Установка:
 mc                    x86_64  1:4.8.33-2.fc43          fedora          7.2 MiB
Установка зависимостей:
 gpm-libs              x86_64  1.20.7-52.fc43           fedora         31.6 KiB
```

9: tmux

(. 10).

```
root@fedora:~# sudo dnf -y install dnf-automatic
Обновление и загрузка репозиториев:
```

10:

/etc/selinux/config c mc (. 11).



11: mc

SELINUX=enforcing SELINUX=permissive (. 12).



5

TeXlive (. 13).

```
root@fedora:~# sudo dnf -y install texlive-scheme-full
Обновление и загрузка репозиториев:
```

13: TeXlive

6

1. Linux (. 14).

```
root@eagolovko:~# dmesg | grep -i "Linux version"
[    0.000000] Linux version 6.17.1-300.fc43.x86_64 (mockbuild@5381c258a4b343648
9a448ea66bda8ce) (gcc (GCC) 15.2.1 20250924 (Red Hat 15.2.1-2), GNU ld version 2
.45-1.fc43) #1 SMP PREEMPT_DYNAMIC Mon Oct  6 15:37:21 UTC 2025
```

14: Linux

2. (. 15).

```
root@eagolovko:~# dmesg | grep -i "processor"
[    0.000010] tsc: Detected 2299.946 MHz processor
[    0.266750] smpboot: Total of 6 processors activated (27599.35 BogoMIPS)
[    0.304222] ACPI: Added _OSI(Processor Device)
[    0.304222] ACPI: Added _OSI(Processor Aggregator Device)
```

15:

3. (. 16).

```
root@eagolovko:~# dmesg | grep -i "CPU0"
[    0.243522] smpboot: CPU0: AMD Ryzen 5 7430U with Radeon Graphics (family: 0x
19, model: 0x50, stepping: 0x0)
```

16:

4 (. 17).

```
root@eagolovko:~# dmesg | grep -i "Memory"
[    0.000000] DMI: Memory slots populated: 0/0
[    0.005773] ACPI: Reserving FACP table memory at [mem 0xdfff00f0-0xdfff01e3]
[    0.005774] ACPI: Reserving DSDT table memory at [mem 0xdfff0340-0xdfff2692]
[    0.005774] ACPI: Reserving FACS table memory at [mem 0xdfff0200-0xdfff023f]
[    0.005775] ACPI: Reserving FACS table memory at [mem 0xdfff0200-0xdfff023f]
[    0.005775] ACPI: Reserving APIC table memory at [mem 0xdfff0240-0xdfff02bb]
[    0.005776] ACPI: Reserving SSDT table memory at [mem 0xdfff02c0-0xdfff0339]
[    0.006999] Early memory node ranges
[    0.016406] PM: hibernation: Registered nosave memory: [mem 0x00000000-0x0000
0fff]
[    0.016408] PM: hibernation: Registered nosave memory: [mem 0x0009f000-0x000f
ffff]
[    0.016409] PM: hibernation: Registered nosave memory: [mem 0xdfff0000-0xffff
ffff]
[    0.126997] Freeing SMP alternatives memory: 56K
[    0.267588] Memory: 3939732K/4193848K available (22017K kernel code, 4533K rw
data, 17980K rodata, 5116K init, 6152K bss, 247024K reserved, 0K cma-reserved)
```

17:

5. (. 18).

```
root@eagolovko:~# dmesg | grep -i "Hypervisor detected"
[    0.000000] Hypervisor detected: KVM
root@eagolovko:~#
```

18:

6. (. 19).

```
root@eagolovko:~# df | grep '/$'
/dev/dm-0         81769472      9421400 71303032           12% /
```

19:

7 (. 20).

```
root@eagolovko:~# dmesg | grep -i "mount"
[    0.127827] Mount-cache hash table entries: 8192 (order: 4, 65536 bytes, line
ar)
[    0.127835] Mountpoint-cache hash table entries: 8192 (order: 4, 65536 bytes,
 linear)
[   18.453177] BTRFS: device label fedora devid 1 transid 110 /dev/mapper/luks-8
423440d-6248-44ba-8e71-718b41297853 (252:0) scanned by mount (861)
[   18.457105] BTRFS info (device dm-0): first mount of filesystem e37311d5-c005
-4f8b-ad00-a1cf40fefdff
[   20.984604] systemd[1]: Set up automount proc-sys-fs-binfmt_misc.automount -
Arbitrary Executable File Formats File System Automount Point.
[   21.018043] systemd[1]: Mounting dev-hugepages.mount - Huge Pages File System
...
[   21.020541] systemd[1]: Mounting dev-mqueue.mount - POSIX Message Queue File
System...
[   21.022318] systemd[1]: Mounting sys-kernel-debug.mount - Kernel Debug File S
ystem...
[   21.024004] systemd[1]: Mounting sys-kernel-tracing.mount - Kernel Trace File
 System...
[   21.024436] systemd[1]: fips-crypto-policy-overlay.service - Bind-mount FIPS
crypto-policy in FIPS mode was skipped because of an unmet condition check (Cond
```

20:

7