


SAP LANDSCAPE @ KOF

SEPTIEMBRE 2026

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

CONTENIDO

RESUMEN VISTA LÓGICA	**3**
Agentes de Monitoreo	6
Resumen Vista Física	7
Superdomes	7
Hardware e Instancias & Componentes SAP	10
Web Dispatchers	20
SAPRouter	33
Sandbox, DRP	41
Respaldos	54
Detalles de los servidores	49
Versiones SAP & componentes	81
Versión control	298


© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

INFRAESTRUCTURA ACTUAL

Resumen Vista Lógica

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

OVERVIEW (APLICACIONES SAP)



JAVA | ABAP | Otros Comp. | No SAP | SAP Admin | Servidores en otro país | Nube | BO | PCM

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

AGENTES WINDOWS

KOF – On Premise

- Crowdstrike
- Qualys Cloud/PC
- Service Now (ACC)
- Cyberark EPM
- Tanium
- Dynatrace Edge
- HPSA Agent
- ADaudit Plus

KOF – Azure

- Crowdstrike
- Qualys Cloud/PC
- Service Now (ACC)
- Cyberark EPM
- Tanium
- Dynatrace Edge (Si aplica)
- Focus Run
- Azure Monitor Agent (AMA)

JDV

- Crowdstrike
- Qualys VSS
- Tanium
- Dynatrace
- HPSA Agent

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

INFRAESTRUCTURA ACTUAL

Resumen Vista Física

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

Querétaro Triara Bunker 13

Granja Vmware Aplicativos SAP

Decomisada

SAP MII Clusters

WebDisp Ext

Hyper-V farm

Appls

Appls

D D

SAN Directors

VMs EPM

VMs FP1

ECC DEV

ECC QA

Superdome FLEX

Granja Vmware TnT SAP

Querétaro Triara Bunker 5

Prod Win

Prod UX

3PAR 9450 RLP'

LTO 6 Ex RAP

D D

SAN Directors Posterus

RVP

Aplicaciones

No-Prod

Appls

RAP

CRM MX, BW

RLP'

CRM LA, PI, EP, CAS

SD 1

SD1 bis

SD 2

SD 2 bis

SD 3

SD 3 bis

SD 4

SD 4 bis

RAP'

CRM' MX, BW'

RLP

CRM' LA, PI', EP´ CAS´

Querétaro Triara Bunker 11

3PAR 20800 RLP

D D

SAN Directors Posterus

Appls

Appls

NLS

Servers BW

HANA BW COM

Alletra A 9060 DEV, QA,SBX APPS RAP Y RLP BW COM

Alletra A 9060 DEV, QA,SBX APPS RAP Y RLP BW COM

Primera 630 SOLMAN 7.1, DATAMART, FP1 APP RAP

Alletra 9800 RAP, CRM MX ,CRM LA, CAS EP

Alletra 9800 RAP, CRM MX ,CRM LA, CAS EP

3PAR 8400 #2

3PAR 8400 #4

HANA BW FIN

Servers GRC

ERP (RAP): MX, CR, AR, JDV, Santa Clara


ERP (RLP): BR & COL

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

INFRAESTRUCTURA LANDING ZONE

Diagrama - Resumen Vista Física

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential



Azure
East US 2 Region Primaria
Shared services
VNET-KOFSHAREDSAP
VNET-KOFSHAREDSAP-MULESOFT-PRE
VNET-KOFSHAREDSAP-MULESOFT-PRO
VNET-KOF54HERP-DEV
VNET-KOF54HERP-QAS
VNET-KOFDMZSAP
VNET-KOFDMZ-MULESOFT-PRE
VNET-KOFDMZ-MULESOFT-PRO
VNET-KOFLEGACY-SAP
KOF Hub Virtual Network
VNET-KOFHUBSAP
VNET-KOF54HERP-PRE
VNET-KOF54HERP-PRO
TO BE BUILT
VNET-KOF54H-MII-DEV
VNET-KOF54H-MII-QAS
VNET-KOF54H-MII-PRO
VNET-KOF54H-MII-DR
Amazon Web Services
Branch
Datacenter
ExpressRoute
Peerings
Azure
Central US Region Secundaria (DRP)
VNET-KOFHUBSAP-DR
VNET-KOF54HERP-DR
VNET-KOFDMZSAP-DR
VNET-KOFSHAREDSAP-DR
VNET-EXT-MULESOFT-DR
VNET-INT-MULESOFT-DR
VNET-KOFONPREMSAP-DR
South Central US Region Secundaria (DRP)
VNET-KOFHUBSAP02-DR

INFRAESTRUCTURA ACTUAL

Superdomes

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

CAPACIDAD Y ALTA DISPONIBILIDAD PARA APLICACIONES PRD




© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

CAPACIDAD Y ALTA DISPONIBILIDAD PARA APLICACIONES PRD

B-5

B-11



026 DXC Technology Company. All rights reserved.
DXC Confidential

INFRAESTRUCTURA ACTUAL
RESUMEN POR AMBIENTE


Hardware e instancias & componentes SAP

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

SAP ECC - RAP

Instancia: RAP & RA4
Instancia WD: RPW & RA8

SO: HP-UX 11.31



© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

Instancia: RLP & RL4
Instancia WD: RLW & RL8

SO: HP-UX 11.31

SAP ECC - RLP

RL8 W80 | RLW W70 | RL4 | RLP


ECC 6.0x *

SERVICIOS ACTIVOS

Servicio Relay

Conectividad SFTP – DMZ

Brasil
Colombia



RLP Integrado a SOLMAN 7.20 en Azure

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

SAP ECC - RVP

SAP ECC 6.0

Instancia: RVP

SO: HP-UX 11.31


RVP
ECC 6.0

SERVICIOS ACTIVOS

Servicio Relay

Conectividad SFTP – DMZ

Venezuela



© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

SAP R/3

SAP R/3 4.6

Instancia: FP1

SO: RHEL 5.1

FP1


R/3 4.6C

SERVICIOS ACTIVOS

Servicio Relay

Conectividad SFTP – DMZ


IIRSA MUNDET



© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

BW COMERCIAL - PRD


SAP BW 7.5
Instancia: BCP & BC4
SO: HP-UX 11.31
Instancia BD : LINUX SUSE Enterprise Server 15 SP



© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

EPM BW FINANCIERO - ECP

SAP BPC 10.1
Instancia: ECP
SO APP: Linux 8.10
SO BD: LINUX SUSE Enterprise Server 15 SP2



© 2026 DXC Technology Company. All rights reserved.
DXC Confidential


SAP PCM & FIM

B-13

SAP PCM & FIM


Instancia: SI0, SI1, SI2, SI3 & FIP

SO: Windows 2016 (PCM y FIM)
Windows 2016 (Citrix)



© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

CRM MX Y CRM LA




© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

SAP PI

SAP PI

Instancia PI: XCP
Instancia WD: XCW

SO: HP-UX 11.31



- PI Integrado a SOLMAN 7.20 en Azure


© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

SAP GRC 10.1

Instancia: GCP & GC4

SO: HP-UX 11.31

SAP GRC KOF




© 2026 DXC Technology Company. All rights reserved.

DXC Confidential

Instancia: GJP & GJ4

SO: Windows 2016 R2

SAP GRC JDV



- GRC JDV Integrado a SOLMAN 7.20 en Azure


© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

SAP EP & CAS

SAP EP 7.40

Instancias: JC4, MC4, PC4, M04, UC5, UCP, TK4
Instancias WD: JC8, MC8, PC8, UC8, UCW

SO: HP-UX 11.31



- EP & CAS Integrados a SOLMAN 7.20 en Azure

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential


SAP D 4.3 SP02

SAP DS 4.3 SP02

Instancia: PKS

SO: Windows 2019

GreenLake




© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

INFRAESTRUCTURA ACTUAL

WEB DISPATCHERS

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential



El acceso principal se hará por https://portal.kof.com.mx

El webdispatcher se conecta al MS donde se determinará la información de acceso y balanceo a los aplicativos. **Desde el JC4 (portal) se valida autentficación de usuario, se hará referencia a los demás webdispatchers de cada aplicación (RA4, RL4 y CA4).**

Los certificados serán entregados para cada aplicación en modo End To End SSL. Cada ebDispatcher tendrá configurado una regla de ruteo en el puerto 443 para hacer un túnel de https hacia el ckend.

© 2026 DXC Technology Company. All rights reserved.


DXC Confidential

INFRAESTRUCTURA ACTUAL

SAP ROUTER


© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

COMUNICACIÓN SAPROUTER



© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

INSTANCIAS SAP MANTENIDAS EN SAPROUTER




© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

INFRAESTRUCTURA ACTUAL

SapRouter en DR Azure

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

ARQUITECTURA DE CONEXIÓN ENTRE EL SAPROUTER DE SAP Y EL SAPROUTER DE KOF



© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

Instancias SAP migradas en SAProuter Azure

	ROL	SANDBOX	DESARROLLO	CALIDAD	PREPRODUCCION	PRODUCCION
MDG	APP	N/A	M4D	M4Q	M4R	M4P - MPW
	BD	N/A	MHD	MHQ	MHR	MHP
S4	APP	S4X	S4D	S4Q	S4R	S4P - SPW
		S4Y				
	BD	SHX	SHD	SHQ	SHR	SHP
		SHY				
SLT	APP	N/A	T4D	T4Q	T4R	T4P - TPW
	BD	N/A	THD	THQ	THR	THP
SOLMAN	APP	N/A	SXA	N/A	N/A	SOA
			SXJ			SOJ
	BD	N/A	SXH	N/A	N/A	SOH
SLD	APP	N/A	N/A	N/A	N/A	UC6
MII	APP	N/A	M1D	M2Q	N/A	M4A
						M4B
						M5B
						M5A
						M5C
						M7C
						M4J
						M4M
						M5M
						M6M

© 2021 DXC Technology Company. All rights reserved.

INSTANCIAS SAP MIGRADAS EN SAPROUTER AZURE

	ROL	SANDBOX	DESARROLLO	CALIDAD	PREPRODUCCION	PRODUCCION
ADS	APP	N/A	AD1	N/A	AD2	AD3
SCM	APP	N/A	SGD	SGQ	SMR - WMR	SMP - WMP
	BD	N/A	DSD	DSQ	DMR	DMP
EWM	APP	N/A	EGD	EGQ	EMR - MWR	EMP - MWP
	BD	N/A	EDD	EDQ	MDR	MDP
CENTRAL	APP	N/A	CPD	CPQ	CPR - CRW	CPP - CPW
PROCUREMENT	BD	N/A	CHD	CHQ	CHR	CHP
GRC	APP	N/A	G4D	G4Q	G4R	G4P
	BD	N/A	GHD	GHQ	GHR	GHP
DATA LAKE	BD	N/A	LHD	N/A	N/A	LHP
Agente DataProvisioning	APP	N/A	CRM MX	N/A	N/A	DPP
DataProvisioning	BD	N/A	DHD	N/A	N/A	DHP
Qlik	BD	N/A	N/A	N/A	N/A	QHP

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

INSTANCIAS SAP MIGRADAS EN SAPROUTER AZURE

	ROL	SANDBOX	DESARROLLO	CALIDAD	PREPRODUCCION	PRODUCCION
CLOUD CONECTOR	APP Windows	N/A	N/A	SCC (10.155.6.6)	N/A	SCC (10.155.6.5)
	APP Linux	N/A	SCC (10.155.6.8)	N/A	N/A	SCC (10.155.6.9, 10.155.6.10)
ADS	APP	N/A	AD1	N/A	AD2	AD3
SCM	APP	N/A	SGD	SGQ	SMR - WMR	SMP - WMP
	BD	N/A	DSD	DSQ	DMR	DMP

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

INSTANCIAS SAP DR MIGRADAS EN SAPROUTER AZURE

	SISTEMA	TIPO DE BD	HOSTNAME	IP
DR S4	S4	HANA	KOFMXAS4DBPN2	10.161.159.232
DRP SLT	SLT	HANA	KOFMXAT4DBPN2	10.159.159.196
DRP MDG	MDG	HANA	KOFMXAMGDBPN2	10.159.159.20
DRP MII	MII	SQL	KOFM4AMIDBPN2	10.159.129.54
		SQL	KOFCAAMIDBPN2	10.159.129.198
		SQL	KOFARAMIDBPN2	10.159.129.134
		SQL	KOFC7AMIDBPN2	10.159.129.171
		SQL	KOFM5AMIDBPN2	10.159.129.57
		SQL	KOFM6AMIDBPN2	10.159.129.60
		SQL	KOFB4AMIDBPN2	10.159.129.102
		SQL	KOFB5AMIDBPN2	10.159.129.105

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

Características generales del SAProuter en Azure

Características del servicio SAProuter en Azure

- ***El servicio se alojará en el servidor SCC LX en la región Azure US EAST 2.***
- ***El hostname del servidor es: KOFMXACCAPPN0***
- ***Da servicio a los ambientes SAP en Azure.***

Total de servicios registrados en SAP

- ***ha115d00 (OnPremise – ECC Desarrollo)***
- ***KOFMXACCAPPN0 (Azure – Productivo).***
- ***KOFMXACCAPPDR (DR – SCC LX).***

© 2021 DXC Technology Company. All rights reserved.

INFRAESTRUCTURA ACTUAL

SapRouter en DR

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

Conectividad SAProuter en DR


App SAP OnP en DR | App SAP Azure en DR | App NO SAP OnP en DR | App NO SAP Azure en DR | Aplicación SAP o **NO** SAP no considerado en DR | AppSAP confirmado en DR post

Servicio de SAProuter en DR

1. Servicio SAProuter en DR en SCC LX
2. Mismo hostname físico + hostname lógico, diferente IP privada
3. Diferente IP Pública en DR
4. **Nuevo** registro en SAP del servicio de SAProuter en DR. **Total de SAProuter registrados en SAP 3**

Consideraciones:

1. VoBo de soporte por parte de SAP – Confirmado
2. Pasos mínimos para conmutación del servicio a DR
3. Escenario de pruebas sin afectación al servicio en región primaria.



© 2021 DXC Technology Company. All rights reserved.

Conectividad SAProuter

App SAP OnP en DR | App SAP Azure en DR | App NO SAP OnP en DR | App NO SAP Azure en DR | Aplicación SAP o **NO** SAP no considerado en DR | AppSAP confirmado en DR post

Escenario 1
Región primaria DESASTRE

Sistemas SAP OnP en DR

Sistemas SAP Azure en DR

Sistemas SAP OnP and Azure **NO** en DR

Servicio SAProuter en **RRD sin afectación**

Servicio SAProuter en **SCC LX** habilitado en DR

- **Soporte a sistemas SAP Azure críticos en DR>**

  S4


  SLT

  8 MII

  MDG

  SCC LX

  SCC Windows



© 2021 DXC Technology Company. All rights reserved.

Conectividad SAProuter

App SAP OnP en DR | App SAP Azure en DR | App NO SAP OnP en DR | App NO SAP Azure en DR | Aplicación SAP o **NO** SAP no considerado en DR | AppSAP confirmado en DR post

Escenario 2
Sitio Triara DESASTRE

Sistemas SAP OnP en DR

Sistemas SAP Azure en DR


Sistemas SAP OnP and Azure **NO** en DR

Servicio SAProuter en **RRD NO Disponible**

Servicio SAProuter en **SCC LX habilitado en región primaria**

- **Sistemas SAP Azure (TODOS)**
- **Sistemas SAP OnP críticos en DR**

ECC RAP
ECC RLP
CRM MX
CRM LA
BODS



© 2021 DXC Technology Company. All rights reserved.

Conectividad SAProuter

App SAP OnP en DR | App SAP Azure en DR | App NO SAP OnP en DR | App NO SAP Azure en DR | Aplicación SAP o **NO** SAP no considerado en DR | AppSAP confirmado en DR post

Escenario 3
Región primaria + Sitio Triara
DESASTRE

Sistemas SAP OnP en DR

Sistemas SAP Azure en DR


Sistemas SAP OnP and Azure **NO** en DR

Servicio SAProuter en **RRD NO Disponible**

Servicio SAProuter en **SCC LX habilitado en DR**

- **Sistemas SAP Azure críticos en DR**
- **Sistemas SAP OnP críticos en DR**

ECC RAP	S4
ECC RLP	SLT
CRM MX	8 MII
CRM LA	MDG
BODS	SCC LX
	SCC Windows



© 2021 DXC Technology Company. All rights reserved.

Archivos en SCC PRD referentes al SAProuter DR

En el servidor **kofmxaccappn0** del ambiente SAP Cloud Connector PRD **(SCC)** se generó una carpeta llamada “DR” en el directorio **/usr/sap/saprouter/DR**, que contiene los siguientes archivos correspondientes al servicio DR:

- Reglas del escenario 1: **Escenario1_DR**
- Reglas del escenario 2: **Escenario2_DR**
- Reglas del escenario 3: **Escenario3_DR**
- Certificado pse del hostname KOFMXACCAPPDR: **KOFMXACCAPPDR.pse**
- El archivo **cred_v2**

Todos estos archivos son necesarios para que el servicio de SAProuter DR pueda funcionar de manera correcta usando las reglas según el escenario DR.

© 2021 DXC Technology Company. All rights reserved.

Características generales del SAProuter en DR

Características del servicio SAProuter en DR

- ***El servicio se alojará en el servidor SCC LX en DR.***
- ***El servidor mantiene el mismo hostname físico: KOFMXACCAPPN0, pero con IP privada diferente.***
- ***Se agrega un hostname lógico: KOFMXACCAPPDR.***
- ***Se utilizará una IP pública diferente en DR.***
- ***Se registra un nuevo servicio en SAP con el nombre KOFMXACCAPPDR.***
- ***Los sistemas en DR solo son del ambiente productivo.***
- ***Los sistemas en DR tienen una IP distinta a la productiva.***

Total de servicios registrados en SAP

- ***ha115d00 (OnPremise – ECC Desarrollo)***
- ***KOFMXACCAPPN0 (Azure – Productivo).***
- ***KOFMXACCAPPDR (DR – SCC LX).***


© 2021 DXC Technology Company. All rights reserved.

INFRAESTRUCTURA ACTUAL

Sandbox PRD, DRP


© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

Sandbox ECCs (Mx, LA, Vz)




© 2021 DXC Technology Company. All rights reserved.

Infraestructura para restauraciones periódicas – no ECC



© 2021 DXC Technology Company. All rights reserved.

Disaster Recovery / HA



© 2021 DXC Technology Company. All rights reserved.

INFRAESTRUCTURA ACTUAL


Respaldos Permanentes en Data Protector

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

Infraestructura Data Protector para Restauraciones
Respaldos permanentes SAP / NO SAP

La infraestructura que se mantendrá en Triara para las posibles restauraciones de respaldos históricos (permanentes) SAP y no-SAP será la siguiente:

- 1 Cell manager kofmxqrburcm01
- 1 SAN switch kofmxqrbursan1
- 1 Librería MSL 6480 LTO 7



La infraestructura se mantendrá por 1 año

© 2021 DXC Technology Company. All rights reserved.


Infraestructura actual

Respaldos

AGUES DELIVERING EXCELLENCE FOR OUR C
RING EXCELLENCE FOR OUR CUSTOMERS AN
R OUR CUSTOMERS AND COLLEAGUES DELI

© 2021 DXC Technology Company. All rights reserved.

Respaldos



© 2021 DXC Technology Company. All rights reserved.

RESPALDOS HANA BW COMERCIAL DEV (BCD)

Bunker-11




Política de respaldo en Networker	Día	Horario	Comentarios	Retención
FEM_ hchbwcd0_BCD_data_backint_OnL_D	Lun-mar-jue-sáb	6:00	BD Hana BCD	4 semanas
FEM_ hchbwcd0_SYSDB_data_backint_OnL_D	Lun-mar-jue-sáb	5:00	BD Hana BCD_SYSTEM	4 semanas

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

RESPALDOS HANA BW COMERCIAL QA (BCQ)

Bunker-11




Política de respaldo en Networker	Día	Horario	Comentarios	Retención
FEM_hchbwcq0_BCQ_data_backint_OnL_D	Lun - Dom	6:00	BD Hana BCQ	4 semanas
FEM_hchbwcq0_SYSDB_data_backint_OnL_D	Lun - Dom	5:00	BD Hana SYSTEMDB	4 semanas

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

RESPALDOS HANA BW FINANCIERO DEV (ECD)

Bunker-11




Política de respaldo en Data Protector	Día	Horario	Comentarios	Retención
FEM_hcj12d00_ECD_data_backint_OnL_D	Lun-Mié-Vie-Dom	02:00 am	BD Hana ECD	4 semanas
FEM_hcj12d00_SYSDB_data_backint_OnL_D	Lun-Mié-Vie-Dom	01:00 am	BD Hana ECD_SYSTEM	4 semanas

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

RESPALDOS HANA BW FINANCIERO QA (ECQ)

Bunker-11




Política de respaldo en Data Protector	Día	Horario	Comentarios	Retención
FEM_hchbwfq0_ECQ_data_backint_OnL_D	Lun-Mar-Jue-Sab	04:00 am	BD Hana ECQ	4 semanas
FEM_hchbwfq0_SYSDB_data_backint_OnL_D	Lun-Mar-Jue-Sab	03:00 am	BD Hana ECQ_SYSTEM	4 semanas

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

RESPALDOS HANA 2.0 ECP BACKINT

Bunker-11



Política de respaldo en Data Protector	Día	Horario	Comentarios	Retención
FEM_hchbwfp0_ECP_data_backint_OnL_D	Lun - Dom, excepto 1er dom del mes	3:00	Respaldo de BD ECP	4 semanas
FEM_hchbwfp0_ECP_log_backint_OnL_D	Lun - Dom	Cada 30 min	Respaldo de logs	4 semanas
FEM_hchbwfp0_ECP_SYSDB_data_backint_OnL_D	Lun - Dom, excepto 1er dom del mes	2:00	Respaldo de BD SYSTEMDB	4 semanas
FEM_hchbwfp0_ECP_SYSDB_log_backint_OnL_D	Lun - Dom	Cada hora	Respaldo de logs	4 semanas
FEM_hchbwfp0_ECP_data_backint_OnL_M	1er domingo del mes	3:00	Respaldo de BD ECP Mensu	Permanente
FEM_hchbwfp0_SYSDB_data_backint_OnL_M	1er domingo del mes	2:00	ECP Mensual	Permanente

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

RESPALDOS HANA BW COMERCIAL PRD ()

Bunker-11

HANA
BW Comercial PRD
()
10.138.27.70
hchbwcp0

Respaldo **online de BD HANA (backint)**

Networker server
kofmxqrnwsrv1

DD
kofmxqrdd9400



Librería MSL

Política de respaldo en Data Protector	Día	Horario	Comentarios	Retención
FEM_hchbwcp0_BCP_data_backint_OnL_D	Lun - Dom, excepto 1er domingo del mes	4:00	BD Hana BCP	4 semanas
FEM_hchbwcp0_BCP_log_backint_OnL_D	Lun - Dom	cada 30 min	Logs de BD Hana BCP	4 semanas
FEM_hchbwcp0_SYSDB_data_backint_OnL_D	Lun - Dom, excepto 1er domingo del mes	3:00	BD Hana BCP_SYSTEM	4 semanas
FEM_hchbwcp0_SYSDB_log_backint_OnL_D	Lun - Dom	cada 30 min	Logs de BD Hana BCP_SYSTEM	4 semanas
FEM_hchbwcp0_BCP_data_backint_OnL_M	1er domingo del mes	4:00	BD Hana BCP	Permanente
FEM_hchbwcp0_SYSDB_data_backint_OnL_M	1er domingo del mes	3:00	BD Hana BCP_SYSTEM	Permanente


© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

INFRAESTRUCTURA NUEVA
TECH RESFRESH

Detalles de los servidores


© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

GRANJA SAP APLICATIVOS



© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

GRANJA SAP SANDBOX



© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

INFRAESTRUCTURA ACTUAL
RESUMEN POR AMBIENTE

Detalles de los servidores

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

ECC MX – AR – CA - COMPONENTES

Amb	Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs*	Cores x CPU	(GHz)	Mem (GB)	% en serv
PRD	ASCS+WD	haerppn2	10.138.23.15	haerpp00	10.38.2.12	SUPERDOME 2	HP-UX B.11.31	RAP+RPW	10H	8	2.53	957	50
	DB+SCS+WD	haerppn2	10.138.23.15	haerpp01	10.38.2.13	SUPERDOME 2	HP-UX B.11.31	RA4+RA8	10H	8	2.53	957	50
	DB	haerppn2	10.138.23.15	haerpp02	10.38.2.51	SUPERDOME 2	HP-UX B.11.31	RAP	10H	8	2.53	957	50
	Standby HA	haerppn3	10.138.23.16	NA	NA	SUPERDOME 2	HP-UX B.11.31	RAP+RPW+RA4 +RA8	10H	8	2.53	957	50
	AS 40	hav11p00	10.138.5.192	haerpp40	10.138.5.193	BL870	HP-UX B.11.31	RAP	4H	8	2.53	64	25
	AS 41	hav11p00	10.138.5.192	haerpp41	10.138.5.194	BL870	HP-UX B.11.31	RAP	4H	8	2.53	64	25
	AS 42**	hav11p00	10.138.5.192	haerpp42	10.138.5.195	BL870	HP-UX B.11.31	RAP	4H	8	2.53	64	25
	AS 43**	hav11p00	10.138.5.192	haerpp43	10.138.5.196	BL870	HP-UX B.11.31	RAP	4H	8	2.53	64	25
	AS 44	hav12p00	10.138.5.197	haerpp44	10.138.5.198	BL870	HP-UX B.11.31	RAP	4H	8	2.53	64	25
	AS 45	hav12p00	10.138.5.197	haerpp45	10.138.5.199	BL870	HP-UX B.11.31	RAP	4H	8	2.53	64	25
	AS 46**	hav12p00	10.138.5.197	haerpp46	10.138.5.200	BL870	HP-UX B.11.31	RAP	4H	8	2.53	64	25
	AS 47**	hav12p00	10.138.5.197	haerpp47	10.138.5.201	BL870	HP-UX B.11.31	RAP	4H	8	2.53	64	25
	AS 18	hav13p00	10.138.2.200	haerpp18	10.138.2.142	BL870	HP-UX B.11.31	RAP	4H	8	2.53	64	50
	AS 27	hav13p00	10.138.2.200	haerpp27	10.138.3.42	BL870	HP-UX B.11.31	RAP	4H	8	2.53	64	50
	AS 12**	hav13p00	10.138.2.200	haerpp12	10.138.2.153	BL870	HP-UX B.11.31	RAP	4H	8	2.53	64	0
	AS 36**	hav13p00	10.138.2.200	haerpp36	10.138.3.84	BL870	HP-UX B.11.31	RAP	4H	8	2.53	64	0
	AS 10	ha211p16	10.138.2.78	haerpp10	10.138.2.118	BL860C i4	HP-UX B.11.31	RAP+RA4	1H	8	2.53	64	100
	AS 11	ha111p10	10.138.2.54	haerpp11	10.138.2.116	BL860C i4	HP-UX B.11.31	RAP	1H	8	2.53	64	100
	AS 14	ha423p20	10.138.2.88	haerpp14	10.138.2.155	BL860C i6	HP-UX B.11.31	RAP	1H	8	2.66	64	100
	AS 15	ha421p18	10.138.2.86	haerpp15	10.138.2.136	BL860C i6	HP-UX B.11.31	RAP+RA4	1H	8	2.66	64	100
	AS 16	ha237p03	10.138.2.68	haerpp16	10.138.2.137	BL860C i4	HP-UX B.11.31	RAP	1H	8	2.53	64	100
	AS 17	hc426p02	10.138.2.91	haerpp17	10.138.2.141	BL860C i6	HP-UX B.11.31	RAP	1H	8	2.66	64	100
	AS 19	hc425p01	10.138.3.90	haerpp19	10.138.2.140	BL860C i6	HP-UX B.11.31	RAP	1H	8	2.66	64	100
	AS 20	hl223p12	10.138.2.72	haerpp20	10.138.2.138	BL860C i4	HP-UX B.11.31	RAP	1H	8	2.53	64	100

**** Instancias apagadas en los aplicativos 12,36, 42, 43, 46, 47**

* (H) El servidor tiene habilitado Hyperthreading

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

RRD, RRQ, RR2 en proceso de decomiso HP- UX

ECC MX – AR – CA - COMPONENTES

Amb	Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs*	Cores x CPU	(GHz)	Mem (GB)	% en serv
PRD	AS 21	hl224p13	10.138.2.73	haerpp21	10.138.2.145	BL860C i4	HP-UX B.11.31	RAP	1H	8	2.53	64	100
	AS 22	hl415p16	10.138.2.98	haerpp22	10.138.2.143	BL860C i6	HP-UX B.11.31	RAP	1H	8	2.66	64	100
	AS 23	hl424p15	10.138.2.89	haerpp23	10.138.2.139	BL860C i6	HP-UX B.11.31	RAP	1H	8	2.66	64	100
	AS 24	ha621p24	10.138.3.35	haerpp24	10.138.3.36	BL860C i6	HP-UX B.11.31	RAP	1H	8	2.66	64	100
	AS 25	ha622p25	10.138.3.37	haerpp25	10.138.3.38	BL860C i6	HP-UX B.11.31	RAP+RA4	1H	8	2.66	64	100
	AS 26	ha623p26	10.138.3.39	haerpp26	10.138.3.40	BL860C i6	HP-UX B.11.31	RAP	1H	8	2.66	64	100
	AS 28	ha611p28	10.138.3.51	haerpp28	10.138.3.52	BL860C i6	HP-UX B.11.31	RAP	1H	8	2.66	64	100
	AS 29	ha612p29	10.138.3.53	haerpp29	10.138.3.54	BL860C i6	HP-UX B.11.31	RAP	1H	8	2.66	64	100
	AS 30	ha613p30	10.138.3.55	haerpp30	10.138.3.56	BL860C i6	HP-UX B.11.31	RAP	1H	8	2.66	64	100
	AS 31	ha614p31	10.138.3.57	haerpp31	10.138.3.58	BL860C i6	HP-UX B.11.31	RAP	1H	8	2.66	64	100
	AS 32	ha721p32	10.138.3.67	haerpp32	10.138.3.68	BL860C i6	HP-UX B.11.31	RAP	1H	8	2.66	64	100
	AS 33	ha722p33	10.138.3.69	haerpp33	10.138.3.70	BL860C i6	HP-UX B.11.31	RAP	1H	8	2.66	64	100
	AS 34	ha723p34	10.138.3.71	haerpp34	10.138.3.72	BL860C i6	HP-UX B.11.31	RAP+RA4	1H	8	2.66	64	100
	AS 35	ha724p35	10.138.3.73	haerpp35	10.138.3.74	BL860C i6	HP-UX B.11.31	RAP	1H	8	2.66	64	100
	AS 37	ha712p37	10.138.3.85	haerpp37	10.138.3.86	BL860C i6	HP-UX B.11.31	RAP	1H	8	2.66	64	100
	AS 38	ha713p38	10.138.3.87	haerpp38	10.138.3.88	BL860C i6	HP-UX B.11.31	RAP	1H	8	2.66	64	100
	AS 39	ha714p39	10.138.3.89	haerpp39	10.138.3.90	BL860C i6	HP-UX B.11.31	RAP	1H	8	2.66	64	100
	Web Disp	Fewebpr3	192.168.103.52	NA	NA	RX2800 i6	HP-UX B.11.31	RA4	1	4	1.73	16	100
DEV	DB + ASCS+SCS	gleccd00 ha115d00	10.138.2.58	hrerpd00	10.138.2.120	VMWare	RHEL 8.10	RRD+RR1	1H	8	3.0	64	100
QAS	DB ASCS + SCS+WD-ABAP+ WD-JAVA	gleccq01	10.138.2.248	hrerpq00	10.138.2.123	VMWare	RHEL 8.10	RRQ+RR2+RQW	1	8	3.0	64	50
				hrerpq01	10.138.2.174	VMWare	RHEL 8.10	RRQ+RR2+RR7	1H	8	3.0	64	50
	AS 10	gleccq02	10.138.2.246	hrerpq10	10.138.2.125	VMWare	RHEL 8.10	RRQ+RR2	1H	16	3.0	128	100

- (H) El servidor tiene habilitado Hyperthreading
- RR1 Integrado a SOLMAN 7.2 en Azure
- RRQ integrado a SOLMAN 7.2 en Azure
- RR2 integrado a SOLMAN 7.2 en Azure

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

CAPACIDADES DE STORAGE SAP ON - PREMISE

SAP	CAPACIDAD
ECC Mx	115 TB
ECC LA	107TB
CRM-Mx	8.5 TBs
CRM-LA	4TBs

** Instancias apagadas en los aplicativos 12,36, 42, 43, 46, 47

* (H) El servidor tiene habilitado Hyperthreading

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

ECC SANDBOX MÉXICO, BRASIL Y VENEZUELA - COMPONENTES

RAZ: Apagados

Amb	Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Serie	Modelo	S.O.	SID	CPUs*	Cores x CPU	(GHz)	Mem (GB)	% en serv
Sandbox RAZ	ASCS + DB	kofmxqrrazdb01	10.138.178.77	haerpz00	10.138.2.42	42 01 ce 05 10 65 4d 5c-ea e2 97 5e b8 c1 d9 18	VMware	RedHat 8.10	RAZ	1H	8	2899.814	64	100
	AS	kofmxqrrazap01	10.138.178.76	haerpz10	10.138.2.146	42 01 65 c4 b5 2f 01 e9-55 40 37 6f 63 ef eb c4	VMware	RedHat 8.10	RAZ	1H	8	2899.814	64	100
Sandbox RLZ	ASCS + DB	hlerptn0	10.138.2.40	hlerpz00	-	SGH638YRJ1	Superdome	HP-UX B.11.31	RLZ	2H	8	2.53	121	100
	AS	hlerptc1	10.138.2.43	hlerpz10	-	Sin datos	Container	HP-UX B.11.31	RLZ	2H	8	2.53	121	100
Sandbox RAT	ASCS + DB	haerpxn0	10.138.23.170	haerpt00	10.138.23.171	Sin datos	BL890C i4	HP-UX B.11.31	RAT	6H	8	2.53	223.71	100
	AS	haerpxn1	10.138.3.158	haerpt10	10.138.3.159	Sin datos	BL860C i4	HP-UX B.11.31	RAT	1H	8	2.53	63.89	100
Sandbox RLT	ASCS + DB	hlerpxn0	10.138.23.131	hlerpt00	10.138.23.81	SGH841SDGG	BL870C i6	HP-UX B.11.31	RLT	3H	3	2.66	127.83	100
	AS	hlerpxn1	10.138.23.132	hlerpt10	10.138.23.82	SGH841SDGF	BL870C i6	HP-UX B.11.31	RLT	3H	3	2.66	127.83	100
Sandbox RVR	ASCS + DB	hverpsn0	10.138.5.222	hverps00	10.138.5.223	SGH537YDP3	BL860c i4	HP-UX B.11.31	RVR	1H	8	2.53	96	100
	AS	hverpsn1	10.138.5.226	hverps10	10.138.5.227	SGH537YDP5	BL860c i4	HP-UX B.11.31	RVR	1H	8	2.53	96	100

* (H) El servidor tiene habilitado Hyperthreading

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

ECC VENEZUELA - COMPONENTES

Amb	Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs*	Cores x CPU	(GHz)	Mem (GB)	% en serv
PRD	ASCS + DB	hlerpsn0	10.138.5.210	hverpp00	10.138.5.211	BL890C i4	HP-UX B.11.31	RVP	4H	8	2.53	224	33
	AS 10	hlerpsn0	10.138.5.210	hverpp10	10.138.5.212	BL890C i4	HP-UX B.11.31	RVP	4H	8	2.53	224	33
	AS 11	hlerpsn0	10.138.5.210	hverpp11	10.138.5.213	BL890C i4	HP-UX B.11.31	RVP	4H	8	2.53	224	33
	AS 12	ha521r00	10.138.3.142	Hverpp12	10.138.3.143	BL860C i6	HP-UX B.11.31	RVP	1H	8	2.66	64	100
Sandbox	ASCS + DB	hverpsn0	10.138.5.222	hverps00	10.138.5.223	BL860c i4	HP-UX B.11.31	RVR	1H	8	2.53	96	100
	AS	hverpsn1	10.138.5.226	hverps10	10.138.5.227	BL860c i4	HP-UX B.11.31	RVR	1H	8	2.53	96	100

* (H) El servidor tiene habilitado Hyperthreading

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

ECC LA (BRASIL) - COMPONENTES

Amb	Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs*	Cores x CPU	(GHz)	Mem (GB)	% en serv
PRD	ASCS+WD	hlerppn1	10.138.2.31	hlerpp00	10.138.2.32	SUPERDOME 2	HP-UX B.11.31	RLP+RLW	10(H)	8	2.53	637	50
	BD+SCS+WD	hlerppn1	10.138.2.31	hlerpp01	10.138.2.33	SUPERDOME 2	HP-UX B.11.31	RL4+RL8	10(H)	8	2.53	637	50
	DB	hlerppn1	10.138.2.31	hlerpp02	10.138.2.205	SUPERDOME 2	HP-UX B.11.31	RLP	10(H)	8	2.53	637	50
	Standby HA	hlerppn0	10.138.2.30	NA	NA	SUPERDOME 2	HP-UX B.11.31	RLP+RLW+RL4 +RL8	10(H)	8	2.53	637	100
	AS 10	ha236p02	10.138.2.67	hlerpp10	10.138.2.164	BL860C i4	HP-UX B.11.31	RLP+RL4	1(H)	8	2.53	64	100
	AS 11	hc427p03	10.138.2.92	hlerpp11	10.138.2.165	BL860C i6	HP-UX B.11.31	RLP+RL4	1(H)	8	2.66	64	100
	AS 12	hc418p03	10.138.2.101	hlerpp12	10.138.2.114	BL870C i6	HP-UX B.11.31	RLP	2(H)	8	2.66	128	100
	AS 13	hl625p13	10.138.3.43	hlerpp13	10.138.3.44	BL860C i6	HP-UX B.11.31	RLP+RL4	1(H)	8	2.66	64	100
	AS 14	hl626p14	10.138.3.45	hlerpp14	10.138.3.46	BL860C i6	HP-UX B.11.31	RLP	1(H)	8	2.66	64	100
	AS 15	hl627p15	10.138.3.47	hlerpp15	10.138.3.48	BL860C i6	HP-UX B.11.31	RLP	1(H)	8	2.66	64	100
	AS 16	hl628p16	10.138.3.49	hlerpp16	10.138.3.50	BL860C i6	HP-UX B.11.31	RLP	1(H)	8	2.66	64	100
	AS 17	hl615p17	10.138.3.59	hlerpp17	10.138.3.60	BL860C i6	HP-UX B.11.31	RLP	1(H)	8	2.66	64	100
	AS 18	hl616p18	10.138.3.61	hlerpp18	10.138.3.62	BL860C i6	HP-UX B.11.31	RLP	1(H)	8	2.66	64	100
	AS 19	hl617p19	10.138.3.63	hlerpp19	10.138.3.64	BL860C i6	HP-UX B.11.31	RLP+RL4	1(H)	8	2.66	64	100
	AS 20	hl618p20	10.138.3.65	hlerpp20	10.138.3.66	BL860C i6	HP-UX B.11.31	RLP	1(H)	8	2.66	64	100
	AS 21	hl725p21	10.138.3.75	hlerpp21	10.138.3.76	BL860C i6	HP-UX B.11.31	RLP	1(H)	8	2.66	64	100
	AS 22	hl726p22	10.138.3.77	hlerpp22	10.138.3.78	BL860C i6	HP-UX B.11.31	RLP	1(H)	8	2.66	64	100
	AS 23	hl727p23	10.138.3.79	hlerpp23	10.138.3.80	BL860C i6	HP-UX B.11.31	RLP	1(H)	8	2.66	64	100
	AS 24	hl728p24	10.138.3.81	hlerpp24	10.138.3.82	BL860C i6	HP-UX B.11.31	RLP	1(H)	8	2.66	64	100
	AS 25	hl715p25	10.138.3.91	hlerpp25	10.138.3.92	BL860C i6	HP-UX B.11.31	RLP	1(H)	8	2.66	64	100
	AS 26	hl716p26	10.138.3.93	hlerpp26	10.138.3.94	BL860C i6	HP-UX B.11.31	RLP	1(H)	8	2.66	64	100
	AS 27	hl717p27	10.138.3.95	hlerpp27	10.138.3.96	BL860C i6	HP-UX B.11.31	RLP	1(H)	8	2.66	64	100
	AS 28	hl718p28	10.138.3.97	hlerpp28	10.138.3.98	BL860C i6	HP-UX B.11.31	RLP	1(H)	8	2.66	64	100
	AS 29	hc234p11	10.138.2.65	hlerpp29	10.138.5.202	BL860C i4	HP-UX B.11.31	RLP	1(H)	8	2.53	64	100
	AS 30	ha624p27	10.138.3.41	hlerpp30	10.138.5.203	BL860C i6	HP-UX B.11.31	RLP	1(H)	8	2.66	64	100
	AS 31	ha221p14	10.138.2.70	hlerpp31	10.138.5.204	BL860C i4	HP-UX B.11.31	RLP	1(H)	8	2.53	64	100
	AS 32	ha711p36	10.138.3.83	hlerpp32	10.138.5.205	BL860C i6	HP-UX B.11.31	RLP	1(H)	8	2.66	64	100
	AS 33	hl231p33	10.138.2.22	hlerpp33	10.138.2.23	BL860C i4	HP-UX B.11.31	RLP	1(H)	8	2.53	64	100
	AS 34	hl232p34	10.138.2.26	hlerpp34	10.138.2.27	BL860C i4	HP-UX B.11.31	RLP	1(H)	8	2.53	64	100
	AS 35	hl222p35	10.138.2.28	hlerpp35	10.138.2.209	BL860C i4	HP-UX B.11.31	RLP	1(H)	8	2.53	64	100
	Web Disp	fewebpr7	10.121.11.56	NA	NA	RX2800 i6	HP-UX B.11.31	RL4	1(H)	8	1.73	16	100

- (H) El servidor tiene habilitado Hyperthreading
- RLP, Integrado a SOLMAN 7.2

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

RESTAURACIONES PERIÓDICAS - COMPONENTES

Amb	Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs*	Cores x CPU	(GHz)	Mem (GB)	% en serv
Restauraciones periódicas	ASCS + DB	hc121s00	10.138.23.71	NA	NA	HP Integrity BL860c i4	HP-UX B.11.31	SID**	1H	8	2.53	64	100%
	AS-container	hc121c01	10.138.23.78	NA	NA	HP Container	HP-UX B.11.31	SID**					

* (H) El servidor tiene habilitado Hyperthreading,
** Esta infraestructura va a tener el system ID del ambiente productivo no ECC que se requiera restaurar para atender los requerimientos de auditoria de KOF

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

EPM BW FINANCIERO - COMPONENTES

Amb	Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs*	Cores x CPU	(GHz)	Mem (GB)	% en serv
PRD	ASCS + WD*	glbwepmp00	10.138.5.38	hcepmp00	10.138.3.214	VmWare	Red Hat 8.10	ECP+ECW	1H	24	3.0	251	100
	AS 10	glbwepmp10	10.138.5.39	hcepmp10	10.138.3.216	VmWare	Red Hat 8.10	ECP	1H	24	3.0	251	100
	AS 11	glbwepmp11	10.138.5.43	hcepmp11	10.138.3.218	VmWare	Red Hat 8.10	ECP	1H	24	3.0	251	100
	AS 12	glbwepmp12	10.138.5.20	hcepmp12	10.138.3.192	VmWare	Red Hat 8.10	ECP	1H	24	3.0	251	100
	HDB	hchbwfp0	10.138.27.73	NA	NA	HPE Superdome Flex 280	LINUX SUSE Enterprise Server 15 SP5	ECP	4	28	2.6	6144	100

- (H) El servidor tiene habilitado Hyperthreading
- ECP Integrado a SOLMAN 7.2 en Azure

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

EPM BW FINANCIERO - COMPONENTES

Amb	Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs*	Cores x CPU	(GHz)	Mem (GB)	% en serv
DEV	ASCS	vmrhbwfd	10.138.5.33	hcepmd00	10.138.3.210	VmWare	Red Hat 8.10	ECD	N/A	24	3.0	125	100
	HBD	Hcj12d00	10.138.3.144	NA	NA	DL560 Gen10	LINUX SuSE Enterprise Server 15 SP 6 64bit	ECD	4H	32	2.5	1536	100
QAS	ASCS + WD	vmrhbwfq	10.138.5.37	hcepmq00	10.138.3.212	VmWare	Red Hat 8.10	ECQ+EQW	N/A	24	3.0	125	100
	HBD	hchbwfq0	10.138.27.74	NA	NA	DL560 Gen10	LINUX SuSE Enterprise Server 15 SP2	ECQ	4H	32	2.4	4608	100

- (H) El servidor tiene habilitado Hyperthreading
- ECD y ECQ Integrado a SOLMAN 7.2 en Azure

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

BW COMERCIAL - COMPONENTES

Amb	Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs*	Cores x CPU	(GHz)	Mem (GB)	% en serv
PRD	ASCS, SCS+BD+WD, NFS	hcbiwpn0	10.138.3.111	hcbiwp00	10.138.3.196	SUPERDOME 2	HP-UX B.11.31	/BC4	8	24	2.53	195	50
	ERS21, ERS22	hcbiwpn1	10.138.3.112	hcbiwp00	10.138.3.112	SUPERDOME 2	HP-UX B.11.31	/BC4	8	24	2.53	195	33
	JAS 03	hcbiwpn0	10.138.3.111	hcbiwp03	10.138.3.113	SUPERDOME 2	HP-UX B.11.31	BC4	8	24	2.53	195	50
	JAS 04	hcbiwpn1	10.138.3.112	hcbiwp04	10.138.3.114	SUPERDOME 2	HP-UX B.11.31	BC4	8	24	2.53	195	33
	JAS 05	hcbiwpn1	10.138.3.112	hcbiwp05	10.138.3.115	SUPERDOME 2	HP-UX B.11.31	BC4	8	24	2.53	195	33
	AS 10	hca11p10	10.138.3.205	hcbiwp10	10.138.3.206	BL860C i4	HP-UX B.11.31		2	16	2.53	130	100
	AS 11	hca23p11	10.138.3.190	hcbiwp11	10.138.3.191	BL860C i4	HP-UX B.11.31		2	16	2.53	130	100
	AS 12	hca22p12	10.138.3.193	hcbiwp12	10.138.3.194	BL860C i4	HP-UX B.11.31		2	16	2.53	130	100
	AS 13	hca12p13	10.138.3.203	hcbiwp13	10.138.3.204	BL860C i4	HP-UX B.11.31		2	16	2.53	130	100
	AS14	hca21p00	10.138.3.195	hcbiwp14	10.138.3.117	BL860C i4	HP-UX B.11.31		2	16	2.53	130	100
	BD	hchbwcp0	10.138.27.70	NA	NA	SUPERDOME FLEX280	LINUX SUSE Enterprise Server 15 SP2		8	28	2.6	12288	100

- (H) El servidor tiene habilitado Hyperthreading
- integrado a solman 7.2 en azure

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

BW COMERCIAL - COMPONENTES

Amb	Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs*	Cores x CPU	(GHz)	Mem (GB)	% en serv
DEV	ASCS	hca13d00	10.138.3.200	hcbiwd00	10.138.3.201	BL860C i6	HP-UX B.11.31	BCD	1H	8	2.66	64	100
	SCS + BD	hca13d00	10.138.3.200	hcbiwd01	10.138.3.202	BL860C i6	HP-UX B.11.31	BC1	1H	8	2.66	64	100
	HBD	hchbwcd0	10.138.27.72	NA	NA	DL560 Gen10	LINUX SuSE Enterprise Server 15 SP2	BCD	4H	24	2.9	2304	100
QAS	ASCS	hca14q00	10.138.3.197	hcbiwq00	10.138.3.198	BL860C I6	HP-UX B.11.31	BCQ	1H	8	2.66	64	100
	SCS + BD	hca14q00	10.138.3.197	hcbiwq01	10.138.3.199	BL860C I6	HP-UX B.11.31	BC2	1H	8	2.66	64	100
	HBD	hchbwcq0	10.138.27.71	NA	NA	DL560 Gen10	LINUX SuSE Enterprise Server 15 SP2	BCQ	4H	24	2.4	4608	100

- (H) El servidor tiene habilitado Hyperthreading
- BCD y BCQ integrados a solman 7.2 en Azure

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

HANA COCKPIT- COMPONENTES

Amb	Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs*	Cores x CPU	(GHz)	Mem (GB)	% en serv
PROD	Hana Cockpit	hchckpt0	10.138.2.146	N/A	N/A	VM	LINUX SuSE Enterprise Server 15 SP2	H4C	1H	8	2.2	64	100

* (H) El servidor tiene habilitado Hyperthreading

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

EPM FIM - Componentes

Amb	Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs*	Cores x CPU	(GHz)	Mem (GB)	% en serv	Agentes
PRD	APP + DB	kofmxqrfimprd	10.138.27.47	NA	NA	BL460C G10	Windows 2016 Standard	FIP	2^H	20	2.4	128	100	
QAS	APP + DB	kofmxqrapfimq	10.138.27.44	NA	NA	BL460C G10	Windows 2016 Standard	FIQ	2^H	8	2.1	64	100	
DEV	APP + BD	kofmxqrapfimd	10.138.27.43	NA	NA	BL460C G10	Windows 2016 Standard	FID	2^H	8	2.1	64	100	

* (H) El servidor tiene habilitado Hyperthreading

© 2021 DXC Technology Company. All rights reserved.

EPM PCM - Componentes

Ambiente		Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)	% en serv	Agentes
PCM	PRD	App	kofmxqrappcm0	10.138.27.30	NA	NA	BL460C G10	Windows 2016 Standard	SI0	2H	8	2.1	128	100	
		BD	kofmxqrdbpcm0	10.138.27.33	NA	NA	BL460C G10	Windows 2016 Standard	SI0	2H	8	2.1	64	100	
		App	kofmxqrappcm1	10.138.27.31	NA	NA	BL460C G10	Windows 2016 Standard	SI1	2H	8	2.1	128	100	
		BD	kofmxqrdbpcm1	10.138.27.34	NA	NA	BL460C G10	Windows 2016 Standard	SI1	2H	8	2.1	64	100	
		App	kofmxqrappcm2	10.138.27.38	NA	NA	BL460C G10	Windows 2016 Standard	SI2	2H	8	2.1	128	100	
		BD	kofmxqrdbpcm2	10.138.27.35	NA	NA	BL460C G10	Windows 2016 Standard	SI2	2H	8	2.1	64	100	
		App	kofmxqrappcm3	10.138.27.39	NA	NA	BL460C G10	Windows 2016 Standard	SI3	2H	8	2.1	128	100	
		BD	kofmxqrdbpcm3	10.138.27.36	NA	NA	BL460C G10	Windows 2016 Standard	SI3	2H	8	2.1	64	100	
	CITRIX	BD	Kofmxqrdbmctx	10.138.27.32	NA	NA	BL460C G10	Windows 2016 Standard	NA	2H	8	2.6	32	100	
		APP	kofmxqrepmctx	10.138.27.40	N/A	N/A	BL460C G10	Windows 2016 Standard	NA	2H	8	2.1	64	100	
	QAS	App + BD	kofmxqrappcmq	10.138.27.37	NA	NA	BL460C G10	Windows 2016 Standard	PCQ	2H	8	2.1	64	100	
	DEV	App + BD	kofmxqrappcmd	10.138.27.41	NA	NA	BL460C G10	Windows 2016 Standard	PCD	2H	8	2.1	64	100	

* (H) El servidor tiene habilitado Hyperthreading

© 2021 DXC Technology Company. All rights reserved.

EP - COMPONENTES

Amb	Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs*	Cores x CPU	(GHz)	Mem (GB)	% en serv	Agente
PRD	SCS + DB + WD	hcap3pn0	10.138.2.45	hcepop01	10.138.2.50	SUPERDOME 2	HP-UX B.11.31	JC4+JC8	2(H)	8	2.53	136	20	
	Standby HA	hcap3pn1	10.138.2.46	NA	NA	SUPERDOME 2	HP-UX B.11.31	JC4+PC4+MC4+ JC8+PC8+MC8	2(H)	8	2.53	136	20	
	AS 10	hc233p10	10.138.2.64	hiaplp10	10.138.2.178	BL860C i4	HP-UX B.11.31	JC4	1(H)	8	2.53	128	60	
	AS 11	hc413p13	10.138.2.96	hiaplp11	10.138.2.150	BL860C i6	HP-UX B.11.31	JC4	1(H)	8	2.66	128	60	
	SCS + DB + WD	hcap3pn0	10.138.2.45	hcepop02	10.138.2.51	SUPERDOME 2	HP-UX B.11.31	MC4+MC8	2(H)	8	2.53	140	25	
	AS 10	hc233p10	10.138.2.64	hiaplp10	10.138.2.178	BL860C i4	HP-UX B.11.31	PC4	1(H)	8	2.53	64	25	
	AS 11	hc413p13	10.138.2.96	hiaplp11	10.138.2.150	BL860C i6	HP-UX B.11.31	PC4	1(H)	8	1.73	64	25	
	SCS + DB + WD	hcap3pn0	10.138.2.45	hcepop00	10.138.2.49	SUPERDOME 2	HP-UX B.11.31	PC4+PC8	2(H)	8	2.53	140	25	
	AS 10	hc233p10	10.138.2.64	hiaplp10	10.138.2.178	BL860C i4	HP-UX B.11.31	MC4	1(H)	8	2.53	128	25	
	AS 11	hc413p13	10.138.2.96	hiaplp11	10.138.2.150	BL860C i6	HP-UX B.11.31	MC4	1(H)	8	1.73	128	25	
	TREX	NA	NA	KOFMXQRTXPTK4	10.138.6.55	Virtual Machine	Windows 2019 Standard	TK4	1	4	2.93	4	100	
	Webdisp. 1	fewebpr1	192.168.103.50	NA	NA	RX2800 i6	HP-UX B.11.31	JC4	1(H)	4	1.73	16	100	

- (H) El servidor tiene habilitado Hyperthreading
- Integrado a SOLMAN 7.2

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

EP - COMPONENTES

Amb	Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs*	Cores x CPU	(GHz)	Mem (GB)	% en serv	Agente
DEV	SCS + DB + AS	kofmxqrepdev	10.138.178.218	hcepod00	10.138.2.127	VMware20, 1	RHEL 9.4	JC1	1*	8	2.90	64	33	
	SCS + DB + AS	kofmxqrepdev	10.138.178.218	hcepod00	10.138.2.127	VMware20, 1	RHEL 9.4	PC1	1H	8	2.90	64	33	
	SCS + DB + AS	kofmxqrepdev	10.138.178.218	hcepod00	10.138.2.127	VMware20, 1	RHEL 9.4	MC1	1H	8	2.90	64	33	
	TREX	NA	NA	kofmxqrtxdtk1	10.138.5.72	Virtual Machine	Windows 2019 Standard	TK1	1	2	2.20	4	100	
QAS	SCS + DB + WD	hc228q01	10.138.2.77	hcepoq01	10.138.2.133	BL860C i4	HP-UX B.11.31	JC2+JC7	1H	8	1.73	64	25	
	AS	hc228q01	10.138.2.77	hcepqq10	10.138.2.166	BL860C i4	HP-UX B.11.31	JC2 PC2 MC2	1H	8	1.73	64	25	
	SCS + DB + WD	hc228q01	10.138.2.77	hcepoq02	10.138.2.132	BL860C i4	HP-UX B.11.31	MC2+MC7	1H	8	1.73	64	25	
	AS	hc228q01	10.138.2.77	hcepqq10	10.138.2.166	BL860C i4	HP-UX B.11.31	JC2 PC2 MC2	1H	8	1.73	64	25	
	SCS + DB + WD	hc228q01	10.138.2.77	hcepoq00	10.138.2.131	BL860C i4	HP-UX B.11.31	PC2+PC7	1H	8	1.73	64	25	
	AS	hc228q01	10.138.2.77	hcepqq10	10.138.2.166	BL860C i4	HP-UX B.11.31	JC2 PC2 MC2	1H	8	1.73	64	25	
	TREX	NA	NA	kofmxqrtxqtk2	10.138.5.73	Virtual Machine	Windows 2019 Standard	TK2	1	2	2.20	4	100	
	Webdisp. 5	fewebpr5	192.168.103.54	NA	NA	RX2800 i6	RHEL 9.4	JC2	1H	16	2.53	64	100	

- (H) El servidor tiene habilitado Hyperthreading
- Se integró a SOLMAN 7.2

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

CAS - COMPONENTES

Amb	Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)	% en serv
PRD	ASCS+DB+WD	hcap3pn0	10.138.2.45	hccasp00	10.138.2.47	SUPERDOME 2	HP-UX B.11.31	UCP / UC5 /UCW/UC8	2^H	8	2.53	140	100
	SCS+DB+WD	hcap3pn0	10.138.2.45	hccasp02	10.138.2.48	SUPERDOME 2	HP-UX B.11.31	UCP / UC5 /UCW/UC8	2^H	8	2.53	140	100
	Standby HA	Hcap3pn1	10.138.2.46	NA	NA	SUPERDOME 2	HP-UX B.11.31	UCP / UC5 /UCW/UC8	2^H	8	2.53	140	100
	AS 10	hc233p10	10.138.2.64	hiaplp10	10.138.2.178	BL860c i4	HP-UX B.11.31	UCP / UC5	1^H	8	2.53	128	40
	AS 11	hc413p13	10.138.2.96	hiaplp11	10.138.2.150	BL860c i6	HP-UX B.11.31	UCP / UC5	1^H	8	2.66	128	40
DEV	SCS+DB+AS	kofmxqrcasdev	10.138.178.127	hccasd01	10.138.2.152	VMware20,1	RHEL 9.4	UCD / UC2	1^H	8	2.53	64	100

- (H) El servidor tiene habilitado Hyperthreading
- Integrado a SOLMAN 7.2

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

PI - COMPONENTES

Amb	Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)	% en serv
PRD	ASCS+SCS+DB + WD	hlap1pn0	10.138.2.34	hcppip00	10.138.2.163	SUPERDOME 2	HP-UX B.11.31	XCP+XCW	2H	8	2.53	124	50
	Standby HA	hlap1pn1	10.138.2.35	hcppip00	10.138.2.163	SUPERDOME 2	HP-UX B.11.31	XCP+XCW	2H	8	2.53	124	50
	AS	hc417p02	10.138.2.100	hcaplp13	10.138.2.110	BL860c i6	HP-UX B.11.31	XCP	1H	8	2.66	64	100
	AS	ha217p02	10.138.2.84	hcaplp14	10.138.2.109	BL860c i4	HP-UX B.11.31	XCP	1H	8	2.53	64	100
DEV	ASCS+DB+AS	hc226d02	10.138.2.75	hcppid00	10.138.2.162	BL860C i4	HP-UX B.11.31	XCD	1H	8	2.53	64	100
QAS	ASCS+SCS+DB+ WD*	ha118q01	10.138.2.61	hcppiq00	10.138.2.128	BL860C i4	HP-UX B.11.31	XCQ+XQW	1H	8	2.53	64	100
	AS	ha118q01	10.138.2.61	hcpiqa10	10.138.2.129	BL860C i4	HP-UX B.11.31	XCQ	1H	8	2.53	64	100

- (H) El servidor tiene habilitado Hyperthreading
- Integrado a SOLMAN 7.2

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

CRM MX – AR – COMPONENTES NUEVA INFRAESTRUCTURA

Amb	Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)	% en serv
PRD	BD+SCS+ASCS + WD*	KOFMXQRCRMMXPDBN0	10.138.2.15	hacrmp00	10.138.2.19	VMWare	RHEL 7.9	CAP / CA4 /CAW/CA8	1H	16	2.9	64	100
	AS 10	KOFMXQRCRMMXAPP10	10.138.2.55	hgaplp10	10.138.2.169	VMWare	RHEL 7.9	CAP / CA4	1H	16	2.9	64	100
	AS 11	KOFMXQRCRMMXAPP11	10.138.2.79	hgaplp11	10.138.2.176	VMWare	RHEL 7.9	CAP / CA4	1H	16	2.9	64	100
	AS 12	KOFMXQRCRMMXAPP12	10.138.2.95	hgaplp12	10.138.2.179	VMWare	RHEL 7.9	CAP / CA4	1H	16	2.9	64	100
	Webdisp. 4**	fewebpr4	192.168.103.53	NA	NA	Proliant DL325 G10	RHEL 9.4	CA4	1H	16	1.7	16	100
QAS	BD+ASCS+SCS+CI+App + WD*	KOFMXQRCRMQA	10.138.2.56	NA	NA	VMWare	RHEL 7.9	CRQ /CR2/CQW/CR7	1H	8	2.9	64	100
DEV	BD+ASCS+SCS+CI+App + WD*	KOFMXQRCRMDEV	10.138.2.59	NA	NA	VMWare	RHEL 7.9	CRD /CR1/CDW/CR6	1H	8	2.9	64	100

- (H) El servidor tiene habilitado Hyperthreading
- Integrado a SOLMAN 7.2

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

CRM LA – COMPONENTES NUEVA INFRAESTRUCTURA

Amb	Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)	% en serv
PRD	BD+ASCS+LC+ SCS + WD*	KOFMXQRCRMLAP DBN0	10.138.2.34	hlcrmp00	10.138.2.36	VM Ware	RHEL 7.9	CLP/CL4/CLW/ CL8	1H	16	2.9	64	100
	AS 10	KOFMXQRCRMLAA PP10	10.138.2.57	hlaplp10	10.138.2.161	VM Ware	RHEL 7.9	CLP/CL4	1H	16	2.9	64	100
	AS 11	KOFMXQRCRMLAA PP11	10.138.2.99	hlaplp11	10.138.2.158	VM Ware	RHEL 7.9	CLP/CL4	1H	16	2.9	64	100
	AS 12	KOFMXQRCRMLAA PP12	10.138.2.93	hlaplp12	10.138.2.159	VM Ware	RHEL 7.9	CLP/CL4	1H	16	2.9	64	100

- (H) El servidor tiene habilitado Hyperthreading
- Integrado a SOLMAN 7.2

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

GRC KOF - COMPONENTES

Amb	Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs*	Cores x CPU	(GHz)	Mem (GB)	% en serv
PRD	ASCS + BD	hcn11p00	10.138.5.25	hcgrcp00	10.138.3.174	BL870C i4	HP-UX 11.31	GCP	4^{H}	8	2.53	261	100
	AS 10	hc913p10	10.138.3.171	hcgrcp10	10.138.3.172	BL860C i4	HP-UX 11.31	GCP	1^{H}	8	2.53	64	100
	AS 11	hc915p11	10.138.3.175	hcgrcp11	10.138.3.176	BL860C i4	HP-UX 11.31	GCP	1^{H}	8	2.53	64	100
	AS 12	hc921p12	10.138.3.177	hcgrcp12	10.138.3.178	BL860C i4	HP-UX 11.31	GCP	1^{H}	8	2.53	64	100
	AS 13	hc914p00	10.138.5.27	hcgrcp13	10.138.5.28	BL860C i4	HP-UX 11.31	GCP	1^{H}	8	2.53	64	100
	Portal GRC	hc912p00	10.138.3.169	hcepgp00	10.138.3.170	BL860C i4	HP-UX 11.31	GC4	1^{H}	8	2.53	64	100
DEV	ASCS + BD	hc924d00	10.138.3.183	hcgrcd00	10.138.3.184	BL860C i4	HP-UX 11.31	GCD	1^{H}	8	2.53	64	100
	Portal GRC	hc911d00	10.138.3.167	hcepgd00	10.138.3.168	BL860C i4	HP-UX 11.31	GC1	1^{H}	8	2.53	64	100

* (H) El servidor tiene habilitado Hyperthreading

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

GRC JDV - COMPONENTES

Amb	Servicios	Host Física	IP Física	Modelo	S.O.	SID	CPUs*	Cores x CPU	(GHz)	Mem (GB)	% en serv	Agentes
PRD	AS + ASCS + BD	jdvmxqrgrcprd	10.126.100.120	DL580 G9	Windows 2012 R2	GJP	3H	8	2.00	128	100	
	Portal GRC + SCS	jdvmxqrgrcpdf	10.126.121.28	Hyper V	Windows 2012 R2	GJ4	1	4	2.40	32	100	
DEV	ASCS + BD	jdvmxqrgrcdbd	10.126.100.121	DL380P G8	Windows 2012 R2	GJD	2H	8	2.00	32	100	
	AS	jdvmxqrgrcdev	10.126.121.29	Hyper V	Windows 2012 R2	GJD	1	12	2.40	32	100	

- (H) El servidor tiene habilitado Hyperthreading
- Integrados a SOLMAN 7.2

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

MII 15.1 - COMPONENTES

Ambiente	Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)	% en serv
Concentrador PRD	DB SQL	NA	NA	kofbrsmcmes02	10.122.122.202	VMWARE	Windows 2012 Standard R2	NA	1	8	2.40	64	100

** Instancias apagadas en los aplicativos 12,36,

* (H) El servidor tiene habilitado Hyperthreading

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

DS 4.3 SP02 - COMPONENTES

Amb	Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs*	Cores x CPU	(GHz)	Mem (GB)	% en serv	Agentes
DEV	BD + Job Server	NA	NA	KOFMXQRDSDNV1	10.138.5.74	Virtual Machine	Windows 2019 STD	DKS	1	6	2.2	32	100	
QAS	Nodo 1	NA	NA	KOFMXQRDSQNV1	10.138.5.84	Virtual Machine	Windows 2019 STD	QKS	1	6	2.2	16	100	
	Nodo 2	NA	NA	KOFMXQRDSQNV2	10.138.5.85	Virtual Machine	Windows 2019 STD	QKS	1	6	2.2	16	100	
	Job Server 1	NA	NA	KOFMXQRDSQJV1	10.138.5.83	Virtual Machine	Windows 2019 STD	QKS	1	6	2.2	64	100	
PRD *	Nodo 1	NA	NA	KOFMXQRDSPNV1	10.138.6.86	Virtual Machine	Windows 2019 STD	PKS	2	28	2.2	128	100	
	Nodo 2	NA	NA	KOFMXQRDSPNV2	10.138.6.87	Virtual Machine	Windows 2019 STD	PKS	2	28	2.2	128	100	
	Job Server 1	NA	NA	KOFMXQRDSPJV1	10.138.6.83	Virtual Machine	Windows 2019 STD	PKS	2	28	2.2	128	100	
	Job Server 2	NA	NA	KOFMXQRDSPJV2	10.138.6.84	Virtual Machine	Windows 2019 STD	PKS	2	28	2.2	128	100	
	Job Server 3	NA	NA	KOFMXQRDSPJV3	10.138.6.85	Virtual Machine	Windows 2019 STD	PKS	2	28	2.2	128	100	

* (H) El servidor tiene habilitado Hyperthreading

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

NWDI - COMPONENTES

Amb	Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs*	Cores x CPU	(GHz)	Mem (GB)	% en serv
DEV	SCS, DB, AS	hc216d00	10.138.2.83	hcndid00	10.138.2.103	BL860C i4	HP-UX B.11.31	DC1	1H	8	2.53	64	100

* (H) El servidor tiene habilitado Hyperthreading

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

HISTÓRICOS - COMPONENTES

Amb		Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs *	Cores x CPU	(GHz)	Mem (GB)	% en serv
Histórico CiaFlu	PRD	SCS, BD	cfrsap10	10.122.122.63	NA	NA	Físico	SUSE 11	ECP	2	8	2.4	16	100
REMIL	PRD	SCS, BD	Sr3pr	10.121.79.52	NA	NA	Virtual Server VMWare	Windows 2003 Enterprise R2	EPR	1	8	2.4	16	100
SPAIPA	PRD	SCS, BD	Prdsap	10.122.122.150	NA	NA	Físico	AIX 6.1	PRD	1	4	3.5	100	100
SPAIPA	PRD	APP	App1sap	10.122.122.151	NA	NA	Físico	AIX 6.1	PRD	1	4	3.5	100	100
SPAIPA	Legados	SCS, BD	Prdspaipa	10.122.122.152	NA	NA	Físico	AIX 6.1	PRD	1	4	3.5	100	100
Nuevo Concentrador Históricos RHR*	PRD	ASCS, BD	glfehisap0	10.121.79.57	NA	NA	Virtual Server VMWare	Red Hat 8.10	RHR	1	8	2.53	64	100
VONPAR	PRD	ASCS, BD, APP	vonsapvpr1	10.122.122.179	N/A	N/A	Virtual Server VMWare	SUSE 12	VPR	4	2	2.5	32	-
FP1*	Legados	ASCS, BD	feprr3cl	10.121.79.50	N/A	N/A	Virtual Server VMWare	Red Hat 5.11	FP1	8	8	3.0	64	-
HISTORICO BRASIL*	Legados	ASCS, BD	Kofmxqrhbr	10.121.79.56	N/A	N/A	Virtual Server VMWare	Windows 2003 Enterprise R2	P01	1	4	2.4	64	-
KOFUY*	Legados	ASCS, BD	kofmxauydbr43	10.121.79.58	N/A	N/A	Virtual Server VMWare	Windows 2012 Enterprise R2	P01	8	32	2.9	64	52

* (H) El servidor tiene habilitado Hyperthreading

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential


INFRAESTRUCTURA LANDING ZONE

Componentes

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

SAP S4 HANA – S4P

SAP S4
Instancias: S4P
SO: Linux (redhat 8.8) HA




© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

SAP S4 HANA – S4R

SAP S4

Instancias: S4R

SO: Linux (redhat 8.8) HA



Standard D4as v4
(4 vcpus, 16 GiB memory)

Standard D8ds v4
(8 vcpus, 32 GiB memory)

Standard E32as v4
(32 vcpus, 256 GiB memory)

Standard M832ids 16 v3
(832 vcpus, 15200 GiB memory)


© 2026 DXC Technology Company. All rights reserved.
DXC Confidential


SAP SLT

Instancias: T4P

SO: Linux (redhat 8.8) HA

SAP SLT – T4P






© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

SAP MDG

Instancias: M4P

SO: Linux (redhat 8.8) HA

SAP MDG – M4P




© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

Instancias: G4P

SO: Linux (redhat 8.8) HA

SAP GRC – G4P



© 2026 DXC Technology Company. All rights reserved.


DXC Confidential

SAP EWM – EMP

SAP EWM

Instancias: EMP

SO: Linux (redhat 8.8) HA




© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

SAP SCM

Instancias: SMP

SO: Linux (redhat 8.8) HA

SAP SCM – SMP



© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

COMPONENTES - GRC PREPRODUCTIVO

Ambiente		Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
GRC / PRE	KOF-S4HERP-PRE	DB N1	KOFMXAGRDBRN0	10.155.127.38	N/A	N/A	Standard M32ts	Linux (redhat 9.4) HA	GHR	1	32	2.50	192
		DB N2	KOFMXAGRDBRN1	10.155.127.39	N/A	N/A	Standard M32ts	Linux (redhat 9.4) HA	GHR	1	32	2.50	192
		ILB DB	N/A	N/A	KOFMXAGRDBRV0	10.155.127.36	N/A	N/A		N/A	N/A	N/A	N/A
		ASCS / ERS	KOFMXAGRASRN0	10.155.127.57	N/A	N/A	Standard D4ds v4	Linux (redhat 9.4) HA	G4R	1	4	2.60	16
		ASCS / ERS	KOFMXAGRASRN1	10.155.127.58	N/A	N/A	Standard D4ds v4	Linux (redhat 9.4) HA	G4R	1	4	2.60	16
		ILB ASCS	N/A	N/A	KOFMXAGRASRV0	10.155.127.53	N/A	N/A		N/A	N/A	N/A	N/A
		ILB ERS	N/A	N/A	KOFMXAGRERRV1	10.155.127.56	N/A	N/A		N/A	N/A	N/A	N/A
		PAS	KOFMXAGRPAR10	10.155.127.55	N/A	N/A	Standard D8as v4	Linux (redhat 9.4) HA	G4R	1	8	2.35	32
		AAS	KOFMXAGRAAR11	10.155.127.54	N/A	N/A	Standard D8as v4	Linux (redhat 9.4) HA	G4R	1	8	2.35	32
		WD	KOFMXAGRWDRN0	10.155.127.59	N/A	N/A	Standard D2as v4	Linux (redhat 9.4) HA	GRW	1	2	2.35	8
		WD	KOFMXAGRWDRN1	10.155.127.60	N/A	N/A	Standard D2as v4	Linux (redhat 9.4) HA	GRW	1	2	2.35	8
		ILB WDP	N/A	N/A	KOFMXAGRWDRV0	10.155.127.52	N/A	N/A		N/A	N/A	N/A	N/A

erved.
DXC Confidential

COMPONENTES GRC PRODUCCIÓN

Ambiente		Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
GRC / PRO	KOF-S4HERP-PRO	DB N1	KOFMXAGRDBPN0	10.155.159.52	N/A	N/A	Standard M32ts	Linux (redhat 8.8) HA	GHP	1	32	2.50	192
		DB N2	KOFMXAGRDBPN1	10.155.159.53	N/A	N/A	Standard M32ts	Linux (redhat 8.8) HA	GHP	1	32	2.50	192
		ILB DB	N/A	N/A	KOFMXAGRDBPV0	10.155.159.54	N/A	N/A		N/A	N/A	N/A	N/A
		ASCS / ERS	KOFMXAGRASPN0	10.155.159.36	N/A	N/A	Standard D4ds v4	Linux (redhat 8.8) HA	G4P	1	4	2.60	16
		ASCS / ERS	KOFMXAGRASPN1	10.155.159.37	N/A	N/A	Standard D4ds v4	Linux (redhat 8.8) HA	G4P	1	4	2.60	16
		ILB ASCS	N/A	N/A	KOFMXAGRASPV0	10.155.159.42	N/A	N/A		N/A	N/A	N/A	N/A
		ILB ERS	N/A	N/A	KOFMXAGRERPV1	10.155.159.43	N/A	N/A		N/A	N/A	N/A	N/A
		PAS	KOFMXAGRPAP10	10.155.159.38	N/A	N/A	Standard E64as v4	Linux (redhat 8.8) HA	G4P	1	64	2.35	512
		AAS	KOFMXAGRAAP11	10.155.159.39	N/A	N/A	Standard E64as v4	Linux (redhat 8.8) HA	G4P	1	64	2.35	512
		WD	KOFMXAGRWDPN0	10.155.159.40	N/A	N/A	Standard D2as v4	Linux (redhat 8.8) HA	GPW	1	2	2.35	8
		WD	KOFMXAGRWDPN1	10.155.159.41	N/A	N/A	Standard D2as v4	Linux (redhat 8.8) HA	GPW	1	2	2.35	8
		ILB WDP	N/A	N/A	KOFMXAGRWDPV0	10.155.159.44	N/A	N/A		N/A	N/A	N/A	N/A

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

COMPONENTES MDG – PREPRODUCTIVO

Ambiente	Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
MDG / PRE – KOF-S4HERP-PRE	DB N1	KOFMXAMGDBRN0	10.155.127.150	N/A	N/A	Standard M64ls	Linux (redhat 8.8) HA	MHR	2	32	2.70	515
	DB N2	KOFMXAMGDBRN1	10.155.127.151	N/A	N/A	Standard M64ls	Linux (redhat 8.8) HA	MHR	2	32	2.70	515
	ILB DB	N/A	N/A	KOFMXAMGDBRV0	10.155.127.148	N/A	N/A		N/A	N/A	N/A	N/A
	ASCS / ERS	KOFMXAMGASRN0	10.155.127.169	N/A	N/A	Standard D4ds v4	Linux (redhat 8.8) HA	M4R	1	2	2.60	15
	ASCS / ERS	KOFMXAMGASRN1	10.155.127.170	N/A	N/A	Standard D4ds v4	Linux (redhat 8.8) HA	M4R	1	2	2.60	15
	ILB ASCS	N/A	N/A	KOFMXAMGASRV0	10.155.127.164	N/A	N/A		N/A	N/A	N/A	N/A
	ILB ERS	N/A	N/A	KOFMXAMGERRV1	10.155.127.168	N/A	N/A		N/A	N/A	N/A	N/A
	PAS	KOFMXAMGPAR10	10.155.127.167	N/A	N/A	Standard E8as v4	Linux (redhat 8.8) HA	M4R	1	4	2.44	63
	AAS	KOFMXAMGAAR11	10.155.127.165	N/A	N/A	Standard E8as v4	Linux (redhat 8.8) HA	M4R	1	4	2.44	63
	WD	KOFMXAMGWDRN0	10.155.127.171	N/A	N/A	Standard D2as v4	Linux (redhat 8.8) HA	MRW	1	1	2.44	7
	WD	KOFMXAMGWDRN1	10.155.127.172	N/A	N/A	Standard D2as v4	Linux (redhat 8.8) HA	MRW	1	1	2.44	7
	ILB WDP	N/A	N/A	KOFMXAMGWDRV0	10.155.127.166	N/A	N/A		N/A	N/A	N/A	N/A

© 2026 DXC Technology Company. All rights reserved.

DXC Confidential

COMPONENTES MDG - PRODUCCIÓN

Ambiente	Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
MDG / PRO	DB N1	KOFMXAMGDBPN0	10.155.159.20	N/A	N/A	Standard M64ls	Linux (redhat 8.8) HA	MHP	2	32	2.70	515
	DB N2	KOFMXAMGDBPN1	10.155.159.21	N/A	N/A	Standard_M64ls	Linux (redhat 8.8) HA	MHP	2	32	2.70	515
	ILB DB	N/A	N/A	KOFMXAMGDBPV0	10.155.159.22	N/A	N/A		N/A	N/A	N/A	N/A
	ASCS / ERS	KOFMXAMGASPN0	10.155.159.4	N/A	N/A	Standard_D4ds_v4	Linux (redhat 8.8) HA	M4P	1	2	2.60	15
	ASCS / ERS	KOFMXAMGASPN1	10.155.159.5	N/A	N/A	Standard_D4ds_v4	Linux (redhat 8.8) HA	M4P	1	2	2.60	15
	ILB ASCS	N/A	N/A	KOFMXAMGASPV0	10.155.159.10	N/A	N/A		N/A	N/A	N/A	N/A
	ILB ERS	N/A	N/A	KOFMXAMGERPV1	10.155.159.11	N/A	N/A		N/A	N/A	N/A	N/A
	PAS	KOFMXAMGPAP10	10.155.159.6	N/A	N/A	Standard_E8as_v4	Linux (redhat 8.8) HA	M4P	1	2	2.45	63
	AAS	KOFMXAMGAAP11	10.155.159.7	N/A	N/A	Standard_E8as_v4	Linux (redhat 8.8) HA	M4P	1	2	2.45	63
	WD	KOFMXAMGWDPN0	10.155.159.8	N/A	N/A	Standard_D2as_v4	Linux (redhat 8.8) HA	MPW	1	1	2.45	7
	WD	KOFMXAMGWDPN1	10.155.159.9	N/A	N/A	Standard_D2as_v4	Linux (redhat 8.8) HA	MPW	1	1	2.45	7
	ILB WDP	N/A	N/A	KOFMXAMGWDPV0	10.155.159.12	N/A	N/A		N/A	N/A	N/A	N/A

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

COMPONENTES SLT – PREPRODUCTIVO

Ambiente		Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
SLT / PRE	KOF-S4HERP-PRE	DB N1	KOFMXAT4DBRN0	10.155.127.200	N/A	N/A	Virtual Machine Azure®	Linux (redhat 8.8) HA	THR	1	32	2.50	256
		DB N2	KOFMXAT4DBRN1	10.155.127.201	N/A	N/A	Standard M32ls	Linux (redhat 8.8) HA	THR	1	32	2.50	256
		ILB DB	N/A	N/A	KOFMXAT4DBRV0	10.155.127.198	N/A	N/A		N/A	N/A	N/A	N/A
		ASCS / ERS	KOFMXAT4ASRN0	10.155.127.186	N/A	N/A	Standard D4ds v4	Linux (redhat 8.8) HA	T4R	1	4	2.60	16
		ASCS / ERS	KOFMXAT4ASRN1	10.155.127.190	N/A	N/A	Standard D4ds v4	Linux (redhat 8.8) HA	T4R	1	4	2.60	16
		ILB ASCS	N/A	N/A	KOFMXAT4ASRV0	10.155.127.185	N/A	N/A		N/A	N/A	N/A	N/A
		ILB ERS	N/A	N/A	KOFMXAT4ERRV1	10.155.127.184	N/A	N/A		N/A	N/A	N/A	N/A
		PAS	KOFMXAT4PAR10	10.155.127.189	N/A	N/A	Standard E16as v4	Linux (redhat 8.8) HA	T4R	1	16	2.35	128
		AAS	KOFMXAT4AAR11	10.155.127.187	N/A	N/A	Standard E16as v4	Linux (redhat 8.8) HA	T4R	1	16	2.35	128
		WD	KOFMXAT4WDRN0	10.155.127.180	N/A	N/A	Standard D4as v4	Linux (redhat 8.8) HA	TRW	1	4	2.35	16
		WD	KOFMXAT4WDRN1	10.155.127.181	N/A	N/A	Standard D4as v4	Linux (redhat 8.8) HA	TRW	1	4	2.35	16
		ILB WDP	N/A	N/A	KOFMXAT4WDRV0	10.155.127.188	N/A	N/A		N/A	N/A	N/A	N/A

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

COMPONENTES SLT - PRODUCCIÓN

Ambiente		Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
SLT / PRO	KOF-S4HERP-PRO	DB N1	KOFMXAT4DBPN0	10.155.159.201	N/A	N/A	Standard_M32ls	Linux (redhat 8.8) HA	THP	1	32	2.50	256
		DB N2	KOFMXAT4DBPN1	10.155.159.202	N/A	N/A	Standard_M32ls	Linux (redhat 8.8) HA	THP	1	32	2.50	256
		ILB DB	N/A	N/A	KOFMXAT4DBPV0	10.155.159.200	N/A	N/A		N/A	N/A	N/A	N/A
		ASCS /ERS	KOFMXAT4ASPN0	10.155.159.132	N/A	N/A	Standard_D4ds_v4	Linux (redhat 8.8) HA	T4P	1	4	2.60	16
		ASCS /ERS	KOFMXAT4ASPN1	10.155.159.133	N/A	N/A	Standard_D4ds_v4	Linux (redhat 8.8) HA	T4P	1	4	2.60	16
		ILB ASCS	N/A	N/A	KOFMXAT4ASPV0	10.155.159.134	N/A	N/A		N/A	N/A	N/A	N/A
		ILB ERS	N/A	N/A	KOFMXAT4ERPV1	10.155.159.135	N/A	N/A		N/A	N/A	N/A	N/A
		PAS	KOFMXAT4PAP10	10.155.159.189	N/A	N/A	Standard_E32as_v4	Linux (redhat 8.8) HA	T4P	1	32	2.44	256
		AAS	KOFMXAT4AAP11	10.155.159.190	N/A	N/A	Standard_E32as_v4	Linux (redhat 8.8) HA	T4P	1	32	2.44	256
		WD	KOFMXAT4WDPN0	10.155.159.187	N/A	N/A	Standard_D4as_v4	Linux (redhat 8.8) HA	TPW	1	4	2.35	16
		WD	KOFMXAT4WDPN1	10.155.159.188	N/A	N/A	Standard_D4as_v4	Linux (redhat 8.8) HA	TPW	1	4	2.35	16
		ILB WDP	N/A	N/A	KOFMXAT4WDPV0	10.155.159.186	N/A	N/A		N/A	N/A	N/A	N/A

© 2026 DXC Technology Company. All rights reserved.

DXC Confidential

COMPONENTES DEV

Ambiente		Servicios	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
GRC / MDG SLT / S4HANA	KOF-S4HERP-DEV	PAS	KOFMXGRCAD1	10.155.32.196	Standard_E4as_v4	Linux (redhat 8.8) HA	G4D	1	4	2.35	32
		DB	KOFMXGRCHD1	10.155.32.212	Standard_M32ts	Linux (redhat 8.8) HA	GHD	1	32	2.50	192
		PAS	KOFMXMDGAD1	10.155.32.137	Standard_E4as_v4	Linux (redhat 8.8) HA	M4D	1	2	2.45	31
		DB	KOFMXMDGHD1	10.155.32.166	Standard_M32ls	Linux (redhat 8.8) HA	MHD	1	32	2.50	256
		PAS	KOFMXSLTA2	10.155.32.4	Standard_E4as_v4	Linux (redhat 8.8) HA	T4D	1	4	2.35	32
		DB	KOFMXSLTH2	10.155.32.36	Standard_E20s_v4	Linux (redhat 8.8) HA	THD	1	20	2.60	160
		PAS	KOFMXS4HANA1	10.155.32.134	Standard_M16ms	Linux (redhat 8.8) HA	SHD	1	16	2.50	478
		DB	KOFMXS4HAPP1	10.155.32.165	Standard_E16as_v4	Linux (redhat 8.8) HA	S4D	1	16	2.35	128

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

COMPONENTES QA

Ambiente		Servicios	Host Física	IP Física	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
GRC / MDG SLT / S4HANA	KOF-S4HERP-QAS	PAS	KOFMXGRCAQ1	10.155.64.196	Standard_E4as_v4	Linux (redhat 8.8) HA	G4Q	1	4	2.35	32
		DB	KOFMXGRCHQ1	10.155.64.212	Standard_M32ts	Linux (redhat 8.8) HA	GHQ	1	32	2.50	256
		PAS	KOFMXMDGAQ1	10.155.64.134	Standard_E16as_v4	Linux (redhat 8.8) HA	M4Q	1	8	2.45	128
		DB	KOFMXMDGHQ1	10.155.64.164	Standard_M64ls	Linux (redhat 8.8) HA	MHQ	1	32	2.50	256
		PAS	KOFMXSLTAQA2	10.155.64.6	Standard_D16as_v4	Linux (redhat 8.8) HA	T4Q	1	16	2.35	64
		DB	KOFMXSLTHQA2	10.155.64.37	Standard_E20s_v4	Linux (redhat 8.8) HA	THQ	1	20	2.60	256
		DB	KOFMXS4HANAQ1	10.155.64.165	Standard_M64s	Linux (redhat 8.8) HA	SHQ	1	16	2.50	956
		PAS	KOFMXS4HAPPQ1	10.155.64.133	Standard_D16as_v4	Linux (redhat 8.8) HA	S4Q	1	16	2.35	64

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

COMPONENTES S4 – PREPRODUCTIVO

Ambiente	Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
S4 /HANA / PRE	DB N2	KOFMXAS4DBRN2	10.155.127.229	N/A	N/A	Standard M832ids 16 v3	Linux (redhat 8.8) HA	SHR	1	832	2.50	15200
	DB N3	KOFMXAS4DBRN3	10.155.127.233	N/A	N/A	Standard M832ids 16 v3	Linux (redhat 8.8) HA	SHR	1	832	2.50	15200
	ILB DB	N/A	N/A	KOFMXAS4DBRV0	10.155.127.230	N/A	N/A		N/A	N/A	N/A	N/A
	ASCS /ERS	KOFMXAS4ASRN0	10.155.127.221	N/A	N/A	Standard D8ds v4	Linux (redhat 8.8) HA	S4R	1	8	2.60	32
	ASCS /ERS	KOFMXAS4ASRN1	10.155.127.222	N/A	N/A	Standard D8ds v4	Linux (redhat 8.8) HA	S4R	1	8	2.60	32
	ILB ASCS	N/A	N/A	KOFMXAS4ASRV0	10.155.127.216	N/A	N/A		N/A	N/A	N/A	N/A
	ILB ERS	N/A	N/A	KOFMXAS4ERRV1	10.155.127.214	N/A	N/A		N/A	N/A	N/A	N/A
	PAS	KOFMXAS4PAR10	10.155.127.220	N/A	N/A	Standard E32as v4	Linux (redhat 8.8) HA	S4R	1	32	2.35	256
	AAS	KOFMXAS4AAR11	10.155.127.217	N/A	N/A	Standard E32as v4	Linux (redhat 8.8) HA	S4R	1	32	2.35	256
	AAS	KOFMXAS4AAR12	10.155.127.218	N/A	N/A	Standard E32as v4	Linux (redhat 8.8) HA	S4R	1	32	2.35	256
	WD	KOFMXAS4WDRN0	10.155.127.212	N/A	N/A	Standard D4as v4	Linux (redhat 8.8) HA	SRW	1	4	2.35	16
	WD	KOFMXAS4WDRN1	10.155.127.213	N/A	N/A	Standard D4as v4	Linux (redhat 8.8) HA	SRW	1	4	2.35	16
	ILB WDP	N/A	N/A	KOFMXAS4WDRV0	10.155.127.219	N/A	N/A		N/A	N/A	N/A	N/A
S4 Sandbox	DB	N/A	N/A	KOFMXASODBSN0	10.155.4.15	Standard_M32ts	Linux (redhat 8.8)	SHX	1	32	2.50	192
	APP	N/A	N/A	KOFMXASOPAS10	10.155.4.14	Standard_D8ds_v4	Linux (redhat 8.8)	S4X	1	32	2.60	32

© 2026 DXC Technology Company. All rights reserved.

DXC Confidential

COMPONENTES S4/HANA - PRODUCCIÓN

Ambiente	Servicios	Host Física	IP Física	Host Física	IP Física	Modelo	S.O.	SID	CPUs *	Cores	(GHz)	Mem (GB)
KOF-S4HERP-PRO	DB N1	KOFMXAS4DBPN1	10.155.159.234	N/A	N/A	Standard_M832ixs v2	Linux (redhat 8.8) HA	SHP	1	832	2.70	23TB
	DB N0	KOFMXAS4DBPN0	10.155.159.230	N/A	N/A	Standard_M832ixs v2	Linux (redhat 8.8) HA	SHP	1	832	2.70	23TB
	ILB DB	N/A	N/A	KOFMXAS4DBPV0	10.155.159.238	N/A	N/A	SHP	N/A	N/A	N/A	N/A
	ASCS /ERS	KOFMXAS4ASPN0	10.155.159.216	N/A	N/A	Standard_D4ds_v4	Linux (redhat 8.8) HA	S4P	1	4	2.80	16
	ASCS /ERS	KOFMXAS4ASPN1	10.155.159.217	N/A	N/A	Standard_D4ds_v4	Linux (redhat 8.8) HA	S4P	1	4	2.80	16
	ILB ASCS	N/A	N/A	KOFMXAS4ASPV0	10.155.159.222	N/A	N/A	S4P	N/A	N/A	N/A	N/A
	ILB ERS	N/A	N/A	KOFMXAS4ERPV1	10.155.159.221	N/A	N/A	S4P	N/A	N/A	N/A	N/A
S4/HANA / PRO	PAS	KOFMXAS4PAP10	10.155.159.218	N/A	N/A	Standard_E32as_v4	Linux (redhat 8.8) HA	S4P	1	32	2.35	256
	AAS	KOFMXAS4AAP11	10.155.159.219	N/A	N/A	Standard_E32as_v4	Linux (redhat 8.8) HA	S4P	1	32	2.35	256
	AAS	KOFMXAS4AAP12	10.155.159.151	N/A	N/A	Standard_E32as_v4	Linux (redhat 8.8) HA	S4P	1	32	2.35	256
	AAS	KOFMXAS4AAP13	10.155.159.152	N/A	N/A	Standard_E32as_v4	Linux (redhat 8.8) HA	S4P	1	32	2.35	256
	AAS	KOFMXAS4AAP14	10.155.159.153	N/A	N/A	Standard_E32as_v4	Linux (redhat 8.8) HA	S4P	1	32	2.35	256
	AAS	KOFMXAS4AAP15	10.155.159.214	N/A	N/A	Standard_E32as_v4	Linux (redhat 8.8) HA	S4P	1	32	2.35	256
	WD	KOFMXAS4WDPN0	10.155.159.148	N/A	N/A	Standard_D4as_v4	Linux (redhat 8.8) HA	SPW	1	4	2.35	16
	WD	KOFMXAS4WDPN1	10.155.159.149	N/A	N/A	Standard_D4as_v4	Linux (redhat 8.8) HA	SPW	1	4	2.35	16
	ILB WDP	N/A	N/A	KOFMXAS4WDPV	10.155.159.150	N/A	N/A	SPW	N/A	N/A	N/A	N/A

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

COMPONENTES GRC PRODUCCIÓN

Ambiente	Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
GRC / PRO KOF-S4HERP-PRO	DB N1	KOFMXAGRDBPN0	10.155.159.52	N/A	N/A	Standard M32ts	Linux (redhat 8.8) HA	GHP	1	32	2.50	192
	DB N2	KOFMXAGRDBPN1	10.155.159.53	N/A	N/A	Standard M32ts	Linux (redhat 8.8) HA	GHP	1	32	2.50	192
	ILB DB	N/A	N/A	KOFMXAGRDBPV0	10.155.159.54	N/A	N/A		N/A	N/A	N/A	N/A
	ASCS / ERS	KOFMXAGRASPN0	10.155.159.36	N/A	N/A	Standard D4ds v4	Linux (redhat 8.8) HA	G4P	1	4	2.60	16
	ASCS / ERS	KOFMXAGRASPN1	10.155.159.37	N/A	N/A	Standard D4ds v4	Linux (redhat 8.8) HA	G4P	1	4	2.60	16
	ILB ASCS	N/A	N/A	KOFMXAGRASPV0	10.155.159.42	N/A	N/A		N/A	N/A	N/A	N/A
	ILB ERS	N/A	N/A	KOFMXAGRERPV1	10.155.159.43	N/A	N/A		N/A	N/A	N/A	N/A
	PAS	KOFMXAGRPAP10	10.155.159.38	N/A	N/A	Standard D8as v4	Linux (redhat 8.8) HA	G4P	1	8	2.35	32
	AAS	KOFMXAGRAAP11	10.155.159.39	N/A	N/A	Standard D8as v4	Linux (redhat 8.8) HA	G4P	1	8	2.35	32
	WD	KOFMXAGRWDPN0	10.155.159.40	N/A	N/A	Standard D2as v4	Linux (redhat 8.8) HA	GPW	1	2	2.35	8
	WD	KOFMXAGRWDPN1	10.155.159.41	N/A	N/A	Standard D2as v4	Linux (redhat 8.8) HA	GPW	1	2	2.35	8
	ILB WDP	N/A	N/A	KOFMXAGRWDPV0	10.155.159.44	N/A	N/A		N/A	N/A	N/A	N/A

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

COMPONENTES SLT - PRODUCCIÓN

Ambiente	Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
SLT / PRO	DB N1	KOFMXAT4DBPN0	10.155.159.201	N/A	N/A	Standard_M128s	Linux (redhat 8.8) HA	THP	1	128	2.50	2048
	DB N2	KOFMXAT4DBPN1	10.155.159.202	N/A	N/A	Standard_M128s	Linux (redhat 8.8) HA	THP	1	128	2.50	208
	ILB DB	N/A	N/A	KOFMXAT4DBPV0	10.155.159.200	N/A	N/A		N/A	N/A	N/A	N/A
	ASCS /ERS	KOFMXAT4ASPN0	10.155.159.132	N/A	N/A	Standard_D4ds_v4	Linux (redhat 8.8) HA	T4P	1	4	2.60	16
	ASCS /ERS	KOFMXAT4ASPN1	10.155.159.133	N/A	N/A	Standard_D4ds_v4	Linux (redhat 8.8) HA	T4P	1	4	2.60	16
	ILB ASCS	N/A	N/A	KOFMXAT4ASPV0	10.155.159.134	N/A	N/A		N/A	N/A	N/A	N/A
	ILB ERS	N/A	N/A	KOFMXAT4ERPV1	10.155.159.135	N/A	N/A		N/A	N/A	N/A	N/A
	PAS	KOFMXAT4PAP10	10.155.159.189	N/A	N/A	Standard_E32as_v4	Linux (redhat 8.8) HA	T4P	1	32	2.35	256
	AAS	KOFMXAT4AAP11	10.155.159.190	N/A	N/A	Standard_E32as_v4	Linux (redhat 8.8) HA	T4P	1	32	2.35	256
	AAS	KOFMXAT4AAP12	10.155.159.180	N/A	N/A	Standard E32as v4	Linux (redhat 8.8) HA	T4P	1	32	2.35	256
	WD	KOFMXAT4WDPN0	10.155.159.187	N/A	N/A	Standard_D4as_v4	Linux (redhat 8.8) HA	TPW	1	4	2.35	16
	WD	KOFMXAT4WDPN1	10.155.159.188	N/A	N/A	Standard_D4as_v4	Linux (redhat 8.8) HA	TPW	1	4	2.35	16
	ILB WDP	N/A	N/A	KOFMXAT4WDPV0	10.155.159.186	N/A	N/A		N/A	N/A	N/A	N/A


ved.
DXC Confidential

SOLMAN 7.2 – COMPONENTES EN AZURE

Amb		Servicios	Host Física	IP Física	Modelo	S.O.	SID	CPUs*	Cores x CPU	(GHz)	Mem (GB)	Agentes
7.2	DEV	DB	KOFMXASODBDN0	10.155.4.13	Standard M32ls	Linux Red Hat 8.8	SXH	1	32	2.50	256	
		AS + ASCS + SCS	KOFMXASOPAD10	10.155.4.11	Standard D16ds v4	Linux Red Hat 8.8	SXA / SXJ	1	16	2.60	64	
		AS + ASCS + SCS	KOFMXASOAAD11	10.155.4.10	Standard_D16ds _v4	Windows 2019 Standard R2	SXA / SXJ	1	16	2.60	64	
	PROD	DB	KOFMXSOLH1	10.155.4.37	Standard_M32ls	Linux Red Hat 8.8	SOH	1	32	2.50	64	
		AS + ASCS + SCS	KOFMXSOLA1	10.155.4.5	Standard_D16as _v4	Linux Red Hat 8.8	SOA/S OJ	1	16	2.35	64	
		AS + ASCS + SCS	KOFMXASOAAP11	10.155.4.9	Standard D16ds v4	Windows 2019 Standard R2	SOA/S OJ	1	16	2.60	64	

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

DIAGRAMA DATAPROVISIONING DESAROLLO




© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

DATA PROVISIONING AGENT DEV EN AZURE

Ambiente	Servicios	Host Virtual	IP Física	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
DATA PROVISIONING AGENT	DPA	KOFMXADPAPDN1	10.155.32.133	Standard_D8s_v3	Linux (redhat 8.8)	CRM MX	1	8	2.40GHz	32
	DPA	KOFMXADPAPDN2	10.155.32.135	Standard_D8s_v3	Linux (redhat 8.8)	CRM MX	1	8	2.40GHz	32
	DB	KOFMXACRM MXBDN0	10.155.32.167	Standard_M32ts	Linux (redhat 8.8)	DHD	1	32	2.50GHz	256
	DB									
	PAS									
	DB									
	DB									
	PAS									

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

DIAGRAMA DATAPROVISIONING PRODUCTIVO



© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

DATA PROVISIONING EN AZURE PRD

Ambiente	Servicios	Host Físicos	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
DATA PROVISIONING AGENT	DPA	KOFMXADPAPPN1	10.155.159.212	N/A	N/A	Standard_D32as_v4	Linux (redhat 8.8)	DPP	1	32	2.2 GHz	256
	DPA	KOFMXADPAPPN2	10.155.159.213	N/A	N/A	Standard_D32as_v4	Linux (redhat 8.8)	DPP	1	32	2.2 GHz	256
	DB	KOFMXACRMMXBPN0	10.155.159.228	N/A	N/A	Standard_M32ts	Linux (redhat 8.8)	DHP	1	32	2.50GHz	192
	DB	KOFMXACRMMXBPN1	10.155.159.229	N/A	N/A	Standard_M32ts	Linux (redhat 8.8)	DHP	1	32	2.50GHz	192
	ILB	N/A	N/A	KOFMXACRMMXBPV0	10.155.159.232	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	PAS											
	DB											
	DB											
	PAS											

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

VERSIONES SOFTWARE DPAGENT

Plataforma		DPAgent	
SO	Versión	Red Hat Enterprise Linux 8.8Linux x86_64	Red Hat Enterprise Linux 8.8Linux x86_64
BD	Versión	HANA DB	HANA DB
		2.00.079.09.1774315524	2.00.079.09.1774315524
DPA	Versión	DPAgent	DPAgent
		2.7.4.0	2.7.4.0
	SID	**CRM MX**	**DPP**

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

VERSIONES SOFTWARE DATALAKE

Plataforma		DataLake	
SO	Versión	Red Hat Enterprise Linux 8.8Linux x86_64	Red Hat Enterprise Linux 8.8Linux x86_64
BD	Versión	HANA DB	HANA DB
		2.00.079.09.1774315524	2.00.079.09.1774315524
	Versión	DataLake	DataLake
	SID	**LHD**	**LHP**

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

S4Y SANDBOX – CENTRAL FINANCE

Ambiente	KOF-S4HERP-PRE	Servicios	Host Virtual	IP Física	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
SandBox		PAS, ASCS	KOFMXASYPAS10	10.155.127.215	Standard_E32as_v4	Linux (redhat 8.8)	S4Y	1	32	2.2 GHz	256
		DB	KOFMXASYDBSN0	10.155.127.228	Standard_M128ms	Linux (redhat 8.8)	SHY	1	128	2.5 GHz	3800

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

CENTRAL PROCUREMENT CPD

Ambiente	Servicios	Host Virtual	IP Física	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
Central Procurement	PAS, ASCS	KOFMXACPPAD10	10.155.32.136	Standard_E4as_v4	Linux (redhat 8.8)	CPD	1	4	2.35GHz	32
	DB	KOFMXACPDBDN0	10.155.32.168	Standard_M32ls	Linux (redhat 8.8)	CHD	1	32	2.5 GHz	256

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

CENTRAL PROCUREMENT CPQ

Ambiente	Servicios	Host Virtual	IP Física	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
Central Procurement	PAS, ASCS	KOFMXACPPAQ10	10.155.64.4	Standard_E4as_v4	Linux (redhat 8.8)	CPQ	1	4	2.35GHz	32
	DB	KOFMXACPBDQN0	10.155.64.36	Standard_M32ls	Linux (redhat 8.8)	CHQ	1	32	2.5 GHz	256

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

CENTRAL PROCUREMENT CPR

Ambiente		Servicios	Host	IP	ILB hostname	ILB IP	Modelo	S.O.	SID	CPUs *	Cores	(GHz)	Mem (GB)
Central Procurement	KOF-S4HERP-CPR	DB	KOFMXACPDBRN0	10.155.126.180	KOFMXACPDBRV0	10.155.126.182	Standard M64ls	Linux (redhat 8.8)	CHR	1	64	2.6 GHz	512
		DB	KOFMXACPDBRN1	10.155.126.181	KOFMXACPDBRV0	10.155.126.182	Standard M64ls	Linux (redhat 8.8)	CHR	1	64	2.6 GHz	512
		ASCS	KOFMXACPASRN0	10.155.126.198	KOFMXACPASRV0	10.155.126.202	Standard D4ds v4	Linux (redhat 8.8)	CPR	1	4	2.5 GHz	16
		ERS	KOFMXACPASRN1	10.155.126.199	KOFMXACPERRV1	10.155.126.203	Standard D4ds v4	Linux (redhat 8.8)	CPR	1	4	2.5 GHz	16
		PAS	KOFMXACPPAR10	10.155.126.196	NA	NA	Standard E8as v4	Linux (redhat 8.8)	CPR	1	8	2.3 GHz	64
		AAS	KOFMXACPAAR11	10.155.126.197	NA	NA	Standard E8as v4	Linux (redhat 8.8)	CPR	1	8	2.3 GHz	64
		WD	KOFMXACPWDRN0	10.155.126.200	KOFMXACPWDRV0	10.155.126.204	Standard D2as v4	Linux (redhat 8.8)	CRW	1	2	2.3 GHz	8
		WD	KOFMXACPWDRN1	10.155.126.201	KOFMXACPWDRV0	10.155.126.204	Standard D2as v4	Linux (redhat 8.8)	CRW	1	2	2.3 GHz	8


© 2026 DXC Technology Company. All rights reserved.
DXC Confidential


CENTRAL PROCUREMENT CPP

Ambiente	Servicios	Host	IP	ILB hostname	ILB IP	Modelo	S.O.	SID	CPUs *	Cores	(GHz)	Mem (GB)
Central Procurement KOF-S4HERP-CPP	DB	KOFMXACPDBPN0	10.155.158.229	KOFMXACPDBPV0	10.155.158.228	Standard M64ls	Linux (redhat 8.8)	CHP	1	64	2.6 GHz	512
	DB	KOFMXACPDBPN1	10.155.158.230	KOFMXACPDBPV0	10.155.158.228	Standard M64ls	Linux (redhat 8.8)	CHP	1	64	2.6 GHz	512
	ASCS	KOFMXACPASPN0	10.155.158.216	KOFMXACPASPV0	10.155.158.212	Standard D4ds v4	Linux (redhat 8.8)	CPP	1	4	2.5 GHz	16
	ERS	KOFMXACPASPN1	10.155.158.217	KOFMXACPERPV1	10.155.158.213	Standard D4ds v4	Linux (redhat 8.8)	CPP	1	4	2.5 GHz	16
	PAS	KOFMXACPPAP10	10.155.158.218	NA	NA	Standard E8as v4	Linux (redhat 8.8)	CPP	1	8	2.3 GHz	64
	AAS	KOFMXACPAAP11	10.155.158.219	NA	NA	Standard E8as v4	Linux (redhat 8.8)	CPP	1	8	2.3 GHz	64
	WD	KOFMXACPWDPN0	10.155.158.220	KOFMXACPWDPV0	10.155.158.214	Standard D2as v4	Linux (redhat 8.8)	CPW	1	2	2.3 GHz	8
	WD	KOFMXACPWDPN1	10.155.158.221	KOFMXACPWDPV0	10.155.158.214	Standard D2as v4	Linux (redhat 8.8)	CPW	1	2	2.3 GHz	8

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

Central Procurement CPP





© 2021 DXC Technology Company. All rights reserved.

ADS

Ambiente	Servicios	Host Virtual	IP Física	Modelo	S.O.	SID	CPUs *	Cores	(GHz)	Mem (GB)
ADS KOF-SHARED-SAP	ADS	KOFMXADSDEV1	10.155.4.7	Standard_D8s_v3	Linux (redhat 9.4) HA	AD1	1	8	2.40 GHZ	32
	ADS	KOFMXADSPRE1	10.155.4.6	Standard_D8s_v3	Linux (redhat 8.8) HA	AD2	1	8	2.40 GHZ	32
	ADS	KOFMXADSPRO1	10.155.4.4	Standard_D8s_v3	Linux (redhat 8.8) HA	AD3	1	8	2.40 GHZ	32

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

VERSIONES SAP SOFTWARE ADOBE DOCUMENT SERVICES


	Plataforma	AS Java	AS Java	AS Java
SAP	NW SP	SAP NW 7.50 SP32	SAP NW 7.50 SP32	SAP NW 7.50 SP32
	Componente	ADSSAP32	ADSSAP32	ADSSAP32
	Kernel patch level	7.53 PL 801	7.53 PL 801	7.53 PL 801
SO	Versión	Redhat 9.4	Redhat 8.8	Redhat 8.8
BD	Versión	Sybase	Sybase	Sybase
		16.0	16.0	16.0
	SID	**AD1**	**AD2**	**AD3**

- integrado a solman 7.2 en azure

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

SAP SLD – UC6

SAP SLD
Instancias: UC6
SO: Linux (redhat 8.8)



© 2021 DXC Technology Company. All rights reserved.

Versiones Software SAP SLD Azure UC6

	Plataforma	SLD Azure
SAP	NW SP	7.5 SP 22
	Kernel Patch Level	753_REL PL 900
	Web Dispatcher	N/A
S.O.	Versión	Linux GNU SLES-11 x86_64
BD	Versión	Sybase ASE 16.0.04.01
	SID	**UC6**

© 2021 DXC Technology Company. All rights reserved.

SLD

Ambiente		Servicios	Host Virtual	IP Física	Modelo	S.O.	SID	CPUs *	Cores	(GHz)	Mem (GB)
SLD	KOF-SHARED-SAP	SLD	KOFMXSLDPRA1	10.155.4.8	Standard_D8s_v3	Linux (redhat 8.8)	UC6	1	8	2.40 GHZ	32

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

SAP CLOUD CONNECTOR

Ambiente			Servicios	Host Virtual	IP Física	Modelo	S.O.	SID	CPUs *	Cores	(GHz)	Mem (GB)	Agentes
ADS	KOF-DMZ-SAP	PRD	SCC	KOFMXACCAPPN0	10.155.6.10	Standard_F2s_v2	Linux (redhat 8.8)	N/A	1	2	1.95 GHZ	4	SAP SAC SAP Analytics Cloud
			SCC	KOFMXACCAPPN1	10.155.6.9	Standard_F2s_v2	Linux (redhat 8.8)	N/A	1	2	1.95 GHZ	4	SAP SAC SAP Analytics Cloud
			SCC	KOFMXACCAPPN2	10.155.6.5	Standard_F16	Windows (Windows Server 2019 Datacenter)	N/A	1	16	2.10 GHZ	32	
		DEV	SCC	KOFMXACCAPQN2	10.155.6.6	Standard_D2a_v4	Windows (Windows Server 2019 Datacenter)	N/A	1	2	2.35 GHZ	8	
			SCC	KOFMXCCONNP01	10.155.6.8	Standard_F2s_v2	Linux (redhat 9.4)	N/A	1	2	1.95 GHZ	4	SAP SAC SAP Analytics Cloud

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

SCM SGD

Ambiente	Servicios	Host Virtual	IP Física	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
Suply Change Management	PAS, ASCS	KOFMXASGPAD10	10.155.32.84	Standard_E16as_v4	Linux (redhat 8.8)	SGD	1	8	2.4GHz	128
	DB	KOFMXASGDBDN0	10.155.32.68	Standard_M64ls	Linux (redhat 8.8)	DSD	1	32	2.7 GHz	515

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

SCM SGQ

Ambiente	Servicios	Host Virtual	IP Física	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
Suply Change Management	PAS, ASCS	KOFMXASGPAQ10	10.155.64.228	Standard_E16as_v4	Linux (redhat 8.8)	SGQ	1	8	2.4GHz	128
	DB	KOFMXASGDBQN0	10.155.65.196	Standard_M64ls	Linux (redhat 8.8)	DSQ	2	32	2.7 GHz	515

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

SCM SMR MÉXICO

Ambiente	Servicios	Host	IP	ILB hostname	ILB IP	Modelo	S.O.	SID	CPUs *	Cores	(GHz)	Mem (GB)
Suply Change Management	DB	KOFMXASMDBRN0	10.155.126.132	KOFMXASMDBRV0	10.155.126.134	Standard M64ls	Linux (redhat 8.8)	DMR	2	32	2.7 GHz	515
	DB	KOFMXASMDBRN1	10.155.126.133	KOFMXASMDBRV0	10.155.126.134	Standard M64ls	Linux (redhat 8.8)	DMR	2	32	2.7 GHz	515
	ASCS	KOFMXASMASRN0	10.155.126.116	KOFMXASMASRV0	10.155.126.122	Standard D4ds v4	Linux (redhat 8.8)	SMR	1	2	2.6 GHz	15
	ERS	KOFMXASMASRN1	10.155.126.117	KOFMXASMERRV1	10.155.126.123	Standard D4ds v4	Linux (redhat 8.8)	SMR	1	2	2.6 GHz	15
	PAS	KOFMXASMPAR10	10.155.126.118	NA	NA	Standard E8as v4	Linux (redhat 8.8)	SMR	1	4	2.4 GHz	63
	AAS	KOFMXASMAAR11	10.155.126.119	NA	NA	Standard E8as v4	Linux (redhat 8.8)	SMR	1	4	2.4 GHz	63
	WD	KOFMXASMWDRN0	10.155.126.120	KOFMXASMWDRV0	10.155.126.124	Standard D2as v4	Linux (redhat 8.8)	WMR	1	1	2.4 GHz	7
	WD	KOFMXASMWDRN1	10.155.126.121	KOFMXASMWDRV0	10.155.126.124	Standard D2as v4	Linux (redhat 8.8)	WMR	1	1	2.4 GHz	7

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

SCM SMP MÉXICO

Ambiente	Servicios	Host	IP	ILB hostname	ILB IP	Modelo	S.O.	SID	CPUs *	Cores	(GHz)	Mem (GB)
Suply Change Management	DB	KOFMXASMDBPN0	10.155.144.38	KOFMXASMDBPV0	10.155.126.134	Standard M64ls	Linux (redhat 8.8)	DMP	2	32	2.7 GHz	515
	DB	KOFMXASMDBPN1	10.155.144.36	KOFMXASMDBPV0	10.155.126.134	Standard M64ls	Linux (redhat 8.8)	DMP	2	32	2.7 GHz	515
	ASCS	KOFMXASMASPN0	10.155.144.59	KOFMXASMASPV0	10.155.126.122	Standard D4ds v4	Linux (redhat 8.8)	SMP	1	2	2.6 GHz	15
	ERS	KOFMXASMASPN1	10.155.144.57	KOFMXASMERPV1	10.155.126.123	Standard D4ds v4	Linux (redhat 8.8)	SMP	1	2	2.6 GHz	15
	PAS	KOFMXASMPAP10	10.155.144.58	NA	NA	Standard E8as v4	Linux (redhat 8.8)	SMP	1	4	2.4 GHz	63
	AAS	KOFMXASMAAP11	10.155.144.60	NA	NA	Standard E8as v4	Linux (redhat 8.8)	SMP	1	4	2.4 GHz	63
	WD	KOFMXASMWDPN0	10.155.144.56	KOFMXASMWDPV0	10.155.126.124	Standard D2as v4	Linux (redhat 8.8)	WMP	1	1	2.4 GHz	7
	WD	KOFMXASMWDPN1	10.155.144.55	KOFMXASMWDPV0	10.155.126.124	Standard D2as v4	Linux (redhat 8.8)	WMP	1	1	2.4 GHz	7

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

EWM EGD

Ambiente	Servicios	Host Virtual	IP Física	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
Extended Warehouse Management	PAS, ASCS	KOFMXAEGPAD10	10.155.32.116	Standard_E16as_v4	Linux (redhat 8.8)	EGD	1	16	2.35GHz	128
	DB	KOFMXAEGDBDN0	10.155.32.100	Standard_M64ls	Linux (redhat 8.8)	EDD	1	64	2.5 GHz	512

© 2021 DXC Technology Company. All rights reserved.

EWM EGQ

Ambiente	Servicios	Host Virtual	IP Física	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
Extended Warehouse Management	PAS, ASCS	KOFMXAEGPAQ10	10.155.65.228	Standard_E16as_v4	Linux (redhat 8.8)	EGQ	1	16	2.35GHz	128
	DB	KOFMXAEGDBQN0	10.155.64.244	Standard_M64ls	Linux (redhat 8.8)	EDQ	1	64	2.5 GHz	512

© 2021 DXC Technology Company. All rights reserved.

EWM EMR México

Ambiente	Servicios	Host	IP	ILB hostname	ILB IP	Modelo	S.O.	SID	CPUs *	Cores	(GHz)	Mem (GB)
Extended Warehouse Management	DB	KOFMXAEMDBRN0	10.155.126.68	KOFMXAEMDBRV0	10.155.126.70	Standard M64ls	Linux (redhat 8.8)	MDR	1	64	2.6 GHz	512
	DB	KOFMXAEMDBRN1	10.155.126.69	KOFMXAEMDBRV0	10.155.126.70	Standard M64ls	Linux (redhat 8.8)	MDR	1	64	2.6 GHz	512
	ASCS	KOFMXAEMASRN0	10.155.126.52	KOFMXAEMASRV0	10.155.126.58	Standard D4ds v4	Linux (redhat 8.8)	EMR	1	4	2.5 GHz	16
	ERS	KOFMXAEMASRN1	10.155.126.53	KOFMXAEMERRV1	10.155.126.59	Standard D4ds v4	Linux (redhat 8.8)	EMR	1	4	2.5 GHz	16
	PAS	KOFMXAEMPAR10	10.155.126.54	NA	NA	Standard E8as v4	Linux (redhat 8.8)	EMR	1	8	2.3 GHz	64
	AAS	KOFMXAEMAAR11	10.155.126.55	NA	NA	Standard E8as v4	Linux (redhat 8.8)	EMR	1	8	2.3 GHz	64
	WD	KOFMXAEMWDRN0	10.155.126.56	KOFMXAEMWDRV0	10.155.126.60	Standard D2as v4	Linux (redhat 8.8)	MWR	1	2	2.3 GHz	8
	WD	KOFMXAEMWDRN1	10.155.126.57	KOFMXAEMWDRV0	10.155.126.60	Standard D2as v4	Linux (redhat 8.8)	MWR	1	2	2.3 GHz	8


© 2021 DXC Technology Company. All rights reserved.

EWM EMP México

Ambiente	Servicios	Host	IP	ILB hostname	ILB IP	Modelo	S.O.	SID	CPUs *	Cores	(GHz)	Mem (GB)
Extended Warehouse Management	DB	KOFMXAEMDBPN0	10.155.144.69	KOFMXAEMDBPV0	10.155.144.68	Standard M64ls	Linux (redhat 8.8)	MDP	1	64	2.6 GHz	512
	DB	KOFMXAEMDBPN1	10.155.144.70	KOFMXAEMDBPV0	10.155.144.68	Standard M64ls	Linux (redhat 8.8)	MDP	1	64	2.6 GHz	512
	ASCS	KOFMXAEMASPN0	10.155.144.92	KOFMXAEMASPV0	10.155.144.85	Standard D4ds v4	Linux (redhat 8.8)	EMP	1	4	2.5 GHz	16
	ERS	KOFMXAEMASPN1	10.155.144.84	KOFMXAEMERPV1	10.155.144.86	Standard D4ds v4	Linux (redhat 8.8)	EMP	1	4	2.5 GHz	16
	PAS	KOFMXAEMPAP10	10.155.144.89	NA	NA	Standard E8as v4	Linux (redhat 8.8)	EMP	1	8	2.3 GHz	64
	AAS	KOFMXAEMAAP11	10.155.144.88	NA	NA	Standard E8as v4	Linux (redhat 8.8)	EMP	1	8	2.3 GHz	64
	WD	KOFMXAEMWDPN0	10.155.144.91	KOFMXAEMWDPV0	10.155.144.87	Standard D2as v4	Linux (redhat 8.8)	MWP	1	2	2.3 GHz	8
	WD	KOFMXAEMWDPN1	10.155.144.90	KOFMXAEMWDPV0	10.155.144.87	Standard D2as v4	Linux (redhat 8.8)	MWP	1	2	2.3 GHz	8

© 2021 DXC Technology Company. All rights reserved.

DIAGRAMA DATALAKE DESAROLLO




© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

DataLake (LHD)

Ambiente	Servicios	Host Virtual	IP Física	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
DataLake Desarrollo	DB	KOFMXADLDBDN0	10.155.32.244	Standard M32ts	Linux (redhat 8.8)	LHD	1	32	2.5 GHz	192

© 2021 DXC Technology Company. All rights reserved.

DIAGRAMA DATALAKE PRODUCTIVO



© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

DataLake (LHP)

Ambiente	Servicios	Host Virtual	IP Física	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
DataLake Producción	DB	KOFMXADLDBPN0	10.155.158.196	Standard M32ts	Linux (redhat 8.8)	LHP	1	32	2.5 GHz	192

© 2021 DXC Technology Company. All rights reserved.

SCC– COMPONENTES

Ambiente	Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
CCONN KOF-DMZ-SAP	SCC	N/A	N/A	KOFMXACCAPPN0	10.155.6.10	Standard_F2s_v2	Linux (redhat 8.8) HA	CCP	1	2	2.70	4
	SCC	N/A	N/A	KOFMXACCAPPN1	10.155.6.9	Standard_F2s_v2	Linux (redhat 8.8) HA	CCP	1	2	2.70	4
	SCC	N/A	N/A	KOFMXCCONNP01	10.155.6.8	Standard_F2s_v2	Linux (redhat 9.4) HA	CCD	1	2	2.70	4
	SCC. - SAC Agent	N/A	N/A	KOFMXCCONNP01	10.155.6.8	Standard_F2s_v2	Linux (redhat 9.4) HA	CCD	1	2	2.70	4
	SCC. - SAC Agent	N/A	N/A	KOFMXACCAPPV0	10.155.6.10	Standard_F2s_v2	Linux (redhat 8.8) HA	CCP	1	2	2.70	4
	SCC. - SAC Agent	N/A	N/A	KOFMXACCAPPV0	10.155.6.9	Standard_F2s_v2	Linux (redhat 8.8) HA	CCP	1	2	2.70	4
	SCC – Ongoing	N/A	N/A	KOFMXACCAPPN2	10.155.6.5	Standard_F16	Windows Server 2019		1	16		32
	SCC. Ongoing QA	N/A	N/A	KOFMXACCAPQN2	10.155.6.6	Standard_D2a_v4	Windows Server 2019		1	2	2.35	8

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

VERSIONES DE SISTEMAS SAP EN AZURE

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

VERSIONES SAP S4 SOFTWARE CENTRAL PROCUREMENT

Plataforma		S4			
SAP	NW SP	758 SP 03	758 SP 03	758 SP 03	758 SP 03
	Componente	SAP_BASIS	SAP_BASIS	SAP_BASIS	SAP_BASIS
		S4HANA ONPREMISE 2023 SP03 02/2025	S4HANA ONPREMISE 2023 SP03 02/2025	S4HANA ONPREMISE 2023 SP03 02/2025	S4HANA ONPREMISE 2023 SP03 02/2025
	Kernel patch level	793, patch 400	793, patch 400	793, patch 400	793, patch 324
	Web Dispacher	N/A	N/A	CRW	CPW
SO	Versión	Red Hat Enterprise Linux 8.8Linux x86_64	Red Hat Enterprise Linux 8.8Linux x86_64	Red Hat Enterprise Linux 8.8Linux x86_64	Red Hat Enterprise Linux 8.8Linux x86_64
BD	Versión	HANA DB	HANA DB	HANA DB	HANA DB
		2.00.078.00.1715149848	2.00.078.00.1715149848	2.00.078.00.1715149848	2.00.078.00.1715149848
	SID	**CPD**	**CPQ**	**CPR**	**CPP**

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

VERSIONES SAP SOFTWARE S4 2021

	Plataforma	S4			
SAP	NW SP	758 SP 03	758 SP 03	758 SP 03	758 SP 03
	Componentes	SAP_BASIS	SAP_BASIS	SAP_BASIS	SAP_BASIS
		SAP S/4HANA FOUNDATION 2023 SP 03 (02/2025)	SAP S/4HANA FOUNDATION 2023 SP 03 (02/2025)	SAP S/4HANA FOUNDATION 2023 SP 03 (02/2025)	SAP S/4HANA FOUNDATION 2023 SP 03 (02/2025)
	Kernel patch level	KERNEL PATCH LEVEL: 793, patch 324	KERNEL PATCH LEVEL: 793, patch 324	KERNEL PATCH LEVEL: 793, patch 324	KERNEL PATCH LEVEL: 793, patch 324
	Web Dispacher	N/A	N/A	SRW 785 PL 200	SPW 785 PL 200
SO	Versión	Linux x86_64	Linux x86_64	Linux x86_64	Linux x86_64
BD	Versión	HANA DB	HANA DB	HANA DB	HANA DB
		2.00.079.05.1749057886	2.00.079.05.1749057886	2.00.079.05.1749057886	2.00.079.05.1749057886
	SID	**S4D**	**S4Q**	**S4R**	**S4P**

- Sistemas integrados a solman 7.2 en azure

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

VERSIONES SAP SOFTWARE MDG

Plataforma		MDG			
SAP	NW SP	756 SP 01	756 SP 01	756 SP 01	756 SP 01
	Componente	SAP_BASIS	SAP_BASIS	SAP_BASIS	SAP_BASIS
		SAP S/4HANA FOUNDATION 2021 SP 01 (02/2022)	SAP S/4HANA FOUNDATION 2021 SP 01 (02/2022)	SAP S/4HANA FOUNDATION 2021 SP 01 (02/2022)	SAP S/4HANA FOUNDATION 2021 SP 01 (02/2022)
	Kernel patch level	793, patch 326	793, patch 300	793, patch 300	793, patch 326
	Web Dispacher	N/A	N/A	MRW 785 PL 100	MPW 785 PL 100
SO	Versión	Linux x86_64	Linux x86_64	Linux x86_64	Linux x86_64
BD	Versión	HANA DB	HANA DB	HANA DB	HANA DB
		2.00.078.00.1715149848	2.00.078.00.1715149848	2.00.078.00.1715149848	2.00.078.00.1715149848
	SID	**M4D**	**M4Q**	**M4R**	**M4P**

- Sistemas integrados a solman 7.2 en azure

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

VERSIONES SAP SOFTWARE SLT

	Plataforma	SLT			
SAP	NW SP	758 SP 03	758 SP 03	758 SP 03	758 SP 03
	Componente	SAP_BASIS	SAP_BASIS	SAP_BASIS	SAP_BASIS
		SAP S/4HANA FOUNDATION 2023 SP 03 (02/2025)	SAP S/4HANA FOUNDATION 2023 SP 03 (02/2025)	SAP S/4HANA FOUNDATION 2023 SP 03 (02/2025)	SAP S/4HANA FOUNDATION 2023 SP 03 (02/2025)
	Kernel patch level	KERNEL PATCH LEVEL 793, patch 324	KERNEL PATCH LEVEL 793, patch 324	KERNEL PATCH LEVEL 793, patch 324	KERNEL PATCH LEVEL 793, patch 324
	Web Dispacher	N/A	N/A	TRW 785 PL 100	TPW 785 PL 100
SO	Versión	Linux x86_64	Linux x86_64	Linux x86_64	Linux x86_64
BD	Versión	HANA DB	HANA DB	HANA DB	HANA DB
		2.00.078.00.1715149848	2.00.078.00.1715149848	2.00.078.00.1715149848	2.00.078.00.1715149848
	SID	**T4D**	**T4Q**	**T4R**	**T4P**

- Sistemas integrados a solman 7.2 en azure

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

Versiones SAP Software GRC

	Plataforma	GRC	GRC	GRC	GRC
SAP	NW SP	758 SP 03	758 SP 03	758 SP 03	758 SP 03
	Componente	SAP_BASIS	SAP_BASIS	SAP_BASIS	SAP_BASIS
		SAP S/4HANA FOUNDATION 2023 03 (02/2025) FPS	SAP S/4HANA FOUNDATION 2023 03 (02/2025) FPS	SAP S/4HANA FOUNDATION 2023 03 (02/2025) FPS	SAP S/4HANA FOUNDATION 2023 03 (02/2025) FPS
	Kernel patch level	793, patch 324	793, patch 324	793, patch 324	793, patch 324
	Web Dispacher	N/A	N/A	GRW 785 PL 100	TPW 785 PL 100
SO	Versión	Linux x86_64	Linux x86_64	Linux x86_64	Linux x86_64
BD	Versión	HANA DB	HANA DB	HANA DB	HANA DB
		2.00.078.171549848	2.00.078.171549848	2.00.078.171549848	2.00.078.171549848
	SID	**G4D**	**G4Q**	**G4R**	**G4P**

- Sistemas integrados a solman 7.2 en azure

© 2021 DXC Technology Company. All rights reserved.

VERSIONES SAP SOFTWARE S4Y

	Plataforma	S4 Sandbox
SAP	NW SP	758 SP 03
	Componente	SAP_BASIS
		SAP S/4HANA FOUNDATION 2021 SP 01 (02/2022)
	Kernel patch level	785, patch 100
	Web Dispacher	SPW 785 PL 100
SO	Versión	Linux x86_64
BD	Versión	HANA DB
		2.00.079.05.1749057886
	SID	**S4Y**

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

VERSIONES CLOUD CONECTOR WINDOWS

	Plataforma	Cloud Connector	Cloud Connector
SAP	Servicio	2.18.0	2.18.0
	JAVA	Sapjvm_**8.1.103**	Sapjvm_**8.1.103**
SO	Versión	Windows server 2019 DataCenter	Windows server 2019 DataCenter
	SID	**CCD**	**CCP**


© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

VERSIONES CLOUD CONECTOR LINUX

	Plataforma	Cloud Connector	Cloud Connector
SAP	Servicio	2.17.2	2.17.2
	JAVA	Sapjvm_8.1.099	Sapjvm_8.1.104
SO	Versión	Red Hat Enterprise Linux release 9.4 (Ootpa)	Red Hat Enterprise Linux release 8.8 (Ootpa)
	SID	**DEV**	**PRD HA**


© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

Diagrama Cloud Conector Linux



© 2021 DXC Technology Company. All rights reserved.

Diagrama Cloud Conector Windows




© 2021 DXC Technology Company. All rights reserved.

INFRAESTRUCTURA LANDING ZONE

Respaldos

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

Infraestructura de respaldos



DDVE para Respaldos
KOFBKP-PVA01
KOFBKP-PVA02
KOFBKP-PVL03
KOFBKP-PVA05
KOFBKP-PVA06
KOFBKP-PVA07
KOFBKP-PVA08
KOFBKP-PVA09
KOFBKP-PVW04

*** En construcción**

© 2021 DXC Technology Company. All rights reserved.

INFRAESTRUCTURA ACTUAL
RESUMEN POR AMBIENTE

Software componentes & versiones

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

VERSIONES SAP SOFTWARE

	Plataforma	ECC	ECC	ECC
SAP	NW SP	700 SP16	700 SP16	700 SP16
	Componente	SAP ERP Central Component 6.0	SAP ERP Central Component 6.0	SAP ERP Central Component 6.0
	Kernel patch level	722 EXT2_REL PL 1300	722 EXT2_REL PL 1300	722 EXT2_REL PL 1300
	Web Dispacher	RPW 753 PL1300	RLW 753 PL1300	N/A
SO	Versión	HP-UX 11.31	HP-UX 11.31	HP-UX 11.31
BD	Versión	Oracle 19c SBP: 19.27.0.0.	Oracle 19c SBP: 19.27.0	Oracle 19c SBP: 19.11.0
	SID	**RAP**	**RLP**	**RVP**

- RVP Integrado a SOLMAN 7.2 en Azure
- RLP Integrado a SOLMAN 7.2 en Azure

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

VERSIONES SAP SOFTWARE

	Plataforma	ECC	ECC
SAP	NW SP	700 SP 16	700 SP16
	Componente	SAP ERP Central Component 6.0	SAP ERP Central Component 6.0
	Kernel patch level	722 EXT2_REL PL 1400	722 EXT2_REL PL 1101
SO	Versión	Red Hat Enterprise Linux 8.10	Red Hat Enterprise Linux 8.10
BD	Versión	Oracle 19c SBP: 19.24.0	Oracle 19c SBP: 19.24.0
	SID	**RRD**	**RRQ**

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

Versiones SAP Software

	Plataforma	BW Comercial	BI Java
SAP	NW SP	SAP NW 7.5 SP28	SAP NW 7.5 SP28
	Componente	BW 7.5	BI Java 7.50
	Kernel patch level	753 P 1500	753 P 1200
SO	Versión	HP-UX 11.31	HP-UX 11.31
BD	Versión	HANA DB 2.0	Sybase
		Revisión 079	16
	SID	**BCD**	**BC1**

- integrado a solman 7.2 en azure

© 2021 DXC Technology Company. All rights reserved.

Versiones SAP Software

	Plataforma	BW Comercial	BI Java
SAP	NW SP	SAP NW 7.5 SP28	SAP NW 7.5 SP28
	Componente	BW 7.5	BI Java 7.50
	Kernel patch level	753 P 1500	753 P 1200
SO	Versión	HP-UX 11.31	HP-UX 11.31
BD	Versión	HANA DB 2.0	Sybase
		Revisión 079	16
	SID	**BCQ**	**BC2**

- integrado a solman 7.2 en azure

© 2021 DXC Technology Company. All rights reserved.

Versiones SAP Software

	Plataforma	BW Comercial	BI Java
SAP	NW SP	SAP NW 7.5 SP28	SAP NW 7.5 SP28
	Componente	BW 7.5	BI Java 7.50
	Kernel patch level	753 P 1500	753 P 1200
SO	Versión	HP-UX 11.31	HP-UX 11.31
BD	Versión	HANA DB 2.0	Sybase
		Revisión 079	16
	SID	**BCP**	**BC4**

- integrado a solman 7.2 en azure

© 2021 DXC Technology Company. All rights reserved.

VERSIONES SAP SOFTWARE

	Plataforma	EPM BW Financiero
SAP	NW SP	SAP NW 7.5 SP18
	Componente	BPC 10.1 Add on 800
		BW7.5
	Kernel patch level	753 PL 1600
	Web Dispacher	ECW 753
SO	Versión	Linux Red Hat 8.10
BD	Versión	HANA DB 2.0
		Revisión 079
	SID	**ECP**

- ECP Integrado a SOLMAN 7.2 en Azure

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

Versiones SAP Software

	Plataforma	EPM FIM	EPM PCM
SAP	Componente	FIM 10 SP18 DS 4.2 SP14	SAP BO PCM 10.0 SP09 Patch 4
		IPS 4.2 SP08	-
SO	Versión	Windows 2016 Standard	Windows 2016 Standard
BD	Versión	Oracle	Oracle
		19c	12.1.0.2.0
	SID	**FIP**	**PCM / SI0 / SI1 / SI2 / SI3**

© 2021 DXC Technology Company. All rights reserved.

VERSIONES SAP SOFTWARE

	Plataforma	CRM MX - AR	CRM LA	CRM QAS	CRM DEV
SAP	NW SP	701 SP19	701 SP19	701 SP19	701 SP19
	Componente	CRMPCD01 700 SP 14	CRMPCD01 700 SP 14	CRMPCD01 700 SP 14	CRMPCD01 700 SP 14
	Kernel patch level	722_EXT_REL	722_EXT_REL	722_EXT_REL	722_EXT_REL
	Web Dispacher	CA8/CAW 753 PL 923	CLW/CL8 753 PL 923	CQW/CR7 753 PL 923	CDW/CR6 753 PL 923
SO	Versión	RHEL 7.9	RHEL 7.9	RHEL 7.9	RHEL 7.9
BD	Versión	CAP: Oracle 19c CA4: Oracle 12.1.0.2.0	CLP: Oracle 19c CL4: Oracle 12.1.0.2.0	CRQ: Oracle 19c CR2: Oracle 12.1.0.2.0	CRD: Oracle 19c CR1: Oracle 12.1.0.2.0
	SID	**CA4 / CAP**	**CLP / CL4**	**CRQ / CR2**	**CRD / CR1**

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

Versiones SAP Software

- CAS, EP, PI Integrados a SOLMAN 7.20 en Azure

	Plataforma	CAS	PI	EP
SAP	NW SP	SAP NW 7.4 SP25	7.4 SP10	SAP NW 7.5 SP25
		UC5 NW 7.5 SP23	7.4 SP10	SAP NW 7.5 SP25
	Kernel patch level	753_REL PL 923	753_REL PL 921	753_REL PL 921
	Web Dispacher	UCW/UC8 753 PL930	XCW 753 PL923	MC8/JC8/PC8 753 PL923
	TREX	-	-	7.10.84.00
SO	Versión	HP-UX 11.31	HP-UX 11.31	HP-UX 11.31
BD	Versión	UCP: Oracle 19c	Oracle 19c	MC4: Oracle 19c
		UC5: Oracle 19c	-	JC4: Oracle 19c
		-	-	PC4: Oracle 19c
				M04: Oracle 19c
	SID	**UCP/UC5**	**XCP**	**MC4 / JC4 / PC4 / M04**

© 2021 DXC Technology Company. All rights reserved.

Versiones SAP Software

	Plataforma	GRC KOF	GRC JDV
SAP	NW SP	7.4 SP12	7.4 SP14
	Componente	SAP GTS 11.0 SP 22	SAP GRC 10.1
		GRC PC 10 .1 Release 11 SP 14	SAP GTS 11.0 SP21
		SAP GRC RM 10 .1 Release 11 SP14	GRC PC 10 .1 Release 11 SP 14
		-	SAP GRC RM 10 .1 Release 11 SP14
	Kernel patch level	753_REL PL 801	753_REL PL 700
SO	Versión	HP-UX 11.31	Windows 2016 R2 Std
BD	Versión	Oracle 19c	Oracle 19c
	SID	**GCP/GC4**	**GJP/GJ4**

- Integrados a SOLMAN 7.2

© 2021 DXC Technology Company. All rights reserved.

Versiones SAP Software DS 4.3

	Plataforma	DS 4.3 SP02	DS 4.3 SP02	DS 4.3 SP02
SAP	Componente	SAP DS 4.3 SP03 PL 2	SAP DS 4.3 SP03 PL 2	SAP DS 4.3 SP03 PL 2
SO	Versión	Windows 2019 Standard	Windows 2019 Standard	Windows 2019 Standard
BD	Versión	MS SQL SERVER 2019	MS SQL SERVER 2019	MS SQL SERVER 2019
	SID	**DKS**	**QKS**	**PKS**

© 2021 DXC Technology Company. All rights reserved.

Versiones SAP Software

	Plataforma	R/3
SAP	NW SP	R/3 Release 4.6C
	Componente	BEV 461
	Kernel patch level	46D EXT2 PL 2641
SO	Versión	RHEL 5.1
BD	Versión	Oracle 10.2.0.4.0
	SID	**FP1**

© 2021 DXC Technology Company. All rights reserved.

Versiones SAP Software

	Plataforma	NWDI
SAP	NW SP	SAP NW 7.5 SP22
	Kernel patch level	753_REL PL1000
SO	Versión	HP-UX 11.31
BD	Versión	Oracle 19c
	SID	**DC1**

© 2021 DXC Technology Company. All rights reserved.

Versiones SAP Software

	Plataforma	Concentrador Históricos RHR
SAP	NW SP	7.4 SP16
	Componente	EHP7 for SAP ERP 6.0
	Kernel patch level	500
SO	Versión	Linux RedHat 8.1
BD	Versión	Oracle
		19c
	SID	**RHR**

© 2021 DXC Technology Company. All rights reserved.

Versiones SAP Software

	Plataforma	REMIL	SPAIPA	Historico CiaFlu	Histórico Brasil
SAP	NW SP	R/3 Release 4.6C	R/3 Release 4.6C	720 REL	R/3 Release 4.6C
	Componente	-	-	SAP ERP Central Component 6.0	-
	Kernel patch level	640 PL 390	721 PL 100	401	2257
SO	Versión	Windows 2003 Enterprise R2	AIX	LINUX SuSE Enterprise Server 11 64bit	Windows 2003 Enterprise R2
BD	Versión	Oracle	Oracle	DB6	Oracle
		9.2.0.8.0	11.2.0.3.0	10.01.002	10.2.0.4.0
	SID	**EPR**	**PRD**	**ECP**	**P01**

© 2021 DXC Technology Company. All rights reserved.

Versiones SAP Software

	Plataforma	WD-JC4	WD-RA4	WD–RL4	WD-CA4
SAP	NW SP	7.5	7.5	7.5	7.5
	Componente	Web Dispatcher	Web Dispatcher	Web Dispatcher	Web Dispatcher
	Kernel patch level	7.53	7.53	7.53	7.53
SO	Versión	HP-UX 11.31	HP-UX 11.31	HP-UX 11.31	HP-UX 11.31
	SID	**WD1**	**WD1**	**WD1**	**WD1**

© 2021 DXC Technology Company. All rights reserved.

Versiones SAP Software

	Plataforma	KOFUY Histórico P01
SAP	NW SP	7.40 SP05
	Componente	ERP 6.0 EHP7
	Kernel patch level	753 PL 800
SO	Versión	Windows Server 2008 R2
BD	Versión	Oracle
		11.2.0.3.0
	SID	**P01**

© 2021 DXC Technology Company. All rights reserved.

Versiones SAP Software

	Plataforma	ECC LA JAVA	ECC MX JAVA
SAP	NW Java SP	SAP NW 7.5 SP22	SAP NW 7.5 SP22
	Kernel patch level	753_REL PL1300	753_REL PL1300
SO	Versión	HP-UX 11.31	HP-UX 11.31
BD	Versión	Oracle 19c	Oracle 19c
	SID	**RL4**	**RA4**

© 2021 DXC Technology Company. All rights reserved.


INFRAESTRUCTURA LANDING ZONE

RESUMEN POR AMBIENTE


Software componentes & versiones

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

Arquitectura SAP MII 15.5



México	Brasil	Argentina	CA
M4M	M4B	M4A	M5C
M5M	M5B		
M6M		JDV M4J	Colombia M7C




© 2021 DXC Technology Company. All rights reserved.

SAP MII JUGOS DEL VALLE (M4J) EN AZURE

SAP MII 15.5

Instancias: M4J

SO: Windows 2019



Azure Backup Networker

SERVICIOS ACTIVOS

Servicio Relay

Azure

© 2026 DXC Technology Company. All rights reserved.


DXC Confidential


SAP MII ARGENTINA (M4A) EN AZURE

SAP MII 15.5

Instancias: M4A

SO: Windows 2019





Azure Backup Networker

SERVICIOS ACTIVOS

Servicio Relay



Azure

© 2026 DXC Technology Company. All rights reserved.


DXC Confidential


SAP MII CENTROAMÉRICA (M5C) EN AZURE

SAP MII 15.5

Instancias: M5C

SO: Windows 2019





Azure Backup Networker

SERVICIOS ACTIVOS

Servicio Relay




Azure


© 2026 DXC Technology Company. All rights reserved.

DXC Confidential

SAP MII MÉXICO (M4M) EN AZURE

SAP MII 15.5
Instancias: M4M
SO: Windows 2019





Azure Backup Networker

SERVICIOS ACTIVOS

Servicio Relay



Azure

© 2026 DXC Technology Company. All rights reserved.


DXC Confidential


SAP MII BRASIL (M4B) EN AZURE

SAP MII 15.5

Instancias: M4B

SO: Windows 2019





Azure Backup Networker

SERVICIOS ACTIVOS

Servicio Relay



Azure

© 2026 DXC Technology Company. All rights reserved.


DXC Confidential


SAP MII MÉXICO (M5M) EN AZURE

SAP MII 15.5

Instancias: M5M

SO: Windows 2019





Azure Backup Networker

SERVICIOS ACTIVOS

Servicio Relay




Azure


© 2026 DXC Technology Company. All rights reserved.

DXC Confidential

SAP MII BRASIL (M5B) EN AZURE

SAP MII 15.5
Instancias: M5B
SO: Windows 2019





Azure Backup Networker

SERVICIOS ACTIVOS

Servicio Relay




Azure


© 2026 DXC Technology Company. All rights reserved.

DXC Confidential

SAP MII MÉXICO (M6M) EN AZURE

SAP MII 15.5
Instancias: M6M
SO: Windows 2019





Azure Backup Networker

SERVICIOS ACTIVOS

Servicio Relay



Azure

© 2026 DXC Technology Company. All rights reserved.


DXC Confidential


SAP MII COLOMBIA M7C AZURE

SAP MII 15.5

Instancias: M7C

SO: Windows 2019





Azure Backup Networker

SERVICIOS ACTIVOS

Servicio Relay



Azure

© 2026 DXC Technology Company. All rights reserved.


DXC Confidential


SAP MII CALIDAD (M2Q) EN AZURE

SAP MII 15.5

Instancias: M2Q

SO: Windows 2019





Azure Backup
Networker

SERVICIOS ACTIVOS

Servicio Relay



Azure

© 2026 DXC Technology Company. All rights reserved.


DXC Confidential

SAP MII DESARROLLO (M1D) EN AZURE

SAP MII 15.5

Instancias: M1D

SO: Windows 2019



© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

MII 15.5 – Componentes Colombia

Ambiente		Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)	% en serv	Agentes
Colombia	PRD		N/A	N/A	KOFC7AMISCPN0	10.155.129.171	Virtual Machine Azure®	Windows 2019		1	2	2.60	8		
		SCS N2	N/A	N/A	KOFC7AMISCPN1	10.155.129.172	Virtual Machine Azure®	Windows 2019		1	2	2.60	8		
		ClusterSCS	N/A	N/A	KOFC7AMISCPV1	N/A	N/A	N/A		NA	NA	NA	NA		
		PAS	N/A	N/A	KOFC7AMIPAP10	10.155.129.173	Virtual Machine Azure®	Windows 2019	M7C	1	16	2.60	64		
		AAS	N/A	N/A	KOFC7AMIAAP11	10.155.129.174	Virtual Machine Azure®	Windows 2019		1	16	2.60	64		
		DB N1	N/A	N/A	KOFC7AMIDBPN0	10.155.129.169	Virtual Machine Azure®	Windows 2019		1	32	2.6	128		
		DB N2	N/A	N/A	KOFC7AMIDBPN1	10.155.129.170	Virtual Machine Azure®	Windows 2019		1	32	2.6	128		
		WD	N/A	N/A	KOFC7AMIWDPN0	10.155.129.155	Virtual Machine Azure®	Windows 2019		1	2	2.60	8		
		WD	N/A	N/A	KOFC7AMIWDPN1	10.155.129.158	Virtual Machine Azure®	Windows 2019	W7C	1	2	2.60	8		
		ILB DB	N/A	N/A	KOFC7AMIDBPV1	10.155.129.167	N/A	N/A		N/A	N/A	N/A	N/A	N/A	
		ILB SCS	N/A	N/A	KOFC7AMISCPV1	10.155.129.168	N/A	N/A		N/A	N/A	N/A	N/A	N/A	
		ILB WDP	N/A	N/A	KOFC7AMIWDPV1	10.155.129.154	N/A	N/A		N/A	N/A	N/A	N/A	N/A	

© 2021 DXC Technology Company. All rights reserved.

MII 15.5 – Componentes JDV

Ambiente		Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)	% en serv	Agentes
JDV	PRD	SCS N1	N/A	N/A	JDVMXAMISCPN0	10.155.129.228	Virtual Machine Azure®	Windows 2019		1	4	2.60	16		
		SCS N2	N/A	N/A	JDVMXAMISCPN1	10.155.129.229	Virtual Machine Azure®	Windows 2019		1	4	2.60	16		
		ClústerSCS	N/A	N/A		N/A	N/A	N/A		NA	NA	NA	NA		
		PAS	N/A	N/A	JDVMXAMIPAP10	10.155.129.230	Virtual Machine Azure®	Windows 2019	M4J	1	16	2.60	64		
		AAS	N/A	N/A	JDVMXAMIAAP11	10.155.129.231	Virtual Machine Azure®	Windows 2019		1	16	2.60	64		
		DB N1	N/A	N/A	JDVMXAMIDBPN0	10.155.129.244	Virtual Machine Azure®	Windows 2019		1	32	2.6	128		
		DB N2	N/A	N/A	JDVMXAMIDBPN1	10.155.129.245	Virtual Machine Azure®	Windows 2019		1	32	2.6	128		
		WD	N/A	N/A	JDVMXAMIWDPN0	10.155.129.232	Virtual Machine Azure®	Windows 2019		1	4	2.60	16		
		WD	N/A	N/A	JDVMXAMIWDPN1	10.155.129.233	Virtual Machine Azure®	Windows 2019	W4J	1	4	2.60	16		
		ILB DB	N/A	N/A	JDVARAMIDBPV1	10.155.129.246	N/A	N/A		N/A	N/A	N/A	N/A	N/A	
		ILB SCS	N/A	N/A	JDVMXAMISCPV1	10.155.129.234	N/A	N/A		N/A	N/A	N/A	N/A	N/A	
		ILB WDP	N/A	N/A	JDVMXAMIWDPV1	10.155.129.235	N/A	N/A		N/A	N/A	N/A	N/A	N/A	

© 2021 DXC Technology Company. All rights reserved.

MII 15.5 – Componentes ARG

Ambiente		Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs *	Cores	(GHz)	Mem (GB)	% en serv	Agentes
ARG	PRD	SCS N1	N/A	N/A	KOFARAMISCPN0	10.155.129.116	Virtual Machine Azure®	Windows 2019		1	2	2.60	8		
		SCS N2	N/A	N/A	KOFARAMISCPN1	10.155.129.117	Virtual Machine Azure®	Windows 2019		1	2	2.60	8		
		ClusterSCS	N/A	N/A		N/A	N/A	N/A		NA	NA	NA	NA		
		PAS	N/A	N/A	KOFARAMIPAP10	10.155.129.118	Virtual Machine Azure®	Windows 2019	M4A	1	16	2.60	64		
		AAS	N/A	N/A	KOFARAMIAAP11	10.155.129.119	Virtual Machine Azure®	Windows 2019		1	16	2.60	64		
		DB N1	N/A	N/A	KOFARAMIDBPN0	10.155.129.132	Virtual Machine Azure®	Windows 2019		1	32	2.6	128		
		DB N2	N/A	N/A	KOFARAMIDBPN1	10.155.129.133	Virtual Machine Azure®	Windows 2019		1	32	2.6	128		
		WD	N/A	N/A	KOFARAMIWDPN0	10.155.129.120	Virtual Machine Azure®	Windows 2019		1	2	2.60	8		
		WD	N/A	N/A	KOFARAMIWDPN1	10.155.129.121	Virtual Machine Azure®	Windows 2019	W4A	1	2	2.60	8		
		ILB DB	N/A	N/A	KOFARAMIDBPV1	10.155.129.134	N/A	N/A		N/A	N/A	N/A	N/A	N/A	
		ILB SCS	N/A	N/A	KOFARAMISCPV1	10.155.129.122	N/A	N/A		N/A	N/A	N/A	N/A	N/A	
		ILB WDP	N/A	N/A	KOFARAMIWDPV1	10.155.129.123	N/A	N/A		N/A	N/A	N/A	N/A	N/A	

M4A integrado a solman 7.2 Azure

© 2021 DXC Technology Company. All rights reserved.

MII 15.5 – Componentes CA

Ambiente		Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs *	Cores	(GHz)	Mem (GB)	% en serv	Agentes
CA	PRD	SCS N1	N/A	N/A	KOFCAAMISCPN0	10.155.129.180	Virtual Machine Azure®	Windows 2019		1	2	2.60	8		
		SCS N2	N/A	N/A	KOFCAAMISCPN1	10.155.129.181	Virtual Machine Azure®	Windows 2019		1	2	2.60	8		
		ClusterSCS	N/A	N/A		N/A	N/A	N/A		NA	NA	NA	NA		
		PAS	N/A	N/A	KOFCAAMIPAP10	10.155.129.182	Virtual Machine Azure®	Windows 2019	M5C	1	16	2.60	64		
		AAS	N/A	N/A	KOFCAAMIAAP11	10.155.129.183	Virtual Machine Azure®	Windows 2019		1	16	2.60	64		
		DB N1	N/A	N/A	KOFCAAMIDBPN0	10.155.129.196	Virtual Machine Azure®	Windows 2019		1	32	2.6	128		
		DB N2	N/A	N/A	KOFCAAMIDBPN1	10.155.129.197	Virtual Machine Azure®	Windows 2019		1	32	2.6	128		
		WD	N/A	N/A	KOFCAAMIWDPN0	10.155.129.184	Virtual Machine Azure®	Windows 2019		1	2	2.60	8		
		WD	N/A	N/A	KOFCAAMIWDPN1	10.155.129.185	Virtual Machine Azure®	Windows 2019	W5C	1	2	2.60	8		
		ILB DB	N/A	N/A	KOFCAAMIDBPV1	10.155.129.198	N/A	N/A		N/A	N/A	N/A	N/A	N/A	
		ILB SCS	N/A	N/A	KOFCAAMISCPV1	10.155.129.186	N/A	N/A		N/A	N/A	N/A	N/A	N/A	
		ILB WDP	N/A	N/A	KOFCAAMIWDPV1	10.155.129.187	N/A	N/A		N/A	N/A	N/A	N/A	N/A	

© 2021 DXC Technology Company. All rights reserved.

MII 15.5 – Componentes MX1

Ambiente		Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs *	Cores	(GHz)	Mem (GB)	% en serv	Agentes
MX1	PRD	SCS N1	N/A	N/A	KOFM4AMISCPN0	10.155.129.4	Virtual Machine Azure®	Windows 2019	M4M	1	2	2.60	8		
		SCS N2	N/A	N/A	KOFM4AMISCPN1	10.155.129.5	Virtual Machine Azure®	Windows 2019		1	2	2.60	8		
		ClusterSCS	N/A	N/A		N/A	N/A	N/A		NA	NA	NA	NA		
		PAS	N/A	N/A	KOFM4AMIPAP10	10.155.129.6	Virtual Machine Azure®	Windows 2019		1	16	2.60	64		
		AAS	N/A	N/A	KOFM4AMIAAP11	10.155.129.7	Virtual Machine Azure®	Windows 2019		1	16	2.60	64		
		DB N1	N/A	N/A	KOFM4AMIDBPN0	10.155.129.52	Virtual Machine Azure®	Windows 2019		1	32	2.6	128		
		DB N2	N/A	N/A	KOFM4AMIDBPN1	10.155.129.53	Virtual Machine Azure®	Windows 2019		1	32	2.6	128		
		WD	N/A	N/A	KOFM4AMIWDPN0	10.155.129.8	Virtual Machine Azure®	Windows 2019	W4M	1	2	2.60	8		
		WD	N/A	N/A	KOFM4AMIWDPN1	10.155.129.9	Virtual Machine Azure®	Windows 2019		1	2	2.60	8		
		ILB DB	N/A	N/A	KOFM4AMIDBPV1	10.155.129.54	N/A	N/A		N/A	N/A	N/A	N/A	N/A	
		ILB SCS	N/A	N/A	KOFM4AMISCPV1	10.155.129.10	N/A	N/A		N/A	N/A	N/A	N/A	N/A	
		ILB WDP	N/A	N/A	KOFM4AMIWDPV1	10.155.129.11	N/A	N/A		N/A	N/A	N/A	N/A	N/A	

© 2021 DXC Technology Company. All rights reserved.

MII 15.5 – Componentes BR1

Ambiente		Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs *	Cores	(GHz)	Mem (GB)	% en serv	Agentes
BR1	PRD	SCS N1	N/A	N/A	KOFB4AMISCPN0	10.155.129.68	Virtual Machine Azure®	Windows 2019		1	2	2.60	8		
		SCS N2	N/A	N/A	KOFB4AMISCPN1	10.155.129.69	Virtual Machine Azure®	Windows 2019		1	2	2.60	8		
		ClusterSCS	N/A	N/A		N/A	N/A	N/A		NA	NA	NA	NA		
		PAS	N/A	N/A	KOFB4AMIPAP10	10.155.129.70	Virtual Machine Azure®	Windows 2019	M4B	1	16	2.60	64		
		AAS	N/A	N/A	KOFB4AMIAAP11	10.155.129.71	Virtual Machine Azure®	Windows 2019		1	16	2.60	64		
		DB N1	N/A	N/A	KOFB4AMIDBPN0	10.155.129.100	Virtual Machine Azure®	Windows 2019		1	32	2.6	128		
		DB N2	N/A	N/A	KOFB4AMIDBPN1	10.155.129.101	Virtual Machine Azure®	Windows 2019		1	32	2.6	128		
		WD	N/A	N/A	KOFB4AMIWDPN0	10.155.129.72	Virtual Machine Azure®	Windows 2019		1	2	2.60	8		
		WD	N/A	N/A	KOFB4AMIWDPN1	10.155.129.73	Virtual Machine Azure®	Windows 2019	W4B	1	2	2.60	8		
		ILB DB	N/A	N/A	KOFB4AMIDBPV1	10.155.129.102	N/A	N/A		N/A	N/A	N/A	N/A	N/A	
		ILB SCS	N/A	N/A	KOFB4AMISCPV1	10.155.129.74	N/A	N/A		N/A	N/A	N/A	N/A	N/A	
		ILB WDP	N/A	N/A	KOFB4AMIWDPV1	10.155.129.75	N/A	N/A		N/A	N/A	N/A	N/A	N/A	

© 2021 DXC Technology Company. All rights reserved.

MII 15.5 – Componentes MX2

Ambiente		Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)	% en serv	Agentes
MX2	PRD	SCS N1	N/A	N/A	KOFM5AMISCPN0	10.155.129.20	Virtual Machine Azure®	Windows 2019	M5M	1	2	2.60	8		
		SCS N2	N/A	N/A	KOFM5AMISCPN1	10.155.129.21	Virtual Machine Azure®	Windows 2019		1	2	2.60	8		
		ClusterSCS	N/A	N/A		N/A	N/A	N/A		NA	NA	NA	NA		
		PAS	N/A	N/A	KOFM5AMIPAP10	10.155.129.22	Virtual Machine Azure®	Windows 2019		1	16	2.60	64		
		AAS	N/A	N/A	KOFM5AMIAAP11	10.155.129.23	Virtual Machine Azure®	Windows 2019		1	16	2.60	64		
		DB N1	N/A	N/A	KOFM5AMIDBPN0	10.155.129.55	Virtual Machine Azure®	Windows 2019		1	32	2.6	128		
		DB N2	N/A	N/A	KOFM5AMIDBPN1	10.155.129.56	Virtual Machine Azure®	Windows 2019		1	32	2.6	128		
		WD	N/A	N/A	KOFM5AMIWDPN0	10.155.129.24	Virtual Machine Azure®	Windows 2019	W5M	1	2	2.60	8		
		WD	N/A	N/A	KOFM5AMIWDPN1	10.155.129.25	Virtual Machine Azure®	Windows 2019		1	2	2.60	8		
		ILB DB	N/A	N/A	KOFM5AMIDBPV1	10.155.129.57	N/A	N/A		N/A	N/A	N/A	N/A	N/A	
		ILB SCS	N/A	N/A	KOFM5AMISCPV1	10.155.129.26	N/A	N/A		N/A	N/A	N/A	N/A	N/A	
		ILB WDP	N/A	N/A	KOFM5AMIWDPV1	10.155.129.27	N/A	N/A		N/A	N/A	N/A	N/A	N/A	

- M5M Integrado a SOLMAN 7.2 en Azure

© 2021 DXC Technology Company. All rights reserved.

MII 15.5 – Componentes BR2

Ambiente		Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)	% en serv	Agentes
BR2	PRD	SCS N1	N/A	N/A	KOFB5AMISCPN0	10.155.129.84	Virtual Machine Azure®	Windows 2019	M5B	1	2	2.60	8		
		SCS N2	N/A	N/A	KOFB5AMISCPN1	10.155.129.85	Virtual Machine Azure®	Windows 2019		1	2	2.60	8		
		ClusterSCS	N/A	N/A		N/A	N/A	N/A		NA	NA	NA	NA		
		PAS	N/A	N/A	KOFB5AMIPAP10	10.155.129.86	Virtual Machine Azure®	Windows 2019		1	16	2.60	64		
		AAS	N/A	N/A	KOFB5AMIAAP11	10.155.129.87	Virtual Machine Azure®	Windows 2019		1	16	2.60	64		
		DB N1	N/A	N/A	KOFB5AMIDBPN0	10.155.129.103	Virtual Machine Azure®	Windows 2019		1	32	2.6	128		
		DB N2	N/A	N/A	KOFB5AMIDBPN1	10.155.129.104	Virtual Machine Azure®	Windows 2019		1	32	2.6	128		
		WD	N/A	N/A	KOFB5AMIWDPN0	10.155.129.88	Virtual Machine Azure®	Windows 2019	W5B	1	2	2.60	8		
		WD	N/A	N/A	KOFB5AMIWDPN1	10.155.129.89	Virtual Machine Azure®	Windows 2019		1	2	2.60	8		
		ILB DB	N/A	N/A	KOFB5AMIDBPV1	10.155.129.105	N/A	N/A		N/A	N/A	N/A	N/A	N/A	
		ILB SCS	N/A	N/A	KOFB5AMISCPV1	10.155.129.90	N/A	N/A		N/A	N/A	N/A	N/A	N/A	
		ILB WDP	N/A	N/A	KOFB5AMIWDPV1	10.155.129.91	N/A	N/A		N/A	N/A	N/A	N/A	N/A	

- MII M5B Integrado a SOLMAN 7.2 en Azure

© 2021 DXC Technology Company. All rights reserved.

MII 15.5 – Componentes MX3

Ambiente		Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)	% en serv	Agentes
MX3	PRD	SCS N1	N/A	N/A	KOFM6AMISCPN0	10.155.129.36	Virtual Machine Azure®	Windows 2019		1	2	2.60	8		
		SCS N2	N/A	N/A	KOFM6AMISCPN1	10.155.129.37	Virtual Machine Azure®	Windows 2019		1	2	2.60	8		
		ClusterSCS	N/A	N/A		N/A	N/A	N/A		NA	NA	NA	NA		
		PAS	N/A	N/A	KOFM6AMIPAP10	10.155.129.38	Virtual Machine Azure®	Windows 2019	M6M	1	16	2.60	64		
		AAS	N/A	N/A	KOFM6AMIAAP11	10.155.129.39	Virtual Machine Azure®	Windows 2019		1	16	2.60	64		
		DB N1	N/A	N/A	KOFM6AMIDBPN0	10.155.129.58	Virtual Machine Azure®	Windows 2019		1	32	2.6	128		
		DB N2	N/A	N/A	KOFM6AMIDBPN1	10.155.129.59	Virtual Machine Azure®	Windows 2019		1	32	2.6	128		
		WD	N/A	N/A	KOFM6AMIWDPN0	10.155.129.40	Virtual Machine Azure®	Windows 2019		1	2	2.60	8		
		WD	N/A	N/A	KOFM6AMIWDPN1	10.155.129.41	Virtual Machine Azure®	Windows 2019	W6M	1	2	2.60	8		
		ILB DB	N/A	N/A	KOFM6AMIDBPV1	10.155.129.60	N/A	N/A		N/A	N/A	N/A	N/A	N/A	
		ILB SCS	N/A	N/A	KOFM6AMISCPV1	10.155.129.42	N/A	N/A		N/A	N/A	N/A	N/A	N/A	
		ILB WDP	N/A	N/A	KOFM6AMIWDPV1	10.155.129.43	N/A	N/A		N/A	N/A	N/A	N/A	N/A	

- M6M Integrado a SOLMAN 7.2 en Azure

© 2021 DXC Technology Company. All rights reserved.

MII 15.5 – Componentes QAS

Ambiente		Servicios	Host Física	IP Física	Host Virtual	IP Virtual	Modelo	S.O.	SID	CPUs *	Cores	(GHz)	Mem (GB)	% en serv	Agentes
M2Q	QAS	SCS N1	N/A	N/A	KOFQ2AMISCPN0	10.155.128.52	Virtual Machine Azure®	Windows 2019	M2Q	1	2	2.60	8		
		SCS N2	N/A	N/A	KOFQ2AMISCPN1	10.155.128.53	Virtual Machine Azure®	Windows 2019		1	2	2.60	8		
		ClústerSCS	N/A	N/A		N/A	N/A	N/A		NA	NA	NA	NA		
		PAS	N/A	N/A	KOFQ2AMIPAP10	10.155.128.54	Virtual Machine Azure®	Windows 2019		1	16	2.60	64		
		AAS	N/A	N/A	KOFQ2AMIAAP11	10.155.128.55	Virtual Machine Azure®	Windows 2019		1	16	2.60	64		
		DB N1	N/A	N/A	KOFQ2AMIDBPN0	10.155.128.36	Virtual Machine Azure®	Windows 2019		1	32	2.6	128		
		DB N2	N/A	N/A	KOFQ2AMIDBPN1	10.155.128.37	Virtual Machine Azure®	Windows 2019		1	32	2.6	128		
		WD	N/A	N/A	KOFQ2AMIWDPN0	10.155.128.56	Virtual Machine Azure®	Windows 2019	W2Q	1	2	2.60	8		
		WD	N/A	N/A	KOFQ2AMIWDPN1	10.155.128.57	Virtual Machine Azure®	Windows 2019		1	2	2.60	8		
		ILB DB	N/A	N/A	KOFQ2AMIDBPV1	10.155.128.39	N/A	N/A		N/A	N/A	N/A	N/A	N/A	
		ILB SCS	N/A	N/A	KOFQ2AMISCPV1	10.155.128.59	N/A	N/A		N/A	N/A	N/A	N/A	N/A	
		ILB WDP	N/A	N/A	KOFQ2AMIWDPV1	10.155.128.60	N/A	N/A		N/A	N/A	N/A	N/A	N/A	

© 2021 DXC Technology Company. All rights reserved.

Versiones SAP Software MIIs Azure

	Plataforma	MII Colombia Azure 15.5	MII JDV Azure 15.5	MII Argentina Azure 15.5	MII Centroamérica Azure 15.5	MII México 1 Azure 15.5	MII México 2 Azure 15.5	MII México 3 Azure 15.5
SAP	NW SP	7.50 SP23	7.50 SP23	7.50 SP23	7.50 SP23	7.50 SP23	7.50 SP23	7.50 SP23
	Componente	SAP MII 15.5 SP0	SAP MII 15.5 SP0	SAP MII 15.5 SP0	SAP MII 15.5 SP0	SAP MII 15.5 SP0	SAP MII 15.5 SP0	SAP MII 15.5 SP0
	Kernel patch level	753 PL1200	753 PL1200	753 PL1200	753 PL1200	753 PL1200	753 PL1200	753 PL1200
SO	Versión	Windows Server 2019	Windows Server 2019	Windows Server 2019	Windows Server 2019	Windows Server 2019	Windows Server 2019	Windows Server 2019
BD	Versión	MS SQL Server 2019 15.00.4335	MS SQL Server 2019 15.00.4261	MS SQL Server 2019 15.00.4261	MS SQL Server 2019 15.00.4261	MS SQL Server 2019 15.00.4261	MS SQL Server 2019 15.00.4261	MS SQL Server 2019 15.00.4261
	SID	**M7C**	**M4J**	**M4A**	**M5C**	**M4M**	**M5M**	**M6M**

- M4A Integrado a SOLMAN 7.2 en Azure
- M5M Integrado a SOLMAN 7.2 en Azure
- M6M Integrado a SOLMAN 7.2 en Azure
- M4J integrado a SOLMAN 7.2 en Azure

© 2021 DXC Technology Company. All rights reserved.

Versiones SAP Software MIIs Azure

	Plataforma	MII Brasil 1 Azure 15.5	MII Brasil 2 Azure 15.5	MII Calidad Azure 15.5	MII Desarrollo Azure 15.5
SAP	NW SP	7.50 SP23	7.50 SP23	7.50 SP23	7.50 SP23
	Componente	SAP MII 15.5 SP0	SAP MII 15.5 SP0	SAP MII 15.5 SP0	SAP MII 15.5 SP0
	Kernel patch level	753 PL1200	753 PL1200	753 PL1200	753 PL1200
SO	Versión	Windows Server 2019	Windows Server 2019	Windows Server 2019	Windows Server 2019
BD	Versión	MS SQL Server 2019 15.00.4261	MS SQL Server 2019 15.00.4261	MS SQL Server 2019 15.00.4261	MS SQL Server 2019 15.00.4261
	SID	**M4B**	**M5B**	**M2Q**	**M1D**

- M1D Integrado a SOLMAN 7.2 Azure
- M2Q Integrado a SOLMAN 7.2 en Azure
- M5B integrado a SOLMAN 7.2 Azure

© 2021 DXC Technology Company. All rights reserved.

Versiones SAP SOLMAN 7.2 Azure


	Plataforma	Solman 7.2 PRD	Solman 7.2 DEV
SAP	NW SP	740 SP26 750 SP29	740 SP26 750 SP29
	Componente	Solution Manager 7.2 SP20	Solution Manager 7.2 SP20
	Kernel patch level	753_REL PL 100	753_REL PL 100
SO	Versión	Linux x86_64	Linux x86_64
BD	Versión	HANA 2.00.078	HANA 2.00.078
	SID	**SOA / SOJ**	**SXA / SXJ**

© 2021 DXC Technology Company. All rights reserved.

DIAGRAMA SOLMAN 7.2 AZURE SBX

Versión 10.8

- S4 SBX
- SolMan SBX



3 Integraciones

TIPO	CANTIDAD
ABAP	2
JAVA	1
HANA	2
TOTAL	5

Escenarios


- **RCA**
- **SysMon**
- **EWA**

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

DIAGRAMA SOLMAN 7.2 AZURE SBX

Versión 10.8

- ECC
- BW
- S/4HANA (S4, SLT, MDG, GRC, CPROC)
- DP
- Data Lake
- Stagging Qlik Replicator
- SCC's
- MII
- SCM
- EWM
- BODS
- DS
- CAS
- EP
- PI
- CRM
- GRC KOF y JDV
- NWDI
- SolMan



193 Integraciones

Sistemas integrados a SOLMAN	
Tipo	**Cantidad**
JAVA	47
ABAP	63
HANADB	77
UNSPECIFIC	6
TOTAL	193

Escenarios

- **RCA**
- **SysMon**
- **EWA**

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

QHP EN AZURE

Ambiente	Servicios	Host Virtual	IP Física	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
QHP	DB	KOFMXAQKDBPN0	10.155.145.20	Standard_M32ts	Linux (redhat 8.8)	QHP	1	32	2.50GHz	256

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

QHP



© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

VERSIONES SAP SOFTWARE SCM

Plataforma		S4	
SAP	NW SP	**758 SP03**	**758 SP03**
	Componente	SAP_BASIS	SAP_BASIS
		SAP S/4HANA FOUNDATION 2023 SP 03 (02/2025)	SAP S/4HANA FOUNDATION 2023 SP 03 (02/2025)
	Kernel patch level	793, patch 400	793, patch 400
	Web Dispacher	N/A	N/A
SO	Versión	Linux x86_64	Linux x86_64
BD	Versión	HANA DB	HANA DB
		2.00.078.00.1715149848	2.00.078.00.1715149848
	SID	**SGD**	**SGQ**

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

VERSIONES SAP SOFTWARE SCM

	Plataforma		
SAP	NW SP	N/A	N/A
	Componente	SAP_BASIS	SAP_BASIS
		SAP S/4HANA FOUNDATION 2023 SP 03 (02/2025)	SAP S/4HANA FOUNDATION 2023 SP 03 (02/2025)
	Kernel patch level	793, patch 324	793, patch 324
	Web Dispacher	WMR 785 PL 124	WMP 785 PL 124
SO	Versión	Linux x86_64	Linux x86_64
BD	Versión	HANA DB	HANA DB
		2.00.078.00.1715149848	2.00.078.00.1715149848
	SID	**SMR**	**SMP**

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

VERSIONES SAP SOFTWARE EWM

Plataforma		S4	
SAP	NW SP	758 SP 03	758 SP 03
	Componente	SAP_BASIS	SAP_BASIS
		SAP S/4HANA FOUNDATION 2023 SP 03 (02/2025)	SAP S/4HANA FOUNDATION 2023 SP 03 (02/2025)
	Kernel patch level	793, patch 400	793, patch 3400
	Web Dispacher	N/A	N/A
SO	Versión	Linux x86_64	Linux x86_64
BD	Versión	HANA DB	HANA DB
		2.00.078.00.1715149848	2.00.078.00.1715149848
	SID	**EGD**	**EGQ**

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

VERSIONES SAP SOFTWARE EWM

	Plataforma		S4
SAP	NW SP	758 SP03	758 SP03
	Componente	SAP_BASIS	SAP_BASIS
		SAP S/4HANA FOUNDATION 2023 SP 03 (02/2025)	SAP S/4HANA FOUNDATION 2023 SP 03 (02/2025)
	Kernel patch level	793, patch 324	793, patch 324
	Web Dispacher	MWR 785 PL 124	MWP 785 PL 124
SO	Versión	Linux x86_64	Linux x86_64
BD	Versión	HANA DB	HANA DB
		2.00.078.00.1715149848	2.00.078.00.1715149848
	SID	**EMR**	**EMP**

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

INFRAESTRUCTURA ACTUAL

Resumen Vista Lógica SapRouter
en DR

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

Conectividad SAProuter en DR


App SAP OnP en DR | App SAP Azure en DR | App NO SAP OnP en DR | App NO SAP Azure en DR | Aplicación SAP o **NO** SAP no considerado en DR | AppSAP confirmado en DR post

Servicio de SAProuter en DR

1. Servicio SAProuter en DR en SCC LX
2. Mismo hostname físico + hostname lógico, diferente IP privada
3. Diferente IP Pública en DR
4. **Nuevo** registro en SAP del servicio de SAProuter en DR. **Total de SAProuter registrados en SAP 3**

Consideraciones:

1. VoBo de soporte por parte de SAP – Confirmado
2. Pasos mínimos para conmutación del servicio a DR
3. Escenario de pruebas sin afectación al servicio en región primaria.



© 2021 DXC Technology Company. All rights reserved.


INFRAESTRUCTURA ACTUAL


Resumen Vista Lógica DRP

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

SAP SLT- THP

SAP S4
Instancias: S4P
SO: Linux (redhat 8.8) HA







© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

SAP MDG – M4P

SAP MDG
Instancias: M4P
SO: Linux (redhat 8.8) HA






© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

SAP MII ARGENTINA (M4A) EN AZURE

SAP MII 15.5
Instancias: M4A
SO: Windows 2019




© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

SAP MII CENTROAMÉRICA (M5C) EN AZURE

SAP MII 15.5

Instancias: M5C

SO: Windows 2019




© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

SAP MII MÉXICO (M4M) EN AZURE

SAP MII 15.5

Instancias: M4M

SO: Windows 2019



© 2026 DXC Technology Company. All rights reserved.


DXC Confidential

SAP MII MÉXICO (M5M) EN AZURE

SAP MII 15.5

Instancias: M5M

SO: Windows 2019




© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

SAP MII MÉXICO (M6M) EN AZURE

SAP MII 15.5

Instancias: M6M

SO: Windows 2019




© 2026 DXC Technology Company. All rights reserved.

DXC Confidential

SAP MII BRASIL (M4B) EN AZURE


SAP MII 15.5
Instancias: M4B
SO: Windows 2019



© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

SAP MII BRASIL (M5B) EN AZURE

SAP MII 15.5
Instancias: M5B
SO: Windows 2019




© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

SAP MII COLOMBIA M7C AZURE

SAP MII 15.5

Instancias: M7C

SO: Windows 2019




© 2026 DXC Technology Company. All rights reserved.

DXC Confidential

DR | SAP SLT- THP


SAP S4
Instancia: T4P
SO: Linux (redhat 8.8)



El Recovery Service Vault (RSV-ASR-DR) almacena las VMs replicadas que vienen desde la región primaria, y están listas para restaurase (ser creadas) cuando ocurra un desastre o se ejecuten pruebas de DRP

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

DR | SAP S4P - CFIN




SAP S4
Instancia: S4P
SO: Linux (redhat 8.8)


El Recovery Service Vault (RSV-ASR-DR) almacena las VMs replicadas que vienen desde la región primaria, y están listas para restaurase (ser creadas) cuando ocurra un desastre o se ejecuten pruebas de DRP

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

DR |SAP MDG – M4P

SAP MDG
Instancia: M4P
SO: Linux (redhat 8.8)





El Recovery Service Vault (RSV-ASR-DR) almacena las VMs replicadas que vienen desde la región primaria, y están listas para restaurase (ser creadas) cuando ocurra un desastre o se ejecuten pruebas de DRP


© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

DR |SAP MII ARGENTINA (M4A) EN AZURE

SAP MII 15.5

Instancia: M4A

SO: Windows 2019



El Recovery Service Vault (RSV-ASR-DR) almacena las VMs replicadas que vienen desde la región primaria, y están listas para restaurase (ser creadas) cuando ocurra un desastre o se ejecuten pruebas de DRP


© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

DR |SAP MII CENTROAMÉRICA (M5C) EN AZURE

SAP MII 15.5

Instancia: M5C

SO: Windows 2019



El Recovery Service Vault (RSV-ASR-DR) almacena las VMs replicadas que vienen desde la región primaria, y están listas para restaurase (ser creadas) cuando ocurra un desastre o se ejecuten pruebas de DRP


© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

DR |SAP MII MÉXICO (M4M) EN AZURE

SAP MII 15.5

Instancia: M4M

SO: Windows 2019



El Recovery Service Vault (RSV-ASR-DR) almacena las VMs replicadas que vienen desde la región primaria, y están listas para restaurase (ser creadas) cuando ocurra un desastre o se ejecuten pruebas de DRP


© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

DR |SAP MII MÉXICO (M5M) EN AZURE

SAP MII 15.5

Instancia: M5M

SO: Windows 2019



El Recovery Service Vault (RSV-ASR-DR) almacena las VMs replicadas que vienen desde la región primaria, y están listas para restaurase (ser creadas) cuando ocurra un desastre o se ejecuten pruebas de DRP


© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

DR |SAP MII MÉXICO (M6M) EN AZURE

SAP MII 15.5

Instancia: M6M

SO: Windows 2019




El Recovery Service Vault (RSV-ASR-DR) almacena las VMs replicadas que vienen desde la región primaria, y están listas para restaurase (ser creadas) cuando ocurra un desastre o se ejecuten pruebas de DRP

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

DR |SAP MII BRASIL (M4B) EN AZURE

SAP MII 15.5
Instancia: M4B
SO: Windows 2019




El Recovery Service Vault (RSV-ASR-DR) almacena las VMs replicadas que vienen desde la región primaria, y están listas para restaurase (ser creadas) cuando ocurra un desastre o se ejecuten pruebas de DRP

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

DR |SAP MII BRASIL (M5B) EN AZURE

SAP MII 15.5
Instancia: M5B
SO: Windows 2019




El Recovery Service Vault (RSV-ASR-DR) almacena las VMs replicadas que vienen desde la región primaria, y están listas para restaurase (ser creadas) cuando ocurra un desastre o se ejecuten pruebas de DRP

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

DR | SAP MII COLOMBIA M7C AZURE

SAP MII 15.5
Instancia: M7C
SO: Windows 2019




El Recovery Service Vault (RSV-ASR-DR) almacena las VMs replicadas que vienen desde la región primaria, y están listas para restaurase (ser creadas) cuando ocurra un desastre o se ejecuten pruebas de DRP

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

DR | SAP CLOUD CONNECTOR WINDOWS

Cloud Connector Windows
Instancia:
SO: Windows 2019




El Recovery Service Vault (RSV-ASR-DR) almacena las VMs replicadas que vienen desde la región primaria, y están listas para restaurase (ser creadas) cuando ocurra un desastre o se ejecuten pruebas de DRP

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

DR | SAP CLOUD CONNECTOR LINUX

Cloud Connector Linux
Instancia:
SO: Windows 2019



El Recovery Service Vault (RSV-ASR-DR) almacena las VMs replicadas que vienen desde la región primaria, y están listas para restaurase (ser creadas) cuando ocurra un desastre o se ejecuten pruebas de DRP

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

MII DR M4M

Ambiente	Servicios	Host	IP	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
M4M	DB	KOFM4AMIDBPN2	10.159.129.54	Standard D32dls	Windows Server 2019		1	32	2.6 GHz	128
	ASCS	KOFM4AMISCPN0	10.155.129.4	Standard D2ds v4	Windows Server 2019		1	2	2.5 GHz	8
	PAS	KOFM4AMIPAP10	10.155.129.6	Standard D16ds v4	Windows Server 2019		1	16	2.3 GHz	64
	WD	KOFM4AMIWDPN0	10.155.129.8	Standard D2ds v4	Windows Server 2019		1	2	2.3 GHz	8

© 2021 DXC Technology Company. All rights reserved.

DR SLT

Ambiente	Servicios	Host	IP	Modelo	S.O.	SID	CPUs *	Cores	(GHz)	Mem (GB)
SLT	DB	KOFMXAT4DBPN2	10.159.159.196	Standard M128s	Linux (redhat 8.8)		1	128	2.6 GHz	2048
	ASCS	KOFMXAT4ASPN0	10.155.159.132	Standard D4ds v4	Linux (redhat 8.8)		1	4	2.5 GHz	16
	PAS	KOFMXAT4PAP10	10.155.159.189	Standard E16as v4	Linux (redhat 8.8)		1	16	2.3 GHz	128
	WD	KOFMXAT4WDPN0	10.155.159.187	Standard D4as v4	Linux (redhat 8.8)		1	4	2.3 GHz	16

© 2021 DXC Technology Company. All rights reserved.

DR S4

Ambiente	Servicios	Host	IP	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
S4	DB	KOFMXAS4DBPN2	10.161.159.232	Standard M832ixs v2	Linux (redhat 8.8)		1	832	2.6 GHz	23088

© 2021 DXC Technology Company. All rights reserved.

MDG DR M4P

Ambiente	Servicios	Host	IP	Modelo	S.O.	SID	CPUs *	Cores	(GHz)	Mem (GB)
M4P	DB	KOFMXAMGDBPN2	10.159.159.20	Standard M64ls	Linux (redhat 8.8)		2	32	2.7 GHz	515
	ASCS	KOFMXAMGASPN0	10.155.159.4	Standard D4ds v4	Linux (redhat 8.8)		1	2	2.6 GHz	15
	PAS	KOFMXAMGPAP10	10.155.159.6	Standard E8as v4	Linux (redhat 8.8)		1	4	2.4 GHz	63
	WD	KOFMXAMGWDPN0	10.155.159.8	Standard D2as v4	Linux (redhat 8.8)		1	1	2.4 GHz	7

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

MII DR M4A

Ambiente	Servicios	Host	IP	Modelo	S.O.	SID	CPUs *	Cores	(GHz)	Mem (GB)
M4A	DB	KOFARAMIDBPN2	10.159.129.134	Standard D32ds	Windows Server 2019		1	32	2.6 GHz	128
	ASCS	KOFARAMISCPN0	10.155.129.116	Standard D2ds v4	Windows Server 2019		1	2	2.5 GHz	8
	PAS	KOFARAMIPAP10	10.155.129.118	Standard D16ds v4	Windows Server 2019		1	16	2.3 GHz	64
	WD	KOFARAMIWDPN0	10.155.129.120	Standard D2ds v4	Windows Server 2019		1	2	2.3 GHz	8

© 2021 DXC Technology Company. All rights reserved.

MII DR M5C

Ambiente	Servicios	Host	IP	Modelo	S.O.	SID	CPUs *	Cores	(GHz)	Mem (GB)
M5C	DB	KOFCAAMIDBPN2	10.159.129.198	Standard D48ds	Windows Server 2019		1	48	2.6 GHz	192
	ASCS	KOFCAAMISCPN0	10.155.129.180	Standard D2ds v4	Windows Server 2019		1	2	2.5 GHz	8
	PAS	KOFCAAMIPAP10	10.155.129.182	Standard D16ds v4	Windows Server 2019		1	16	2.3 GHz	64
	WD	KOFCAAMIWDPN0	10.155.129.184	Standard D2ds v4	Windows Server 2019		1	2	2.3 GHz	8

© 2021 DXC Technology Company. All rights reserved.

MII DR M5M

Ambiente	Servicios	Host	IP	Modelo	S.O.	SID	CPUs *	Cores	(GHz)	Mem (GB)
M5M	DB	KOFM5AMIDBPN2	10.159.129.57	Standard D32ds	Windows Server 2019		1	32	2.6 GHz	128
	ASCS	KOFM5AMISCPN0	10.155.129.20	Standard D2ds v4	Windows Server 2019		1	2	2.5 GHz	8
	PAS	KOFM5AMIPAP10	10.155.129.22	Standard D16ds v4	Windows Server 2019		1	16	2.3 GHz	64
	WD	KOFM5AMIWDPN0	10.155.129.24	Standard D2ds v4	Windows Server 2019		1	2	2.3 GHz	8

© 2021 DXC Technology Company. All rights reserved.

MII DR M6M

Ambiente	Servicios	Host	IP	Modelo	S.O.	SID	CPUs *	Cores	(GHz)	Mem (GB)
M6M	DB	KOFM6AMIDBPN2	10.159.129.60	Standard D32ds	Windows Server 2019		1	32	2.6 GHz	128
	ASCS	KOFM6AMISCPN0	10.155.129.36	Standard D2ds v4	Windows Server 2019		1	2	2.5 GHz	8
	PAS	KOFM6AMIPAP10	10.155.129.38	Standard D16ds v4	Windows Server 2019		1	16	2.3 GHz	64
	WD	KOFM6AMIWDPN0	10.155.129.40	Standard D2ds v4	Windows Server 2019		1	2	2.3 GHz	8

© 2021 DXC Technology Company. All rights reserved.

MII DR M4B

Ambiente	Servicios	Host	IP	Modelo	S.O.	SID	CPUs *	Cores	(GHz)	Mem (GB)
M4B	DB	KOFB4AMIDBPN2	10.159.129.102	Standard D32ds	Windows Server 2019		1	32	2.6 GHz	128
	ASCS	KOFB4AMISCPN0	10.155.129.68	Standard D2ds v4	Windows Server 2019		1	2	2.5 GHz	8
	PAS	KOFB4AMIPAP10	10.155.129.70	Standard D16ds v4	Windows Server 2019		1	16	2.3 GHz	64
	WD	KOFB4AMIWDPN0	10.155.129.72	Standard D2ds v4	Windows Server 2019		1	2	2.3 GHz	8

© 2021 DXC Technology Company. All rights reserved.

MII DR M5B

Ambiente	Servicios	Host	IP	Modelo	S.O.	SID	CPUs *	Cores	(GHz)	Mem (GB)
M5B	DB	KOFB5AMIDBPN2	10.159.129.105	Standard D32ds	Windows Server 2019		1	32	2.6 GHz	128
	ASCS	KOFB5AMISCPN0	10.155.129.84	Standard D2ds v4	Windows Server 2019		1	2	2.5 GHz	8
	PAS	KOFB5AMIPAP10	10.155.129.86	Standard D16ds v4	Windows Server 2019		1	16	2.3 GHz	64
	WD	KOFB5AMIWDPN0	10.155.129.88	Standard D2ds v4	Windows Server 2019		1	2	2.3 GHz	8

© 2021 DXC Technology Company. All rights reserved.

MII DR M7C

Ambiente	Servicios	Host	IP	Modelo	S.O.	SID	CPUs *	Cores	(GHz)	Mem (GB)
M7C	DB	KOFC7AMIDBPN2	10.159.129.171	Standard D48ds	Windows Server 2019		1	48	2.6 GHz	192
	ASCS	KOFC7AMISCPN0	10.155.129.171	Standard D2ds v4	Windows Server 2019		1	2	2.5 GHz	8
	PAS	KOFC7AMIPAP10	10.155.129.173	Standard D16ds v4	Windows Server 2019		1	16	2.3 GHz	64
	WD	KOFC7AMIWDPN0	10.155.129.155	Standard D2ds v4	Windows Server 2019		1	2	2.3 GHz	8

© 2021 DXC Technology Company. All rights reserved.

SAP CLOUD CONNECTOR WINDOWS

Ambiente	Servicios	Host	IP	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
SAP Cloud Connector Windows	AP	KOFMXACCAPPN2	10.155.6.5	Standard F16	Windows Server 2019	CC PRD	1	16	2.29 GHz	32
	AP	KOFMXACCAPQN2	10.155.6.6	Standard F16	Windows Server 2019	CC DEV	1	NA	2.35 GHz	8

© 2021 DXC Technology Company. All rights reserved.


SAP CLOUD CONNECTOR LINUX

Ambiente	Servicios	Host	IP	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
SAP CLOUD	AP	KOFMXACCAPPN0	10.155.6.10	Standard F2s	Linux (redhat 8.8)		1	2	2.6 GHz	4

© 2021 DXC Technology Company. All rights reserved.

Dynatrace Diagrama

Monitoreo SAP




© 2021 DXC Technology Company. All rights reserved.

Dynatrace

Ambiente		Host	IP	Modelo	S.O.	CPUs*	(GHz)	Mem (GB)
Dynatrace	ACTIVE GATE	KOFMXAAGODP01	10.155.4.16	Standard F2s v2	Linux (redhat 8.10)	2	2.6 GHz	4
		KOFMXAAGEDP01	10.155.4.17	Standard F4s v2	Linux (redhat 8.10)	4	2.6 GHz	8
		KOFMXAAGSDP01	10.155.4.18	Standard F4s v2	Linux (redhat 8.10)	4	2.5 GHz	8
		KOFMXAAGEDP02	10.155.4.19	Standard D16as v4	Linux (redhat 8.10)	16	2.5 GHz	64


© 2021 DXC Technology Company. All rights reserved.

DIAGRAMA ACTIVE GATES DYNATRACE SAAS




© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

Overview (Ambientes NOSAP)




© 2021 DXC Technology Company. All rights reserved.

Overview (Ambientes NOSAP) Location: Central US



© 2021 DXC Technology Company. All rights reserved.

Overview (Ambientes NO SAP) Location: East US 2



© 2021 DXC Technology Company. All rights reserved.


INFRAESTRUCTURA ACTUAL

Resumen Vista Lógica NO SAP

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential


Diagrama MID Server CloudOps

Location: East US (Zone 1)
Suscription: KOF-SHARED-SAP




© 2021 DXC Technology Company. All rights reserved.

Diagrama Agent Client Collector Microsoft Identity Defender (MID)




© 2021 DXC Technology Company. All rights reserved.

Diagrama ABAP Code Profiler



© 2021 DXC Technology Company. All rights reserved.

Diagrama Domain Controllers JDV



© 2021 DXC Technology Company. All rights reserved.

Diagrama Domain Controllers SAP

Location: East US 2
Suscription: KOF-SHARED-SAP



Windows server 2019 Datacenter

AZDCKOPRODSAP01
10.155.4.134



Windows server 2019 Datacenter

AZDCKOPRODSAP02
10.155.4.138



Windows server 2019 Datacenter

AZDCNAPRODSAP01
10.155.4.133



Windows server 2019 Datacenter

AZDCNAPRODSAP02
10.155.4.136



Windows server 2019 Datacenter

AZDCSAPRODSAP01
10.155.4.132



Windows server 2019 Datacenter

AZDCSAPRODSAP02
10.155.4.135

© 2021 DXC Technology Company. All rights reserved.

Diagrama ZSCALER

Location: East US 2
Suscription: KOF-SHARED-SAP



LINUX

Apliance

KOFMXSAPAPCNT1
10.155.4.38



LINUX

Apliance

KOFMXSAPAPCNT2
10.155.4.39



LINUX

Apliance

KOFMXAZDAPP01
10.155.4.197



LINUX

Apliance

KOFMXAZDAPP02
10.155.0.164



LINUX

Apliance

KOFMXAZDAPP03
10.155.6.68



LINUX

Apliance

KOFMXAZDAPP06
10.155.130.52



LINUX

Apliance

KOFMXAZDAPP04
10.155.148.228



LINUX


Apliance

KOFMXAZDAPP05
10.155.132.20

© 2021 DXC Technology Company. All rights reserved.

Diagrama Gestion Dynatrace


Location: East US 2
Suscription: KOF-SHARED-SAP



© 2021 DXC Technology Company. All rights reserved.

Diagrama SAP Automation


Location: East US 2
Suscription: KOF-SHARED-SAP



© 2021 DXC Technology Company. All rights reserved.

Diagrama SAP Installation Server

Location: East US 2
Suscription: KOF-SHARED-SAP



© 2021 DXC Technology Company. All rights reserved.

Diagrama Cyberark

Location: East US 2
Suscription: KOF-SHARED-SAP



LINUX

KOFMXACYARRL0
10.155.5.5



Windows server 2019 Datacenter

KOFMXACYARRW0
10.155.5.6



LINUX

KOFMXACYARRL1
10.155.5.9



Windows server 2019 Datacenter

KOFMXACYARRW1
10.155.5.7

© 2021 DXC Technology Company. All rights reserved.

Diagrama P4S Service and BUaaS

DATA DOMAIN



LINUX

Apliance

KOFBKP-PVA02
100.81.121.16

Red Hat



LINUX

Apliance

KOFBKP-PVL03
100.81.121.17

Windows Server



Windows server 2016 Datacenter

Apliance

KOFBKP-PVW04
100.81.121.18

Location: East US 2
Suscription: KOF-SHARED-SAP

SUSE Linux Enterprise



LINUX

KOFFDE-PVL01
10.155.4.165

SUSE Linux Enterprise




LINUX

KOFFDE-PVL02
10.155.4.164

© 2021 DXC Technology Company. All rights reserved.

Diagrama Qualys Virtual Scan


Location: East US 2
Suscription: KOF-SHARED-SAP




© 2021 DXC Technology Company. All rights reserved.

Diagrama SAP Adobe Document Services


Location: East US 2
Suscription: KOF-SHARED-SAP




KOFMXADSDEV1
10.155.4.7



KOFMXADSPRE1
10.155.4.6



KOFMXADSPRO1
10.155.4.4



KOFMXSLDPRA1
10.155.4.8

© 2021 DXC Technology Company. All rights reserved.

Diagrama SAP Windows Terminal Server


Location: East US 2
Suscription: KOF-SHARED-SAP



© 2021 DXC Technology Company. All rights reserved.

Diagrama Domain Controllers SAP DRP

Location: Central US
Suscription: KOF-DR-SAP



© 2021 DXC Technology Company. All rights reserved.

Diagrama ZSCALER-DRP

Location: Central US
Suscription: KOF-DR-SAP



LINUX

KOFMXSAPAPCNDR1
10.159.4.164



LINUX

KOFMXSAPAPCNDR2
10.159.4.165

© 2021 DXC Technology Company. All rights reserved.

MID SERVER CLOUDOPS

Ambiente	Servicios	Host Físicos	IP Fisica	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
MID Server CloudOps	APP	Kofemdprdeuaz01	10.155.180.4	Standard_D2s_v3	Linux (ubuntu 20.0.4)	NA	2	2	2.40 GHz	8

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

AGENT CLIENT COLLECTOR MICROSOFT IDENTITY DEFENDER (MID)

Ambiente	Servicios	Host Físicos	IP Fisica	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
Agent Client Collector Microsoft Identity Defender (MID)	APP	KOFMXAMSAPPN0	10.155.4.228	Standard_D4as_v4	Windows (Server 2019 Datacenter)	NA	4	4	2.20 GHz	16

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

ABAP ABAP CODE PROFILER

Ambiente	Servicios	Host Físicos	IP Fisica	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
ABAP Code Profiler	APP	KOFMXQRPRFLR02	10.155.4.196	Standard_D8s_v3	Windows (Server 2019 Datacenter)	NA	8	8	2.20 GHz	32

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

DOMAIN CONTROLLERS JDV

Ambiente	Servicios	Host Físicos	IP Fisica	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
Domain Controllers JDV	APP	JDVMXADCCTR01	10.155.4.228	Standard D4s_v3	Windows (Windows Server 2012 R2 Datacenter)	NA	4	4	2.20 GHz	16

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

DOMAIN CONTROLLERS SAP

Ambiente	Servicios	Host Virtual	IP Física	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
Domain Controllers SAP	APP	AZDCKOPRODSAP01	10.155.4.134	Standard_D4s_v3	Windows (Windows Server 2019 Standard)	N/A	4	4	2.40GHz	16
	APP	AZDCKOPRODSAP02	10.155.4.138	Standard_D4s_v3	Windows (Windows Server 2019 Standard)	N/A	4	4	2.40GHz	16
	APP	AZDCNAPRODSAP01	10.155.4.133	Standard_D4s_v3	Windows (Windows Server 2019 Standard)	N/A	4	4	2.40GHz	16
	APP	AZDCNAPRODSAP02	10.155.4.136	Standard_D4s_v3	Windows (Windows Server 2019 Standard)	N/A	4	4	2.40GHz	16
	APP	AZDCSAPRODSAP01	10.155.4.132	Standard_D4s_v3	Windows (Windows Server 2019 Standard)	N/A	4	4	2.40GHz	16
	APP	AZDCSAPRODSAP02	10.155.4.135	Standard_D4s_v3	Windows (Windows Server 2019 Standard)	N/A	4	4	2.40GHz	16

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

ZSCALER

Ambiente	Servicios	Host Virtual	IP Física	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
Zscaler	APP	KOFMXSAPAPCNT1	10.155.4.38	Standard_F4s	Linux (rhel 9.6)	N/A	4	4	2.0 GHz	8
	APP	KOFMXSAPAPCNT2	10.155.4.39	Standard_F4s	Linux (rhel 9.6)	N/A	4	4	2.0 GHz	8
	APP	KOFMXAZDAPP01	10.155.4.197	Standard_D2s_v5	Linux	N/A	2	2	2.80 GHz	8
	APP	KOFMXAZDAPP02	10.155.0.164	Standard_D2s_v5	Linux	N/A	2	2	2.80 GHz	8
	APP	KOFMXAZDAPP03	10.155.6.68	Standard_D2s_v5	Linux	N/A	2	2	2.80 GHz	8
	APP	KOFMXAZDAPP04	10.155.148.228	Standard_D2s_v5	Linux	N/A	2	2	2.80 GHz	8
	APP	KOFMXAZDAPP05	10.155.132.20	Standard_D2s_v5	Linux	N/A	2	2	2.80 GHz	8
	APP	KOFMXAZDAPP06	10.155.130.52	Standard_D2s_v5	Linux	N/A	2	2	2.80 GHz	8

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

GESTION NETOPS DYNATRACE

Ambiente	Servicios	Host Virtual	IP Física	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
Gestion NetOps Dynatrace	APP	KOFMXAAGEDP01	10.155.4.17	Standard_F4s_v2	Linux (redhat 8.10)	N/A	4	4	2.70GHz	8
	APP	KOFMXAAGEDP02	10.155.4.19	Standard_F4s_v2	Linux (redhat 8.10)	N/A	4	4	2.70GHz	8
	APP	KOFMXAAGODP01	10.155.4.16	Standard_F4s_v2	Linux (redhat 8.10)	N/A	4	4	2.70GHz	8
	APP	KOFMXAAGSDP01	10.155.4.18	Standard_F4s_v2	Linux (redhat 8.10)	N/A	4	4	2.70GHz	8

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

SAP AUTOMATION

Ambiente	Servicios	Host Físicos	IP Fisica	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
SAP Automation	APP	KOFMAIACAP01	10.155.4.85	Standard_D4ds_v4	Linux (redhat 8.8)	NA	4	4	2.60GHz	16

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

P4S SERVICE AND BUAAS

Ambiente	Servicios	Host Virtual	IP Física	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
Comunicaciones (Central)	APP	KOFBKP-PVA02	100.81.121.16	Standard_D4ds_v4	Linux (datadomain 7.13.1.25-1161300)	N/A	4	4	2.60GHz	16
	APP	KOFBKP-PVL03	100.81.121.17	Standard_D8s_v3	Linux (redhat 8.10)	N/A	8	8	2.40GHz	32
	APP	KOFBKP-PVW04	100.81.121.18	Standard_F2s_v2	Windows (Windows Server 2016 Datacenter)	N/A	2	2	2.70GHz	4
	APP	KOFFDE-PVL01	10.155.4.165	Standard_DS2_v2	Linux (sles 15.6)	N/A	2	2	2.70GHz	7
	APP	KOFFDE-PVL02	10.155.4.164	Standard_DS2_v2	Linux (sles 15.6)	N/A	2	2	2.70GHz	7

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

QUALYS VIRTUAL SCAN

Ambiente	Servicios	Host Físicos	IP Fisica	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
Qualys Virtual Scan	APP	KOFMXAQVSAP01	10.155.5.53	Standard_D4as_v4	Linux	NA	4	4	2.0GHz	16

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

SAP ADOBE DOCUMENT SERVICES

Ambiente	Servicios	Host Virtual	IP Física	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
SAP Adobe Document Services	APP	KOFMXADSDEV1	10.155.4.7	Standard_D8s_v3	Linux (redhat 8.8)	N/A	8	8	2.40GHz	32
	APP	KOFMXADSPRE1	10.155.4.6	Standard_D8s_v3	Linux (redhat 8.8)	N/A	8	8	2.40GHz	32
	APP	KOFMXADSPRO1	10.155.4.4	Standard_D8s_v3	Linux (redhat 8.8)	N/A	8	8	2.40GHz	32
	APP	KOFMXSLDPRA1	10.155.4.8	Standard_D8s_v3	Linux (redhat 8.8)	N/A	8	8	2.40GHz	32

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

SENTINEL

Ambiente	Servicios	Host Virtual	IP Física	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
Sentinel	APP	KOFMXAZSENTINELSAP01	10.155.4.212	Standard_D4s_v3	Linux (redhat 8.8)	N/A	4	4	2.40GHz	16
	APP	KOFMXAZSENTINELSAP02	10.155.4.213	Standard_D4s_v3	Linux (redhat 8.8)	N/A	4	4	2.40GHz	16

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

ZSCALER-DRP

Ambiente	Servicios	Host Virtual	IP Física	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
Diagrama ZSCALER-DRP	APP	KOFMXSAPAPCNDR1	10.159.4.164	Standard_F4s_v2	Linux (rhel 9.5)	N/A	4	4	2.70GHz	8
	APP	KOFMXSAPAPCNDR2	10.159.4.165	Standard_F4s_v2	Linux (rhel 9.5)	N/A	4	4	2.70GHz	8

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

MID SERVER CLOUDOPS

Ambiente	Servicios	Host Virtual	IP Física	Source image publishe	Source image offer	Source image plan
MID Server CloudOps	APP	Kofemdprdeuaz01	10.155.180.4	Canonical	0001-com-ubuntu-server-foca	20_04-lts

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

ABAP CODE PROFILER

Ambiente	Servicios	Host Virtual	IP Física	Source image name	Source image offer	Source image plan
ABAP Code Profiler	APP	KOFMXQRPRFLR02	10.155.4.196	KOFMXQRPRFLR02_disk	-	-

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

AGENT CLIENT COLLECTOR MICROSOFT IDENTITY DEFENDER (MID)

Ambiente	Servicios	Host Virtual	IP Física	Source image publisher	Source image offer	Source image plan
Agent Client Collector Microsoft Identity Defender	APP	KOFMXAMSAPPN0	10.155.4.228	KOF	WindowsServer-2019	Datacenter-2019

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

SAP INSTALLATION SERVER

Ambiente	Servicios	Host Físicos	IP Fisica	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
SAP Installation Server	APP	KOFMXAISAPPN0	10.155.4.244	Standard_E4as_v4	Windows server 2012 Datacenter	NA	4	4	2.0GHz	32

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

DOMAIN CONTROLLERS JDV

Ambiente	Servicios	Host Virtual	IP Física	Source image publisher	Source image offer	Source image plan
Domain Controllers JDV	APP	JDVMXADCCTR01	10.155.4.137	MicrosoftWindowsServer	WindowsServer	20_04-l2012-R2-Datacenter

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

CYBERARK

Ambiente	Servicios	Host Virtual	IP Física	Source image publisher	Source image offer	Source image plan
Cyberark	APP	KOFMXACYARRL0	10.155.5.5	RedHat	RHEL-SAP-HA	8_6
	APP	KOFMXACYARRW0	10.155.5.6	MicrosoftWindowsServer	WindowsServer	2019-Datacenter
	APP	KOFMXACYARRL1	10.155.5.9	Disk-KOFMXACYARRL1	-	
	APP	KOFMXACYARRW1	10.155.5.7	MicrosoftWindowsServer	WindowsServer	2019-Datacenter

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

SAP WINDOWS TERMINAL SERVER

Ambiente	Servicios	Host Virtual	IP Física	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
SAP Windows Terminal Server	APP	KOFMXAWTSAPN0	10.155.5.20	Standard_B4ms	Windows server 2019 Datacenter	N/A	4	4	2.40GHz	16

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

DOMAIN CONTROLLERS SAP DRP

Ambiente	Servicios	Host Virtual	IP Física	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
Diagrama Domain Controllers SAP DRP	APP	AZDCKODRSAP01	10.159.4.134	Standard_D4s_v3	Windows (Windows Server 2019 Standard)	N/A	4	4	2.40GHz	16
	APP	AZDCNADRSAP01	10.159.4.133	Standard_D4s_v3	Windows (Windows Server 2019 Standard)	N/A	4	4	2.40GHz	16
	APP	AZDCSADRSAP01	10.159.4.132	Standard_D4s_v3	Windows (Windows Server 2019 Standard)	N/A	4	4	2.40GHz	16

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

SAP INSTALLATION SERVER

Ambiente	Servicios	Host Virtual	IP Física	Source image publisher	Source image offer	Source image plan
SAP Installation Server	APP	KOFMXAISAPPN0	10.155.4.244	MicrosoftWindowsServer	WindowsServer	2019-datacenter-gensecond

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

CYBERARK

Ambiente	Servicios	Host Virtual	IP Física	Modelo	S.O.	SID	CPUs*	Cores	(GHz)	Mem (GB)
Cyberark Cloud	APP	KOFMXACYARRL0	10.155.5.5	Standard_D8s_v3	Linux (redhat 8.10)	N/A	8	8	2.70GHz	32
	APP	KOFMXACYARRL1	10.155.5.9	Standard_D8s_v3	Linux (redhat 8.10)	N/A	8	8	2.70GHz	32
	APP	KOFMXACYARRW0	10.155.5.6	Standard_E4s_v3	Windows (Windows Server 2019 Datacenter)	N/A	4	4	2.70GHz	32
	APP	KOFMXACYARRW1	10.155.5.7	Standard_E4s_v3	Windows (Windows Server 2019 Datacenter)	N/A	4	4	2.70GHz	32

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

DOMAIN CONTROLLERS SAP

Ambiente	Servicios	Host Virtual	IP Física	Source image name	Source image offer	Source image plan
Domain Controllers SAP	APP	AZDCKOPRODSAP01	10.155.4.134	CoREforW2K19v103FullStdFix_EUS2	-	-
	APP	AZDCKOPRODSAP02	10.155.4.138	CoREforW2K19v103FullStdFix_EUS2	-	-
	APP	AZDCNAPRODSAP01	10.155.4.133	CoREforW2K19v103FullStdFix_EUS2	-	-
	APP	AZDCNAPRODSAP02	10.155.4.136	CoREforW2K19v103FullStdFix_EUS2	-	-
	APP	AZDCSAPRODSAP01	10.155.4.132	CoREforW2K19v103FullStdFix_EUS2	-	-
	APP	AZDCSAPRODSAP02	10.155.4.135	CoREforW2K19v103FullStdFix_EUS2	-	-

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

ZSCALER

Ambiente	Servicios	Host Virtual	IP Física	Source image name	Source image offer	Source image plan
ZSCALER	APP	KOFMXSAPAPCNT1	10.155.4.38	kofmxsapapcnt1-osdisk-20241120	-	-
	APP	KOFMXSAPAPCNT2	10.155.4.39	Red Hat	RHEL	79-gen2
	APP	KOFMXAZDAPP01	10.155.4.197	KOFMXAZDAPP01_OsDisk	-	-
	APP	KOFMXAZDAPP02	10.155.0.164	KOFMXAZDAPP02_OsDisk	-	-
	APP	KOFMXAZDAPP03	10.155.6.68	KOFMXAZDAPP03_OsDisk	-	-
	APP	KOFMXAZDAPP06	10.155.130.52	KOFMXAZDAPP06_OsDisk	-	-
	APP	KOFMXAZDAPP04	10.155.148.228	KOFMXAZDAPP04_OsDisk		
	APP	KOFMXAZDAPP05	10.155.132.20	KOFMXAZDAPP05_OsDisk		

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

GESTION DYNATRACE

Ambiente	Servicios	Host Virtual	IP Física	Source image publisher	Source image offer	Source image plan
Gestion Dynatrace	APP	KOFMXAAGEDP01	10.155.4.17	RedHat	RHEL	8_4
	APP	KOFMXAAGEDP02	10.155.4.19	KOF	RH-SA-8.8	8.8-SA
	APP	KOFMXAAGODP01	10.155.4.16	RedHat	RHEL	8_4
	APP	KOFMXAAGSDP01	10.155.4.18	KOFMXAAGSDP01_OS Disk	-	-

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

SAP AUTOMATION

Ambiente	Servicios	Host Virtual	IP Física	Source image publisher	Source image offer	Source image plan
SAP Automation	APP	KOFMXAIACAP01	10.155.4.85	KOF	RH-SA-8.8	8.8-SA

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

P4S SERVICE AND BUAAS

Ambiente	Servicios	Host Virtual	IP Física	Source image publisher	Source image offer	Source image plan
Cyberark	APP	KOFBKP-PVA02	100.81.121.16	dellemc	dell-emc-datadomain-virtual-edition-v4	ddve-7710
	APP	KOFBKP-PVL03	100.81.121.17	RedHat	RHEL	82gen2
	APP	KOFBKP-PVW04	100.81.121.18	Disk-KOFMXACYARRL1	-	
	APP	KOFFDE-PVL01	10.155.4.165	suse	Sles-12-sp5-basic	gen2
	APP	KOFFDE-PVL02	10.155.4.164	suse	Sles-12-sp5-basic	gen2

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

QUALYS VIRTUAL SCAN

Ambiente	Servicios	Host Virtual	IP Física	Source image publisher	Source image offer	Source image plan
Qualys Virtual Scan	APP	KOFMXAQVSAP01	10.155.5.53	qualysguard	qualys-virtual-scanner	qvsa

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

SAP ADOBE DOCUMENT SERVICES

Ambiente	Servicios	Host Virtual	IP Física	Source image publisher	Source image offer	Source image plan
SAP Adobe Document Services	APP	KOFMXADSDEV1	10.155.4.7	RedHat	rhel-sap-apps	8_1
	APP	KOFMXADSPRE1	10.155.4.6	RedHat	rhel-sap-apps	8_1
	APP	KOFMXADSPRO1	10.155.4.4	RedHat	rhel-sap-apps	8_1
	APP	KOFMXSLDPRA1	10.155.4.8	RedHat	rhel-sap-apps	8_1

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

SENTINEL

Ambiente	Servicios	Host Virtual	IP Física	Source image publisher	Source image offer	Source image plan
Sentinel	APP	KOFMXAZSENTINELSAP01	10.155.4.212	KOF	RH-SA-8.8	8.8-SA
	APP	KOFMXAZSENTINELSAP02	10.155.4.2123	KOF	RH-SA-8.8	8.8-SA

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

DOMAIN CONTROLLERS SAP DRP

Ambiente	Servicios	Host Virtual	IP Física	Source image publisher	Source image offer	Source image plan
Domain Controllers SAP DRP	APP	AZDCKODRSAP01	10.159.4.134	AZDCKODRSAP01_disk1_d4af618f8ba2458bb609eddd84de5842		
	APP	AZDCNADRSAP01	10.159.4.133	CoREforW2K19v103FullStdFix		
	APP	AZDCSADRSAP01	10.159.4.132	CoREforW2K19v103FullStdFix		

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential

ZSCALER-DRP

Ambiente	Servicios	Host Virtual	IP Física	Source image publisher	Source image offer	Source image plan
ZSCALER-DRP	APP	KOFMXSAPAPCNDR1	10.159.4.164	RedHat	RHEL	93-gen2
	APP	KOFMXSAPAPCNDR2	10.159.4.165	RedHat	RHEL	93-gen2

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential



IMPOSSIBLE. DELIVERED.

© 2026 DXC Technology Company. All rights reserved.
DXC Confidential