

metrocity_college.localhost

 Servers

Servers 1

 [metrocity_college.localhost](#)

metrocity_college.localhost

Databases 1

metrocity_college

Properties

Name	Value
Product	MySQL
Version	8.0.46
Version Comment	MySQL Community Server - GPL
Version Compile Machine	x86_64
Version Compile Os	Win64
Collation	utf8mb4_0900_ai_ci
Hostname	localhost
Port	3306
Base Directory	C:\Program Files\MySQL\MySQL Server 8.0\

 Databases

Databases 1

 metrocity_college

metrocity_college

Properties

Name	Value
Collation	utf8mb4_0900_ai_ci

Object Types 1

 [Tables](#)

 Tables

Objects 5

Name	Description
courses	This table stores the courses offered by the college, including the course code, course name, credit hours, and the responsible department.
departments	This table stores the academic departments available at MetroCity College and is used to organize students and courses.
enrollments	This table records student course registrations, including the semester, academic year, and enrollment date for each enrollment.
exam_results	This table stores the examination results for each enrollment, including the exam date, score, and grade achieved by the student.
students	This table stores student information, including personal details, contact information, and the department to which each student belongs.

 courses

Description

This table stores the courses offered by the college, including the course code, course name, credit hours, and the responsible department.

Properties

Name	Value
Engine	InnoDB
Auto Increment	9
Average Row Length	0
Charset	utf8mb4
Collation	utf8mb4_0900_ai_ci
Row Format	Default
Min Rows	0
Max Rows	0
Checksum	False
Page Checksum	True
Pack Keys	False
Delay Key Write	False
Is Partitioned	False
Encryption	False
Persistent Statistics	DEFAULT
Auto Recalculate Statistics	DEFAULT
Sample Pages	0
Created	7/6/2026 8:31:48 PM
Last Modified	7/6/2026 8:31:48 PM

Columns 5

Key	Name	Data Type	Length	Precision	Scale	Unsigned	Zerofill	Binary	Not Null	Auto Increment	Default	Virtual	Invisible	Description
	course_id	INT		11		False	False	False	True	True		False	False	
	course_code	VARCHAR	20			False	False	False	False	False	NULL	False	False	
	course_name	VARCHAR	100			False	False	False	False	False	NULL	False	False	
	credits	INT		11		False	False	False	False	False	NULL	False	False	
	department_id	INT		11		False	False	False	False	False	NULL	False	False	

Indexes 1

Key	Name	Columns	Unique	Type	Key Lengths
	department_id	department_id	False	None	0

Primary Key 1

Key	Name	Columns	Description
	PRIMARY	course_id	

Foreign Keys 1

Name	Columns	Delete Rule	Update Rule
courses_ibfk_1	department_id	N/S	N/S

SQL Script

```
CREATE TABLE courses (  
  course_id int NOT NULL AUTO_INCREMENT,  
  course_code varchar(20) DEFAULT NULL,  
  course_name varchar(100) DEFAULT NULL,  
  credits int DEFAULT NULL,  
  department_id int DEFAULT NULL,  
  PRIMARY KEY (course_id)  
)  
ENGINE = INNODB,  
CHARACTER SET utf8mb4,  
COLLATE utf8mb4_0900_ai_ci;  
  
ALTER TABLE courses  
ADD CONSTRAINT courses_ibfk_1 FOREIGN KEY (department_id)  
REFERENCES departments (department_id);
```

Depends On 1

 departments

Used By 1

 enrollments

departments

Description

This table stores the academic departments available at MetroCity College and is used to organize students and courses.

Properties

Name	Value
Engine	InnoDB
Auto Increment	6
Average Row Length	0
Charset	utf8mb4
Collation	utf8mb4_0900_ai_ci
Row Format	Default
Min Rows	0
Max Rows	0
Checksum	False
Page Checksum	True
Pack Keys	False
Delay Key Write	False
Is Partitioned	False
Encryption	False
Persistent Statistics	DEFAULT
Auto Recalculate Statistics	DEFAULT
Sample Pages	0
Created	7/6/2026 8:31:48 PM
Last Modified	7/6/2026 8:31:48 PM

Columns 2

Key	Name	Data Type	Length	Precision	Scale	Unsigned	Zerofill	Binary	Not Null	Auto Increment	Default	Virtual	Invisible	Description
	department_id	INT		11		False	False	False	True	True		False	False	
	department_name	VARCHAR	100			False	False	False	True	False		False	False	

Primary Key 1

Key	Name	Columns	Description
	PRIMARY	department_id	

SQL Script

```
CREATE TABLE departments (  
  department_id int NOT NULL AUTO_INCREMENT,  
  department_name varchar(100) NOT NULL,  
  PRIMARY KEY (department_id)
```

```
ENGINE = INNODB,  
CHARACTER SET utf8mb4,  
COLLATE utf8mb4_0900_ai_ci;
```

Depends On

No items found

Used By ²

-  [courses](#)
-  [students](#)

enrollments

Description

This table records student course registrations, including the semester, academic year, and enrollment date for each enrollment.

Properties

Name	Value
Engine	InnoDB
Auto Increment	16
Average Row Length	0
Charset	utf8mb4
Collation	utf8mb4_0900_ai_ci
Row Format	Default
Min Rows	0
Max Rows	0
Checksum	False
Page Checksum	True
Pack Keys	False
Delay Key Write	False
Is Partitioned	False
Encryption	False
Persistent Statistics	DEFAULT
Auto Recalculate Statistics	DEFAULT
Sample Pages	0
Created	7/6/2026 8:31:48 PM
Last Modified	7/6/2026 8:31:48 PM

Columns 6

Key	Name	Data Type	Length	Precision	Scale	Unsigned	Zerofill	Binary	Not Null	Auto Increment	Default	Virtual	Invisible	Description
	enrollment_id	INT		11		False	False	False	True	True		False	False	
	student_id	INT		11		False	False	False	False	False	NULL	False	False	
	course_id	INT		11		False	False	False	False	False	NULL	False	False	
	semester	VARCHAR	20			False	False	False	False	False	NULL	False	False	
	academic_year	INT		11		False	False	False	False	False	NULL	False	False	
	enrollment_date	DATE		0		False	False	False	False	False	NULL	False	False	

Indexes 2

Key	Name	Columns	Unique	Type	Key Lengths
	student_id	student_id	False	None	0
	course_id	course_id	False	None	0

Primary Key 1

Key	Name	Columns	Description
	PRIMARY	enrollment_id	

Foreign Keys 2

Name	Columns	Delete Rule	Update Rule
enrollments_ibfk_1	student_id	N/S	N/S
enrollments_ibfk_2	course_id	N/S	N/S

SQL Script

```
CREATE TABLE enrollments (  
  enrollment_id int NOT NULL AUTO_INCREMENT,  
  student_id int DEFAULT NULL,  
  course_id int DEFAULT NULL,  
  semester varchar(20) DEFAULT NULL,  
  academic_year int DEFAULT NULL,  
  enrollment_date date DEFAULT NULL,  
  PRIMARY KEY (enrollment_id)  
)  
ENGINE = INNODB,  
CHARACTER SET utf8mb4,  
COLLATE utf8mb4_0900_ai_ci;  
  
ALTER TABLE enrollments  
ADD CONSTRAINT enrollments_ibfk_1 FOREIGN KEY (student_id)  
REFERENCES students (student_id);  
  
ALTER TABLE enrollments  
ADD CONSTRAINT enrollments_ibfk_2 FOREIGN KEY (course_id)  
REFERENCES courses (course_id);
```

Depends On 2

-  courses
-  students

Used By 1

-  exam_results

exam_results

Description

This table stores the examination results for each enrollment, including the exam date, score, and grade achieved by the student.

Properties

Name	Value
Engine	InnoDB
Auto Increment	16
Average Row Length	0
Charset	utf8mb4
Collation	utf8mb4_0900_ai_ci
Row Format	Default
Min Rows	0
Max Rows	0
Checksum	False
Page Checksum	True
Pack Keys	False
Delay Key Write	False
Is Partitioned	False
Encryption	False
Persistent Statistics	DEFAULT
Auto Recalculate Statistics	DEFAULT
Sample Pages	0
Created	7/6/2026 8:31:48 PM
Last Modified	7/6/2026 8:31:48 PM

Columns 5

Key	Name	Data Type	Length	Precision	Scale	Unsigned	Zerofill	Binary	Not Null	Auto Increment	Default	Virtual	Invisible	Description
	result_id	INT		11		False	False	False	True	True		False	False	
	enrollment_id	INT		11		False	False	False	False	False	NULL	False	False	
	exam_date	DATE		0		False	False	False	False	False	NULL	False	False	
	score	DECIMAL		5	2	False	False	False	False	False	NULL	False	False	
	grade	CHAR	2			False	False	False	False	False	NULL	False	False	

Indexes 1

Key	Name	Columns	Unique	Type	Key Lengths
-----	------	---------	--------	------	-------------

	enrollment_id	enrollment_id	False	None	0
--	---------------	---------------	-------	------	---

Primary Key 1

Key	Name	Columns	Description
	PRIMARY	result_id	

Foreign Keys 1

Name	Columns	Delete Rule	Update Rule
exam_results_ibfk_1	enrollment_id	N/S	N/S

SQL Script

```
CREATE TABLE exam_results (  
  result_id int NOT NULL AUTO_INCREMENT,  
  enrollment_id int DEFAULT NULL,  
  exam_date date DEFAULT NULL,  
  score decimal(5, 2) DEFAULT NULL,  
  grade char(2) DEFAULT NULL,  
  PRIMARY KEY (result_id)  
)  
  
ENGINE = INNODB,  
CHARACTER SET utf8mb4,  
COLLATE utf8mb4_0900_ai_ci;  
  
ALTER TABLE exam_results  
ADD CONSTRAINT exam_results_ibfk_1 FOREIGN KEY (enrollment_id)  
REFERENCES enrollments (enrollment_id);
```

Depends On 1



enrollments

Used By

No items found

students

Description

This table stores student information, including personal details, contact information, and the department to which each student belongs.

Properties

Name	Value
Engine	InnoDB
Auto Increment	23
Average Row Length	0
Charset	utf8mb4
Collation	utf8mb4_0900_ai_ci
Row Format	Default
Min Rows	0
Max Rows	0
Checksum	False
Page Checksum	True
Pack Keys	False
Delay Key Write	False
Is Partitioned	False
Encryption	False
Persistent Statistics	DEFAULT
Auto Recalculate Statistics	DEFAULT
Sample Pages	0
Created	7/6/2026 8:31:48 PM
Last Modified	7/6/2026 8:31:48 PM

Columns 8

Key	Name	Data Type	Length	Precision	Scale	Unsigned	Zerofill	Binary	Not Null	Auto Increment	Default	Virtual	Invisible	Description
	student_id	INT		11		False	False	False	True	True		False	False	
	first_name	VARCHAR	50			False	False	False	False	False	NULL	False	False	
	last_name	VARCHAR	50			False	False	False	False	False	NULL	False	False	
	gender	ENUM	0			False	False	False	False	False	NULL	False	False	
	date_of_birth	DATE		0		False	False	False	False	False	NULL	False	False	
	email	VARCHAR	100			False	False	False	False	False	NULL	False	False	
	phone	VARCHAR	20			False	False	False	False	False	NULL	False	False	
	department_id	INT		11		False	False	False	False	False	NULL	False	False	

Indexes 1

Key	Name	Columns	Unique	Type	Key Lengths
	department_id	department_id	False	None	0

Primary Key 1

Key	Name	Columns	Description
	PRIMARY	student_id	

Foreign Keys 1

Name	Columns	Delete Rule	Update Rule
students_ibfk_1	department_id	N/S	N/S

SQL Script

```
CREATE TABLE students (  
  student_id int NOT NULL AUTO_INCREMENT,  
  first_name varchar(50) DEFAULT NULL,  
  last_name varchar(50) DEFAULT NULL,  
  gender enum ('Male', 'Female') DEFAULT NULL,  
  date_of_birth date DEFAULT NULL,  
  email varchar(100) DEFAULT NULL,  
  phone varchar(20) DEFAULT NULL,  
  department_id int DEFAULT NULL,  
  PRIMARY KEY (student_id)  
)  
ENGINE = INNODB,  
CHARACTER SET utf8mb4,  
COLLATE utf8mb4_0900_ai_ci;  
  
ALTER TABLE students  
ADD CONSTRAINT students_ibfk_1 FOREIGN KEY (department_id)  
REFERENCES departments (department_id);
```

Depends On 1

 [departments](#)

Used By 1

 [enrollments](#)