Test article

Eirik Lamoy

2023-04-10

Intro

```
library(fixest)

model <- feols( mtcars, mpg ~cyl)
```

```
etable(model , tex = T)
```

```
## \begingroup
## \centering
## \begin{tabular}{lc}
##    \tabularnewline \midrule \midrule
##    Dependent Variable: & mpg\\
##    Model:              & (1)\\
##    \midrule
##    \emph{Variables}\\
##    (Intercept)         & 37.88$^{***}$\\
##                        & (2.074)\\
##    cyl                 & -2.876$^{***}$\\
##                        & (0.3224)\\
##    \midrule
##    \emph{Fit statistics}\\
##    Observations        & 32\\
##    R$^2$               & 0.72618\\
##    Adjusted R$^2$      & 0.71705\\
##    \midrule \midrule
##    \multicolumn{2}{l}{\emph{IID standard-errors in parentheses}}\\
##    \multicolumn{2}{l}{\emph{Signif. Codes: ***: 0.01, **: 0.05, *: 0.1}}\\
## \end{tabular}
## \par\endgroup
```

```
modelsummary::modelsummary(model)
```

	Model 1
(Intercept)	37.885
	(2.074)
cyl	-2.876
	(0.322)
Num.Obs.	32
R2	0.726
R2 Adj.	0.717
RMSE	3.10
Std.Errors	IID