Cucumber Report

| **Start : Jul 12, 10:11:58.854 PM**	**End : Jul 12, 10:12:40.473 PM**	**Duration : 41.619 s**
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 8 SKIPPED - 0	PASSED - 5 FAILED - 0 SKIPPED - 34

Features: 1

Scenarios: 9

Steps: 39

Pass % gauge (Features): 0 %

Pass % gauge (Scenarios): 11 %

Pass % gauge (Steps): 12 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Search Functionality	41.619 s	9	1	8	0	39	5	0	34

#	Feature Name	Scenario Name
1	Search Functionality	Searching for a product by invalid keyword
2		Searching for a product by category
3		Sorting the search results by name, price or rating
4		Sorting the search results by name, price or rating
5		Sorting the search results by name, price or rating
6		Sorting the search results by name, price or rating
7		Sorting the search results by name, price or rating
8		Sorting the search results by name, price or rating

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@validkeywordsearch	1	1	0	0	1	0	1	0
@invalidkeywordsearch	1	0	1	0	1	0	1	0
@searchByCatagory	1	0	1	0	1	0	1	0
@sortsearchresults	6	0	6	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Search Functionality	9	1	8	0	41.619 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Search Functionality	Searching for a product by keyword	5	5	0	0	7.123 s
2		Searching for a product by invalid keyword	5	0	0	5	8.427 s
3		Searching for a product by category	5	0	0	5	3.575 s
4		Sorting the search results by name, price or rating	4	0	0	4	3.520 s
5		Sorting the search results by name, price or rating	4	0	0	4	3.657 s
6		Sorting the search results by name, price or rating	4	0	0	4	3.599 s
7		Sorting the search results by name, price or rating	4	0	0	4	3.678 s
8		Sorting the search results by name, price or rating	4	0	0	4	3.712 s
9		Sorting the search results by name, price or rating	4	0	0	4	4.279 s

Search Functionality

FAILED	DURATION - 41.619 s		Scenarios		Steps	
/ 10:11:58.854 PM // 10:12:40.473 PM /			Total - 9 Pass - 1 Fail - 8 Skip - 0	9	Total - 39 Pass - 5 Fail - 0 Skip - 34	39

Searching for a product by keyword

PASSED	DURATION - 7.123 s		Steps	
/ 10:11:58.859 PM // 10:12:05.982 PM / Search Functionality @validkeywordsearch			Total - 5 Pass - 5 Fail - 0 Skip - 0	5

#	Step / Hook Details	Status	Duration
1	Given I am on the login page	PASSED	0.418 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.139 s
2	Then I should see the search box	PASSED	0.062 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.110 s

#	Step / Hook Details	Status	Duration
3	When I enter a valid keyword in the search box	PASSED	0.096 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.121 s
	image		
4	And I click on the search button	PASSED	0.693 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
	image		
5	Then I should see a list of products that match the keyword with their images, names and prices	PASSED	0.230 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.134 s
	image		

Searching for a product by invalid keyword

FAILED	DURATION - 8.427 s		Steps
/ 10:12:05.998 PM // 10:12:14.425 PM /			Total - 5
			Pass - 0
Search Functionality			Fail - 0
			Skip - 5
@invalidkeywordsearch			

5

#	Step / Hook Details	Status	Duration
	BEFORE - com.pdl.hooks.Hooks.setUp()	FAILED	7.319 s

	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.127, chrome: {chromedriverVersion: 126.0.6478.126 (d36ace6122e..., userDataDir: C:\Users\URMIN\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50630}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50630/devtoo..., se:cdpVersion: 126.0.6478.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	   at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463)
	   at com.pdl.utilities.CommonMethods$1.apply(CommonMethods.java:129)
	   at com.pdl.utilities.CommonMethods$1.apply(CommonMethods.java:1)
	   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)
	   at com.pdl.utilities.CommonMethods.waitForPageToLoad(CommonMethods.java:143)
	   at com.pdl.hooks.Hooks.setUp(Hooks.java:68)		

1	Given I am on the login page	SKIPPED	0.001 s
2	When I enter an invalid "Maca" in the search box	SKIPPED	0.001 s
3	And I click on the search button	SKIPPED	0.000 s
4	Then I should not be able to see any product images, names, or prices	SKIPPED	0.000 s
5	And I should receive a message.	SKIPPED	0.000 s

Searching for a product by category

FAILED	DURATION - 3.575 s		Steps	
/ 10:12:14.432 PM // 10:12:18.007 PM /			Total - 5	
Search Functionality			Pass - 0 Fail - 0	5
@searchByCatagory			Skip - 5	

#	Step / Hook Details	Status	Duration
	BEFORE - com.pdl.hooks.Hooks.setUp()	FAILED	2.580 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.127, chrome: {chromedriverVersion: 126.0.6478.126 (d36ace6122e..., userDataDir: C:\Users\URMIN\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50630}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50630/devtoo..., se:cdpVersion: 126.0.6478.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at com.pdl.utilities.CommonMethods$1.apply(CommonMethods.java:129) at com.pdl.utilities.CommonMethods$1.apply(CommonMethods.java:1) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at com.pdl.utilities.CommonMethods.waitForPageToLoad(CommonMethods.java:143) at com.pdl.hooks.Hooks.setUp(Hooks.java:68)		
1	Given I am on the login page	SKIPPED	0.001 s
2	Then I click on "Search" button and it will land on Search page	SKIPPED	0.001 s
3	When I enter a "Mac" in the search criteria	SKIPPED	0.001 s
4	And I select a category from the drop-down menu and I click on the search button	SKIPPED	0.000 s
5	Then I should see a list of products that belong to the category with their images, names, and prices	SKIPPED	0.000 s

Sorting the search results by name, price or rating

FAILED	DURATION - 3.520 s	Steps	
/ 10:12:18.011 PM // 10:12:21.531 PM /		Total - 4 Pass - 0 Fail - 0 Skip - 4	4
Search Functionality			
@sortsearchresults			

#	Step / Hook Details	Status	Duration
	BEFORE - com.pdl.hooks.Hooks.setUp()	FAILED	2.559 s

	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.127, chrome: {chromedriverVersion: 126.0.6478.126 (d36ace6122e..., userDataDir: C:\Users\URMIN\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50630}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50630/devtoo..., se:cdpVersion: 126.0.6478.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
	
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	  at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463)
	  at com.pdl.utilities.CommonMethods$1.apply(CommonMethods.java:129)
	  at com.pdl.utilities.CommonMethods$1.apply(CommonMethods.java:1)
	  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)
	  at com.pdl.utilities.CommonMethods.waitForPageToLoad(CommonMethods.java:143)
	  at com.pdl.hooks.Hooks.setUp(Hooks.java:68)		

1	Given I am on the login page	SKIPPED	0.001 s
2	Given I have performed a search and got some results	SKIPPED	0.001 s
3	When I select an option from the sort by drop-down menu on the right side of the page	SKIPPED	0.001 s
4	Then I should see the products sorted according to the option I have selected	SKIPPED	0.001 s

Sorting the search results by name, price or rating

FAILED	DURATION - 3.657 s		Steps	
/ 10:12:21.534 PM // 10:12:25.191 PM /			Total - 4	
Search Functionality			Pass - 0	4
@sortsearchresults			Fail - 0	
			Skip - 4	

#	Step / Hook Details	Status	Duration
	BEFORE - com.pdl.hooks.Hooks.setUp()	FAILED	2.652 s

| #	Step / Hook Details	Status	Duration

	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.127, chrome: {chromedriverVersion: 126.0.6478.126 (d36ace6122e..., userDataDir: C:\Users\URMIN\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50630}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50630/devtoo..., se:cdpVersion: 126.0.6478.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	   at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463)
	   at com.pdl.utilities.CommonMethods$1.apply(CommonMethods.java:129)
	   at com.pdl.utilities.CommonMethods$1.apply(CommonMethods.java:1)
	   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)
	   at com.pdl.utilities.CommonMethods.waitForPageToLoad(CommonMethods.java:143)
	   at com.pdl.hooks.Hooks.setUp(Hooks.java:68)		

1	Given I am on the login page	SKIPPED	0.000 s
2	Given I have performed a search and got some results	SKIPPED	0.000 s
3	When I select an option from the sort by drop-down menu on the right side of the page	SKIPPED	0.001 s
4	Then I should see the products sorted according to the option I have selected	SKIPPED	0.000 s

Sorting the search results by name, price or rating

FAILED	DURATION - 3.599 s		Steps	
/ 10:12:25.195 PM // 10:12:28.794 PM /			Total - 4	
Search Functionality			Pass - 0 Fail - 0 Skip - 4	4
@sortsearchresults				

#	Step / Hook Details	Status	Duration
	BEFORE - com.pdl.hooks.Hooks.setUp()	FAILED	2.625 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.		

| #	Step / Hook Details	Status	Duration

	chrome.ChromeDriver Command: [null, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.127, chrome: {chromedriverVersion: 126.0.6478.126 (d36ace6122e..., userDataDir: C:\Users\URMIN\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50630}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50630/devtoo..., se:cdpVersion: 126.0.6478.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	    at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463)
	    at com.pdl.utilities.CommonMethods$1.apply(CommonMethods.java:129)
	    at com.pdl.utilities.CommonMethods$1.apply(CommonMethods.java:1)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)
	    at com.pdl.utilities.CommonMethods.waitForPageToLoad(CommonMethods.java:143)
	    at com.pdl.hooks.Hooks.setUp(Hooks.java:68)		

1	Given I am on the login page	SKIPPED	0.001 s
2	Given I have performed a search and got some results	SKIPPED	0.001 s
3	When I select an option from the sort by drop-down menu on the right side of the page	SKIPPED	0.001 s
4	Then I should see the products sorted according to the option I have selected	SKIPPED	0.000 s

Sorting the search results by name, price or rating

FAILED	DURATION - 3.678 s		Steps
/ 10:12:28.797 PM // 10:12:32.475 PM /			Total - 4
Search Functionality			Pass - 0 Fail - 0
@sortsearchresults			Skip - 4

#	Step / Hook Details	Status	Duration
	BEFORE - com.pdl.hooks.Hooks.setUp()	FAILED	2.611 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.127, chrome: {chromedriverVersion: 126.0.6478.126 (d36ace6122e..., userDataDir:		

| #	Step / Hook Details	Status	Duration

	C:\Users\URMIN\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50630}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50630/devtoo..., se:cdpVersion: 126.0.6478.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	   at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463)
	   at com.pdl.utilities.CommonMethods$1.apply(CommonMethods.java:129)
	   at com.pdl.utilities.CommonMethods$1.apply(CommonMethods.java:1)
	   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)
	   at com.pdl.utilities.CommonMethods.waitForPageToLoad(CommonMethods.java:143)
	   at com.pdl.hooks.Hooks.setUp(Hooks.java:68)		

1	Given I am on the login page	SKIPPED	0.000 s
2	Given I have performed a search and got some results	SKIPPED	0.000 s
3	When I select an option from the sort by drop-down menu on the right side of the page	SKIPPED	0.001 s
4	Then I should see the products sorted according to the option I have selected	SKIPPED	0.001 s

Sorting the search results by name, price or rating

FAILED	DURATION - 3.712 s
/ 10:12:32.479 PM // 10:12:36.191 PM /	
Search Functionality	
@sortsearchresults	

Steps
Total - 4
Pass - 0
Fail - 0
Skip - 4

4

#	Step / Hook Details	Status	Duration
	BEFORE - com.pdl.hooks.Hooks.setUp()	FAILED	2.747 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.127, chrome: {chromedriverVersion: 126.0.6478.126 (d36ace6122e..., userDataDir: C:\Users\URMIN\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50630}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50630/devtoo...,		

#	Step / Hook Details	Status	Duration
	se:cdpVersion: 126.0.6478.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at com.pdl.utilities.CommonMethods$1.apply(CommonMethods.java:129) at com.pdl.utilities.CommonMethods$1.apply(CommonMethods.java:1) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at com.pdl.utilities.CommonMethods.waitForPageToLoad(CommonMethods.java:143) at com.pdl.hooks.Hooks.setUp(Hooks.java:68)		
1	Given I am on the login page	SKIPPED	0.001 s
2	Given I have performed a search and got some results	SKIPPED	0.002 s
3	When I select an option from the sort by drop-down menu on the right side of the page	SKIPPED	0.001 s
4	Then I should see the products sorted according to the option I have selected	SKIPPED	0.001 s

Sorting the search results by name, price or rating

FAILED	DURATION - 4.279 s		Steps	
/ 10:12:36.194 PM // 10:12:40.473 PM /			Total - 4	
			Pass - 0	
Search Functionality			Fail - 0	
			Skip - 4	
@sortsearchresults				4

#	Step / Hook Details	Status	Duration
	BEFORE - com.pdl.hooks.Hooks.setUp()	FAILED	3.233 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.127, chrome: {chromedriverVersion: 126.0.6478.126 (d36ace6122e..., userDataDir: C:\Users\URMIN\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50630}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50630/devtoo..., se:cdpVersion: 126.0.6478.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,		

#	Step / Hook Details	Status	Duration

	webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	    at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463)
	    at com.pdl.utilities.CommonMethods$1.apply(CommonMethods.java:129)
	    at com.pdl.utilities.CommonMethods$1.apply(CommonMethods.java:1)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)
	    at com.pdl.utilities.CommonMethods.waitForPageToLoad(CommonMethods.java:143)
	    at com.pdl.hooks.Hooks.setUp(Hooks.java:68)		

1	Given I am on the login page	SKIPPED	0.000 s
2	Given I have performed a search and got some results	SKIPPED	0.000 s
3	When I select an option from the sort by drop-down menu on the right side of the page	SKIPPED	0.001 s
4	Then I should see the products sorted according to the option I have selected	SKIPPED	0.000 s