

# Cucumber Report

Jul 12, 2024, 7:16:51 PM

**Start : Jul 12, 7:16:07.211 PM**

**End : Jul 12, 7:16:50.076 PM**

**Duration : 42.865 s**

Features






PASSED - 0  
FAILED - 1  
SKIPPED - 0

Scenarios

PASSED - 1  
FAILED - 8  
SKIPPED - 0

Steps


PASSED - 5  
FAILED - 0  
SKIPPED - 34




<b>Feature</b>		<b>Scenario</b>				<b>Step</b>			
<b>Name</b>	<b>Duration</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u>Search Functionality</u>	42.865 s	9	1	8	0	39	5	0	34

#	Feature Name	Scenario Name
1	<u>Search Functionality</u>	<u>Searching for a product by invalid keyword</u>
2		<u>Searching for a product by category</u>
3		<u>Sorting the search results by name, price or rating</u>
4		<u>Sorting the search results by name, price or rating</u>
5		<u>Sorting the search results by name, price or rating</u>
6		<u>Sorting the search results by name, price or rating</u>
7		<u>Sorting the search results by name, price or rating</u>
8		<u>Sorting the search results by name, price or rating</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>				
	<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@validkeywordsearch		1	1	0	0	1	0	1	0
@invalidkeywordsearch		1	0	1	0	1	0	1	0
@searchByCatagory		1	0	1	0	1	0	1	0
@sortsearchresults		6	0	6	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Search Functionality</u>	9	1	8	0	42.865 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Search Functionality</u>	<u>Searching for a product by keyword</u>	5	5	0	0	9.544 s
2		<u>Searching for a product by invalid keyword</u>	5	0	0	5	4.401 s
3		<u>Searching for a product by category</u>	5	0	0	5	4.134 s
4		<u>Sorting the search results by name, price or rating</u>	4	0	0	4	4.145 s
5		<u>Sorting the search results by name, price or rating</u>	4	0	0	4	4.167 s
6		<u>Sorting the search results by name, price or rating</u>	4	0	0	4	4.172 s
7		<u>Sorting the search results by name, price or rating</u>	4	0	0	4	4.134 s
8		<u>Sorting the search results by name, price or rating</u>	4	0	0	4	4.114 s
9		<u>Sorting the search results by name, price or rating</u>	4	0	0	4	3.954 s


## Search Functionality




### Searching for a product by keyword



#	Step / Hook Details	Status	Duration
1	Given I am on the login page AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.448 s
2	Then I should see the search box AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.091 s
		PASSED	0.153 s
		PASSED	0.148 s


#	Step / Hook Details	Status	Duration
3	When I enter a valid keyword in the search box AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <b>image</b> 	PASSED	0.159 s
4	And I click on the search button AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <b>image</b> 	PASSED	0.699 s
5	Then I should see a list of products that match the keyword with their images, names and prices AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <b>image</b> 	PASSED	0.400 s

### Searching for a product by invalid keyword



#	Step / Hook Details	Status	Duration
	<p>BEFORE - com.pdl.hooks.Hooks.setUp()</p> <pre>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.127, chrome: {chromedriverVersion: 126.0.6478.126 (d36ace6122e..., userDataDir: C:\Users\URMIN\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63747}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63747/devtoo..., se:cdpVersion: 126.0.6478.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at com.pdl.utilities.CommonMethods\$1.apply(CommonMethods.java:129) at com.pdl.utilities.CommonMethods\$1.apply(CommonMethods.java:1) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at com.pdl.utilities.CommonMethods.waitForPageToLoad(CommonMethods.java:143) at com.pdl.hooks.Hooks.setUp(Hooks.java:67)</pre>	FAILED	2.922 s
1	Given I am on the login page	SKIPPED	0.000 s
2	When I enter an invalid "Maca" in the search box	SKIPPED	0.000 s
3	And I click on the search button	SKIPPED	0.000 s
4	Then I should not be able to see any product images, names, or prices	SKIPPED	0.000 s
5	And I should receive a message.	SKIPPED	0.000 s
	<p>AFTER - com.pdl.hooks.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>FailedSS</p> 	PASSED	0.503 s


## Searching for a product by category



#	Step / Hook Details	Status	Duration
	BEFORE - com.pdl.hooks.Hooks.setUp()  org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.127, chrome: {chromedriverVersion: 126.0.6478.126 (d36ace6122e..., userDataDir: C:\Users\URMIN\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63747}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy, se:cdp: ws://localhost:63747/devtoo..., se:cdpVersion: 126.0.6478.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at com.pdl.utilities.CommonMethods\$1.apply(CommonMethods.java:129) at com.pdl.utilities.CommonMethods\$1.apply(CommonMethods.java:1) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at com.pdl.utilities.CommonMethods.waitForPageToLoad(CommonMethods.java:143) at com.pdl.hooks.Hooks.setUp(Hooks.java:67)	FAILED	2.847 s
1	Given I am on the login page	SKIPPED	0.001 s
2	Then I click on "Search" button and it will land on Search page	SKIPPED	0.002 s
3	When I enter a "Mac" in the search criteria	SKIPPED	0.000 s
4	And I select a category from the drop-down menu and I click on the search button	SKIPPED	0.001 s
5	Then I should see a list of products that belong to the category with their images, names, and prices	SKIPPED	0.001 s
	AFTER - com.pdl.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.341 s
	FailedSS		

#	Step / Hook Details	Status	Duration
			


### Sorting the search results by name, price or rating



#	Step / Hook Details	Status	Duration
	<p>BEFORE - com.pdl.hooks.Hooks.setUp()</p> <pre>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.127, chrome: {chromedriverVersion: 126.0.6478.126 (d36ace6122e..., userDataDir: C:\Users\URMIN\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63747}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63747/devtoo..., se:cdpVersion: 126.0.6478.127, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}       at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)       at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)       at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)       at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)       at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463)       at com.pdl.utilities.CommonMethods\$1.apply(CommonMethods.java:129)       at com.pdl.utilities.CommonMethods\$1.apply(CommonMethods.java:1)       at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)       at com.pdl.utilities.CommonMethods.waitForPageToLoad(CommonMethods.java:143)       at com.pdl.hooks.Hooks.setUp(Hooks.java:67)</pre>	FAILED	2.827 s
1	Given I am on the login page	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
2	Given I have performed a search and got some results	SKIPPED	0.008 s
3	When I select an option from the sort by drop-down menu on the right side of the page	SKIPPED	0.000 s
4	Then I should see the products sorted according to the option I have selected	SKIPPED	0.000 s
	AFTER - com.pdl.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.406 s
	FailedSS		
			


### Sorting the search results by name, price or rating



#	Step / Hook Details	Status	Duration
	BEFORE - com.pdl.hooks.Hooks.setUp()  org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.127, chrome: {chromedriverVersion: 126.0.6478.126 (d36ace6122e..., userDataDir: C:\Users\URMIN\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63747}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63747/devtoo..., se:cdpVersion: 126.0.6478.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463)	FAILED	2.897 s

#	Step / Hook Details	Status	Duration
	at com.pdl.utilities.CommonMethods\$1.apply(CommonMethods.java:129) at com.pdl.utilities.CommonMethods\$1.apply(CommonMethods.java:1) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at com.pdl.utilities.CommonMethods.waitForPageToLoad(CommonMethods.java:143) at com.pdl.hooks.Hooks.setUp(Hooks.java:67)		
1	Given I am on the login page	SKIPPED	0.000 s
2	Given I have performed a search and got some results	SKIPPED	0.003 s
3	When I select an option from the sort by drop-down menu on the right side of the page	SKIPPED	0.003 s
4	Then I should see the products sorted according to the option I have selected	SKIPPED	0.000 s
	AFTER - com.pdl.hooks.Hooks.tearDown(io.cucumber.java.Scenario)  FailedSS  	PASSED	0.349 s


### Sorting the search results by name, price or rating



#	Step / Hook Details	Status	Duration
	BEFORE - com.pdl.hooks.Hooks.setUp()  org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.127, chrome: {chromedriverVersion: 126.0.6478.126 (d36ace6122e..., userDataDir: C:\Users\URMIN\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63747}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63747/devtoo..., se:cdpVersion: 126.0.6478.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true}	FAILED	2.885 s

#	Step / Hook Details	Status	Duration
	weauthn:extension:minPinLength: true, weauthn:extension:prf: true, weauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at com.pdl.utilities.CommonMethods\$1.apply(CommonMethods.java:129) at com.pdl.utilities.CommonMethods\$1.apply(CommonMethods.java:1) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at com.pdl.utilities.CommonMethods.waitForPageToLoad(CommonMethods.java:143) at com.pdl.hooks.Hooks.setUp(Hooks.java:67)		
1	Given I am on the login page	SKIPPED	0.001 s
2	Given I have performed a search and got some results	SKIPPED	0.001 s
3	When I select an option from the sort by drop-down menu on the right side of the page	SKIPPED	0.001 s
4	Then I should see the products sorted according to the option I have selected	SKIPPED	0.000 s
	AFTER - com.pdl.hooks.Hooks.tearDown(io.cucumber.java.Scenario)  FailedSS  	PASSED	0.369 s


### Sorting the search results by name, price or rating



#	Step / Hook Details	Status	Duration
	BEFORE - com.pdl.hooks.Hooks.setUp()  org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.11.0', revision:	FAILED	2.816 s

#	Step / Hook Details	Status	Duration
	'040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.127, chrome: {chromedriverVersion: 126.0.6478.126 (d36ace6122e..., userDataDir: C:\Users\URMIN\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63747}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63747/devtoo..., se:cdpVersion: 126.0.6478.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at com.pdl.utilities.CommonMethods\$1.apply(CommonMethods.java:129) at com.pdl.utilities.CommonMethods\$1.apply(CommonMethods.java:1) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at com.pdl.utilities.CommonMethods.waitForPageToLoad(CommonMethods.java:143) at com.pdl.hooks.Hooks.setUp(Hooks.java:67)		
1	Given I am on the login page	SKIPPED	0.001 s
2	Given I have performed a search and got some results	SKIPPED	0.002 s
3	When I select an option from the sort by drop-down menu on the right side of the page	SKIPPED	0.001 s
4	Then I should see the products sorted according to the option I have selected	SKIPPED	0.001 s
	AFTER - com.pdl.hooks.Hooks.tearDown(io.cucumber.java.Scenario)  FailedSS  	PASSED	0.376 s


## Sorting the search results by name, price or rating



#	Step / Hook Details	Status	Duration
	BEFORE - com.pdl.hooks.Hooks.setUp()  org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.127, chrome: {chromedriverVersion: 126.0.6478.126 (d36ace6122e..., userDataDir: C:\Users\URMIN\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63747}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy, se:cdp: ws://localhost:63747/devtoo..., se:cdpVersion: 126.0.6478.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at com.pdl.utilities.CommonMethods\$1.apply(CommonMethods.java:129) at com.pdl.utilities.CommonMethods\$1.apply(CommonMethods.java:1) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at com.pdl.utilities.CommonMethods.waitForPageToLoad(CommonMethods.java:143) at com.pdl.hooks.Hooks.setUp(Hooks.java:67)	FAILED	2.849 s
1	Given I am on the login page	SKIPPED	0.001 s
2	Given I have performed a search and got some results	SKIPPED	0.001 s
3	When I select an option from the sort by drop-down menu on the right side of the page	SKIPPED	0.001 s
4	Then I should see the products sorted according to the option I have selected	SKIPPED	0.001 s
	AFTER - com.pdl.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.340 s
	FailedSS		

#	Step / Hook Details	Status	Duration
			

### Sorting the search results by name, price or rating



#	Step / Hook Details	Status	Duration
	<p>BEFORE - com.pdl.hooks.Hooks.setUp()</p> <pre>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.127, chrome: {chromedriverVersion: 126.0.6478.126 (d36ace6122e..., userDataDir: C:\Users\URMIN\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63747}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63747/devtoo..., se:cdpVersion: 126.0.6478.127, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}       at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)       at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)       at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)       at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)       at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463)       at com.pdl.utilities.CommonMethods\$1.apply(CommonMethods.java:129)       at com.pdl.utilities.CommonMethods\$1.apply(CommonMethods.java:1)       at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)       at com.pdl.utilities.CommonMethods.waitForPageToLoad(CommonMethods.java:143)       at com.pdl.hooks.Hooks.setUp(Hooks.java:67)</pre>	FAILED	2.685 s
1	Given I am on the login page	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
2	Given I have performed a search and got some results	SKIPPED	0.000 s
3	When I select an option from the sort by drop-down menu on the right side of the page	SKIPPED	0.000 s
4	Then I should see the products sorted according to the option I have selected	SKIPPED	0.000 s
	AFTER - com.pdl.hooks.Hooks.tearDown(io.cucumber.java.Scenario)  FailedSS  	PASSED	0.335 s