

# Cucumber Report

Aug 5, 2024, 8:28:21 PM

**Start : Aug 05, 8:23:17.066 PM**

**End : Aug 05, 8:28:19.891 PM**

**Duration : 5 m 2.825 s**

Features







PASSED - 2  
FAILED - 3  
SKIPPED - 0

Scenarios

PASSED - 4  
FAILED - 9  
SKIPPED - 0

Steps


PASSED - 40  
FAILED - 9  
SKIPPED - 20




<b>Feature</b>				<b>Scenario</b>				<b>Step</b>			
<b>Name</b>		<b>Duration</b>		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u><a href="#">Login functionality for openCart E-commerce Webside</a></u>		25.374 s		1	1	0	0	4	4	0	0
<u><a href="#">Add to cart</a></u>		30.525 s		2	0	2	0	10	2	2	6
<u><a href="#">smoke test</a></u>		2 m 2.965 s		6	2	4	0	31	19	4	8
<u><a href="#">checkout</a></u>		1 m 44.183 s		3	0	3	0	20	11	3	6
<u><a href="#">smoke test</a></u>		19.197 s		1	1	0	0	4	4	0	0

#	Feature Name	Scenario Name
1	<u>Add to cart</u>	<u>verify the confirmation message after adding to cart</u>
2		<u>validate add to cart</u>
3	<u>smoke test</u>	<u>validate add to cart</u>
4		<u>Check out as a registered customer</u>
5		<u>billing and delivery</u>
6		<u>checkout as a guest</u>
7	<u>checkout</u>	<u>Check out as a registered customer</u>
8		<u>billing and delivery</u>
9		<u>checkout as a guest</u>


<b>TAG</b>	<b>Name</b>	<b>Scenario</b>				<b>Feature</b>			
		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@smoke		13	4	9	0	5	2	3	0
@BSmoke		2	2	0	0	2	2	0	0
@Login		1	1	0	0	1	1	0	0
@confirmationmsg		1	0	1	0	1	0	1	0
@AddToCart		2	0	2	0	1	0	1	0
@validatecart		1	0	1	0	1	0	1	0
@checkoutascustomer		1	0	1	0	1	0	1	0
@checkout		3	0	3	0	1	0	1	0
@billing&delivery		1	0	1	0	1	0	1	0
@checkout1		1	0	1	0	1	0	1	0
@smoketest1		1	1	0	0	1	1	0	0



#	<b>Feature Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
1	<u>Login functionality for openCart E-commerce Webside</u>	1	1	0	0	25.374 s
2	<u>Add to cart</u>	2	0	2	0	30.525 s
3	<u>smoke test</u>	6	2	4	0	2 m 2.965 s
4	<u>checkout</u>	3	0	3	0	1 m 44.183 s
5	<u>smoke test</u>	1	1	0	0	19.197 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login functionality for openCart E-commerce Website</u>	<u>Successful login valid credentials</u>	4	4	0	0	25.359 s
2	<u>Add to cart</u>	<u>verify the confirmation message after adding to cart</u>	5	1	1	3	15.560 s
3		<u>validate add to cart</u>	5	1	1	3	14.924 s
4	<u>smoke test</u>	<u>Successful login valid credentials</u>	4	4	0	0	19.016 s
5		<u>Searching for a product by keyword</u>	4	4	0	0	3.409 s
6		<u>validate add to cart</u>	3	0	1	2	1.265 s
7		<u>Check out as a registered customer</u>	4	1	1	2	31.492 s
8		<u>billing and delivery</u>	5	2	1	2	55.213 s
9		<u>checkout as a guest</u>	11	8	1	2	12.513 s
10	<u>checkout</u>	<u>Check out as a registered customer</u>	4	1	1	2	32.271 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>checkout</u>	<u>billing and delivery</u>	5	2	1	2	56.589 s
12		<u>checkout as a guest</u>	11	8	1	2	15.307 s
13	<u>smoke test</u>	<u>Successful login valid credentials</u>	4	4	0	0	19.197 s


## Login functionality for openCart E-commerce Webside

PASSED	DURATION - 25.374 s		
/ 8:23:17.066 PM // 8:23:42.440 PM /		Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0	Steps Total - 4 Pass - 4 Fail - 0 Skip - 0

## Successful login valid credentials

PASSED	DURATION - 25.359 s																
/ 8:23:17.081 PM // 8:23:42.440 PM /																	
Login functionality for openCart E-commerce Webside																	
@smoke @BSmoke @Login																	
 <p>A bar chart with four bars representing test cases. The x-axis is labeled 1, 2, 3, 4. The y-axis ranges from 0 to 8. Bar 1 is at height 5, Bar 2 is at height 5, Bar 3 is at height 7, and Bar 4 is at height 0.</p> <table border="1"><thead><tr><th>Index</th><th>Status</th><th>Count</th></tr></thead><tbody><tr><td>1</td><td>Pass</td><td>1</td></tr><tr><td>2</td><td>Pass</td><td>1</td></tr><tr><td>3</td><td>Fail</td><td>1</td></tr><tr><td>4</td><td>Skip</td><td>0</td></tr></tbody></table>			Index	Status	Count	1	Pass	1	2	Pass	1	3	Fail	1	4	Skip	0
Index	Status	Count															
1	Pass	1															
2	Pass	1															
3	Fail	1															
4	Skip	0															
Steps																	
Total - 4																	
Pass - 4																	
Fail - 0																	
Skip - 0																	


#	Step / Hook Details	Status	Duration
1	Given I am on the login page AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	5.521 s
2	When I enter my email and password and click on the login button under the returning customer section AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	5.598 s
3	Then Click on login button	PASSED	7.410 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.206 s
4	Then I should see a welcome message and a list of options for my account	PASSED	0.015 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.161 s


## Add to cart




## verify the confirmation message after adding to cart



#	Step / Hook Details	Status	Duration
1	Given User navigates to Homepage  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image  	PASSED	3.004 s
2	Then select a product to the cart from the product view page  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id='content']/div[2]/div[1]/div/div[1]/a/img"} (Session info: chrome=127.0.6533.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.22.0', revision: 'c5f3146703*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2cd07f23dea2a081150305abfe61c053, findElement {value=//*[@id='content']/div[2]/div[1]/div/div[1]/a/img, using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.89, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\kathi\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64331}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64331/devtoo..., se:cdpVersion: 127.0.6533.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2cd07f23dea2a081150305abfe61c053  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy41.getLocation(Unknown Source) at com.pdl.utilities.CommonMethods.scrollToElement(CommonMethods.java:466)	PASSED	0.172 s
2	Then select a product to the cart from the product view page  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id='content']/div[2]/div[1]/div/div[1]/a/img"} (Session info: chrome=127.0.6533.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.22.0', revision: 'c5f3146703*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2cd07f23dea2a081150305abfe61c053, findElement {value=//*[@id='content']/div[2]/div[1]/div/div[1]/a/img, using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.89, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\kathi\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64331}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64331/devtoo..., se:cdpVersion: 127.0.6533.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2cd07f23dea2a081150305abfe61c053  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy41.getLocation(Unknown Source) at com.pdl.utilities.CommonMethods.scrollToElement(CommonMethods.java:466)	FAILED	10.851 s

#	Step / Hook Details	Status	Duration
	at com.pdl.pages.KcAddToCartPage.select_Productimage(KcAddToCartPage.java:66) at com.pdl.step_definitions.AddToCart_StepDef.select_a_product_to_the_cart_from_the_product_view_page(AddToCart_StepDef.java:63) at ?.select a product to the cart from the product view page(file:///D:/eclipse%20interenship%20workspace/EAL_QA_TeamA/src/test/resources/features/ManufacturerPortal/kcAddToCart.feature:6) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.307 s
3	When the user clicks on add to cart	SKIPPED	0.002 s
4	Then He should see a confirmation message that says: "Success: You have added [product name] to your shopping cart!"	SKIPPED	0.001 s
5	And the number of items in my cart should increase by one	SKIPPED	0.002 s

### validate add to cart



#	Step / Hook Details	Status	Duration
1	Given User navigates to Homepage	PASSED	3.508 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.195 s
2	Then select a product to the cart from the product view page	FAILED	10.353 s


#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id="content"]/div[2]/div[1]/div/div[1]/a/img"} (Session info: chrome=127.0.6533.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.22.0', revision: 'c5f3146703*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [2cd07f23dea2a081150305abfe61c053, findElement {value=//*[@id="content"]/div[2]/div[1]/div/div[1]/a/img, using&gt;xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.89, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\kathi\AppData\Loca. .. }, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64331}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64331/devtoo..., se:cdpVersion: 127.0.6533.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2cd07f23dea2a081150305abfe61c053 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy41.getLocation(Unknown Source) at com.pdl.utilities.CommonMethods.scrollToElement(CommonMethods.java:466) at com.pdl.pages.KcAddToCartPage.select_Productimage(KcAddToCartPage.java:66) at com.pdl.step_definitions.AddToCart_StepDef.select_a_product_to_the_cart_from_the_product_view_page(AddToCart_StepDef.java:63) at ?.select a product to the cart from the product view page(file:///D:/eclipse%20internship%20workspace/EAL_QA_TeamA/src/test/ resources/features/ManufacturerPortal/kcAddToCart.feature:6) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.190 s

#	Step / Hook Details	Status	Duration
3	When validate the add to cart button should be enabled only if the product is in stock	SKIPPED	0.001 s
4	Then confirmation message should show the product name, image and price	SKIPPED	0.002 s
5	And Verify that available product is added to the cart	SKIPPED	0.001 s



## smoke test




## Successful login valid credentials




#	Step / Hook Details	Status	Duration
1	Given I am on the login page	PASSED	5.467 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image	PASSED	0.256 s

#	Step / Hook Details	Status	Duration
			
2	When I enter my email and password and click on the login button under the returning customer section	PASSED	5.505 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.147 s
3	Then Click on login button	PASSED	6.443 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.236 s
4	Then I should see a welcome message and a list of options for my account	PASSED	0.012 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.243 s



Searching for a product by keyword




#	Step / Hook Details	Status	Duration
1	Then I should see the search box  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.110 s
2	When I enter a valid keyword in the search box  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.147 s
3	And I click on the search button  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.601 s
4	Then I should see a list of products that match the keyword with their images, names and prices  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image	PASSED	0.186 s
		PASSED	0.170 s


#	Step / Hook Details	Status	Duration
			

**validate add to cart**


FAILED	DURATION - 1.265 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 8:24:35.953 PM // 8:24:37.218 PM /				
smoke test				
@smoke				

#	Step / Hook Details	Status	Duration
1	When validate the add to cart button should be enabled only if the product is in stock  java.lang.AssertionError: The 'Add to Cart' button should be disabled at org.junit.Assert.fail(Assert.java:88) at org.junit.Assert.assertTrue(Assert.java:41) at org.junit.Assert.assertFalse(Assert.java:64) at com.pdl.pages.KcAddToCartPage.validateCart(KcAddToCartPage.java:95) at com.pdl.step_definitions.AddToCart_StepDef.validate_the_add_to_cart_button_should_be_enabled_only_if_the_product_is_in_stock(AddToCart_StepDef.java:107) at ?.validate the add to cart button should be enabled only if the product is in stock(file:///D:/eclipse%20internship%20workspace/EAL_QA_TeamA/src/test/resources/features/ManufacturerPortal/smokerun.feature:17) * Not displayable characters are replaced by '?'.	FAILED	0.234 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  	PASSED	0.249 s
2	Then confirmation message should show the product name, image and price	SKIPPED	0.001 s
3	And Verify that available product is added to the cart	SKIPPED	0.001 s


## Check out as a registered customer





#	Step / Hook Details	Status	Duration
1	Given I have some products in my shopping cart and I am logged in to my account  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	3.790 s
2	When I click on the checkout button on the shopping cart page  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Checkout']"} (Session info: chrome=127.0.6533.89) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.22.0', revision: 'c5f3146703*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2cd07f23dea2a081150305abfe61c053, findElement {value=//a[text()='Checkout'], using>xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.89, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\kathi\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64331}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64331/devtoo..., se:cdpVersion: 127.0.6533.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2cd07f23dea2a081150305abfe61c053  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)	FAILED	26.402 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy41.click(Unknown Source) at com.pdl.pages.KcCheckoutPage.click_checkout(KcCheckoutPage.java:60) at com.pdl.step_definitions.Checkout_StepDef.i_click_on_the_checkout_button_on_the_shopping_cart_page(Checkout_StepDef.java:104) at ?.I click on the checkout button on the shopping cart page(file:///D:/eclipse%20internship%20workspace/EAL_QA_TeamA/src/test/resources/features/ManufacturerPortal/smokerun.feature:24) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.237 s
3	Then I should see an option to check out with my account	SKIPPED	0.002 s
4	And I should be able to use my saved billing and delivery details or enter new ones, choose a delivery method, a payment method and confirm my order	SKIPPED	0.007 s


## billing and delivery



#	Step / Hook Details	Status	Duration
1	Given the user is already in my account page  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image  	PASSED	26.034 s
2	When the user clicks on address book, he should see address book entries information  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image  	PASSED	6.906 s
3	Then The saved billing and delivery details should be pre-filled in the form and editable  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id='content']/div[1]/table/tbody/tr[1]/td[2]/a[1]"} (Session info: chrome=127.0.6533.89) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.22.0', revision: 'c5f3146703*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2cd07f23dea2a081150305abfe61c053, findElement {value=//*[@id='content']/div[1]/table/tbody/tr[1]/td[2]/a[1], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.89, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\kathi\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64331}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64331/devtoo..., se:cdpVersion: 127.0.6533.89, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2cd07f23dea2a081150305abfe61c053  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCode.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)	FAILED	20.041 s



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy41.click(Unknown Source) at com.pdl.pages.KcCheckoutPage.click_edit(KcCheckoutPage.java:80) at com.pdl.step_definitions.Checkout_StepDef. the_saved_billing_and_delivery_details_should_be_pre_filled_in_the_form_and_editable(Checkout_StepDef.java:142) at ?.The saved billing and delivery details should be pre-filled in the form and editable(file:///D:/eclipse%20interenship%20workspace/EAL_QA_TeamA/src/test/resources/features/ManufacturerPortal/smokerun.feature:32) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.299 s
4	And The delivery method and payment method should have at least one option available	SKIPPED	0.001 s
5	And The order confirmation page should show the order number, order details, payment details and delivery details	SKIPPED	0.000 s

## checkout as a guest



#	Step / Hook Details	Status	Duration
1	Given User should be logged out	PASSED	0.034 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.379 s

#	Step / Hook Details	Status	Duration
	image 		
2	Then User navigates to homepage AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.048 s
	image 		
3	Then I should see the search box AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.066 s
	image 		
4	When I enter a valid keyword in the search box AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.114 s
	image 		
5	And I click on the search button AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.439 s
	image 		


#	Step / Hook Details	Status	Duration
6	Then I should see a list of products that match the keyword with their images, names and prices  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.127 s
7	And click on add to cart  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	5.129 s
8	Then navigate to shopping cart and click on it  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	3.470 s
9	When click on checkout bouton.  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Checkout']"} (Session info: chrome=127.0.6533.89) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.22.0', revision: 'c5f3146703*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [2cd07f23dea2a081150305abfe61c053, findElement {value=/a[text()='Checkout'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.89, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\kathi\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64331}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64331/devtoo..., se:cdpVersion: 127.0.6533.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2cd07f23dea2a081150305abfe61c053 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)	FAILED	0.014 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy41.click(Unknown Source) at com.pdl.pages.KcCheckoutPage.click_checkout(KcCheckoutPage.java:60) at com.pdl.step_definitions.Checkout_StepDef.click_on_checkout_bouton(Checkout_StepDef.java:66) at ?.click on checkout bouton.(file:///D:/eclipse%20internship%20workspace/EAL_QA_TeamA/src/test/resources/features/ManufacturerPortal/smokerun.feature:46) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.211 s
10	Then I should see an option to checkout as a guest	SKIPPED	0.001 s
11	Then I should be able to enter my billing details, delivery details, delivery method, payment method and confirm my order	SKIPPED	0.001 s


## checkout




## Check out as a registered customer




#	Step / Hook Details	Status	Duration
1	Given I have some products in my shopping cart and I am logged in to my account  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	4.556 s
2	When I click on the checkout button on the shopping cart page  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Checkout']"} (Session info: chrome=127.0.6533.89) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.22.0', revision: 'c5f3146703*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2cd07f23dea2a081150305abfe61c053, findElement {value=//a[text()='Checkout'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.89, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\kathi\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64331}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64331/devtoo..., se:cdpVersion: 127.0.6533.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}	FAILED	26.541 s

#	Step / Hook Details	Status	Duration
	<pre>true} Session ID: 2cd07f23dea2a081150305abfe61c053 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy41.click(Unknown Source) at com.pdl.pages.KcCheckoutPage.click_checkout(KcCheckoutPage.java:60) at com.pdl.step_definitions.Checkout_StepDef.i_click_on_the_checkout_button_on_the_shopping_cart_page(Checkout_StepDef.java:104) at ?.I click on the checkout button on the shopping cart page(file:///D:/eclipse%20internership%20workspace/EAL_QA_TeamA/src/test/resources/features/kathia/kcCheckout.feature:7) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.249 s
3	Then I should see an option to check out with my account	SKIPPED	0.002 s
4	And I should be able to use my saved billing and delivery details or enter new ones, choose a delivery method, a payment method and confirm my order	SKIPPED	0.003 s


## billing and delivery




#	Step / Hook Details	Status	Duration
1	Given the user is already in my account page  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image  	PASSED	27.180 s
2	When the user clicks on address book, he should see address book entries information  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image  	PASSED	6.884 s
3	Then The saved billing and delivery details should be pre-filled in the form and editable  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id='content']/div[1]/table/tbody/tr[1]/td[2]/a[1]"} (Session info: chrome=127.0.6533.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.22.0', revision: 'c5f3146703*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2cd07f23dea2a081150305abfe61c053, findElement {value=//*[@id='content']/div[1]/table/tbody/tr[1]/td[2]/a[1], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.89, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\kathi\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64331}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64331/devtoo..., se:cdpVersion: 127.0.6533.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2cd07f23dea2a081150305abfe61c053	FAILED	20.074 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy41.click(Unknown Source) at com.pdl.pages.KcCheckoutPage.click_edit(KcCheckoutPage.java:80) at com.pdl.step_definitions.Checkout_StepDef. the_saved_billing_and_delivery_details_should_be_pre_filled_in_the_form_and_editable(Checkout_StepDef.java:142) at ?.The saved billing and delivery details should be pre-filled in the form and editable(file:///D:/eclipse%20interenship%20workspace/EAL_QA_TeamA/src/test/resources/features/kathia/kcCheckout.feature:15) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.277 s
4	And The delivery method and payment method should have at least one option available	SKIPPED	0.000 s
5	And The order confirmation page should show the order number, order details, payment details and delivery details	SKIPPED	0.001 s

## checkout as a guest



#	Step / Hook Details	Status	Duration
1	Given User should be logged out  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.193 s
2	Then User navigates to homepage  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.035 s
3	Then I should see the search box  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image 	PASSED	0.079 s
4	When I enter a valid keyword in the search box  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image	PASSED	0.255 s

#	Step / Hook Details	Status	Duration
			
5	And I click on the search button AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.801 s
6	Then I should see a list of products that match the keyword with their images, names and prices AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	0.221 s
7	And click on add to cart AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	5.160 s
8	Then navigate to shopping cart and click on it AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) <a href="#">image</a> 	PASSED	4.281 s
		PASSED	0.216 s


#	Step / Hook Details	Status	Duration
9	<p>When click on checkout bouton.</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Checkout']"} (Session info: chrome=127.0.6533.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.22.0', revision: 'c5f3146703*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [2cd07f23dea2a081150305abfe61c053, findElement {value=/a[text()='Checkout'], using&gt;xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.89, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\kathi\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64331}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64331/devtoo..., se:cdpVersion: 127.0.6533.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2cd07f23dea2a081150305abfe61c053 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy41.click(Unknown Source) at com.pdl.pages.KcCheckoutPage.click_checkout(KcCheckoutPage.java:60) at com.pdl.step_definitions.Checkout_StepDef.click_on_checkout_bouton(Checkout_StepDef.java:66) at ?.click on checkout bouton.(file:///D:/eclipse%20internship%20workspace/EAL_QA_TeamA/src/test/resources/features/kathia/ kcCheckout.feature:29)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.027 s
	<p>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.270 s


#	Step / Hook Details	Status	Duration
			
10	Then I should see an option to checkout as a guest	SKIPPED	0.001 s
11	Then I should be able to enter my billing details, delivery details, delivery method, payment method and confirm my order	SKIPPED	0.001 s

## smoke test



## Successful login valid credentials



#	Step / Hook Details	Status	Duration
1	Given I am on the login page	PASSED	5.463 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.267 s
	image		
			

#	Step / Hook Details	Status	Duration
2	When I enter my email and password and click on the login button under the returning customer section  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image	PASSED	5.596 s
3	Then Click on login button  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image	PASSED	6.555 s
4	Then I should see a welcome message and a list of options for my account  AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)  image	PASSED	0.011 s