

Cucumber Report

Jun 7, 2024, 9:56:55 PM

Start : Jun 07, 9:56:39.144 PM

End : Jun 07, 9:56:49.607 PM

Duration : 10.463 s

Features

Scenarios

Steps

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 2
FAILED - 0
SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Title of your feature</u>	10.463 s	1	1	0	0	2	2	0	0

<i>TAG</i>	<i>Scenario</i>				<i>Feature</i>			
<i>Name</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@tag	1	1	0	0	1	1	0	0
@def	1	1	0	0	1	1	0	0





#	Feature Name	T	P	F	S	Duration
1	<u>Title of your feature</u>	1	1	0	0	10.463 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Title of your feature</u>	<u>running DEF tag</u>	2	2	0	0	10.459 s

Title of your feature

PASSED	DURATION - 10.463 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 9:56:39.144 PM // 9:56:49.607 PM /					

running DEF tag

<div>PASSED</div>	<div>DURATION - 10.459 s</div>	<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:56:39.148 PM // 9:56:49.607 PM /</div>				
<div>Title of your feature</div>				
<div>@tag @def</div>				

#	Step / Hook Details	Status	Duration
1	Given I want to write a step with precondition 2	PASSED	0.002 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.680 s
	image		
			
2	And some other precondition 2	PASSED	0.002 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	1.679 s
	image		
	