

UC-01 – Manage Customer Account

Author-Arjola Sula

UC Name	UC-01 – Manage Customer Account
Summary	Customer registers, logs in, and updates profile information
Dependency	None
Actors	Primary: Customer
Preconditions	System is available
Description of the Main Sequence	Step 1: Customer selects register option Step 2: Customer enters registration details (email, password, personal info) Step 3: System validates input data Step 4: System creates a new account Step 5: Customer logs into the system Step 6: System authenticates credentials Step 7: Customer accesses profile settings Step 8: Customer updates profile information Step 9: System saves changes and confirms update
Description of the Alternative Sequence	Step1:Invalid input → system displays error Step 2:Email already exists → registration rejected Step3:Invalid login credentials → access denied
Non functional requirements	Secure authentication, fast response, data validation
Postconditions	Customer account is active and updated

UC-02 – Manage Authentication and Security Settings

UC Name	UC-02 – Manage Authentication and Security Settings
Summary	Customer manages password, authentication methods, and security settings
Dependency	UC-01
Actors	Primary: Customer
Preconditions	Customer is logged into the system
Description of the Main Sequence	Step 1: Customer navigates to security settings Step 2: Customer selects an option (change password, enable 2FA) Step 3: Customer enters required information (current password, new password, verification code) Step 4: System validates credentials and security data Step 5: System updates authentication and security settings Step 6: System confirms successful update
Description of the Alternative Sequence	Step 1: Incorrect password → error message Step 2: Invalid or expired verification code → retry Step 3: Weak password → system requests stronger password
Non functional requirements	Encryption, high security, data protection
Postconditions	Security settings updated successfully

UC-03 – Browse, Search, Filter, and Sort Restaurants

UC Name	UC-03 – Browse/Search/Filter/Sort Restaurants
Summary	Customer browses, searches, filters, and sorts restaurants
Dependency	UC-02
Actors	Primary: Customer
Preconditions	Customer is logged into the system
Description of the Main Sequence	Step 1: Customer accesses restaurant listing Step 2: Customer browses available restaurants Step 3: Customer enters search criteria (name, category, location) Step 4: Customer applies filters (rating, price, cuisine) Step 5: Customer applies sorting options (rating, distance, popularity) Step 6: System processes the request Step 7: System displays matching restaurants
Description of the Alternative Sequence	Step 1: No results found → system displays message Step 2: System delay → loading indicator shown
Non functional requirements	Fast response time, high availability
Postconditions	Filtered and sorted restaurant list displayed

UC-04 – View Restaurant and Food Details

UC Name	UC-04 – View Restaurant and Food Details
Summary	Customer views restaurant details, menu items, ratings, and information
Dependency	UC-03
Actors	Primary: Customer
Preconditions	Restaurant is selected
Description of the Main Sequence	Step 1: Customer selects a restaurant Step 2: System retrieves restaurant data Step 3: System displays restaurant information (description, ratings, reviews) Step 4: System displays menu items with prices and details Step 5: Customer reviews food item details
Description of the Alternative Sequence	Step 1: Data unavailable → system displays error message
Non functional requirements	Data accuracy, performance
Postconditions	Restaurant and food details displayed

UC-05 – Manage Shopping Cart

UC Name	UC-05 – Manage Shopping Cart
Summary	Customer adds, removes, and updates items in the shopping cart
Dependency	UC-04
Actors	Primary: Customer
Preconditions	Food items are available
Description of the Main Sequence	Step 1: Customer selects food items Step 2: Customer adds items to the cart Step 3: Customer updates item quantities Step 4: Customer removes items if needed Step 5: System updates cart in real time Step 6: System displays updated cart
Description of the Alternative Sequence	Step 1: Invalid quantity → system displays error Step 2: Item unavailable → system notifies customer
Non functional requirements	Real-time updates, consistency
Postconditions	Cart updated successfully

UC-06 – Place Order

UC Name	UC-06 – Place Order
Summary	Customer reviews cart, selects delivery details, payment method, and completes payment
Dependency	UC-05
Actors	Primary: Customer
Preconditions	Cart is not empty
Description of the Main Sequence	Step 1: Customer proceeds to checkout Step 2: Customer reviews cart items Step 3: Customer selects delivery address Step 4: Customer selects payment method Step 5: Customer confirms order Step 6: System processes payment transaction Step 7: System validates payment Step 8: System creates and records the order Step 9: System sends confirmation to customer
Description of the Alternative Sequence	Step 1: Payment failure → system displays error and cancels order Step 2: User cancels checkout → process terminated
Non functional requirements	Secure payment processing, reliability
Postconditions	Order successfully created and confirmed

UC-07 - Track Order & Receive Notifications

Author-Sofia Cala

UC Name	UC-07: Track Order & Receive Notifications
Summary	Customer tracks the status of an active order in real time and receives notifications about order process.
Dependency	Requires UC-Place Order
Actors	Customer (Primary) Notification System (Secondary)
Preconditions	-Customer is logged into the system -An active order exists in the system
Description of the Main Sequence	1. Customer navigates to the order tracking section 2. System retrieves and displays current order status 3. System continuously updates the order status in real time 4. Customer views detailed information (preparing, on the way, delivered) 5. System sends notifications for each status update 6. Customer receives notifications via app/email/SMS
Description of the Alternative Sequence	1. If real-time update fail→system shows last known status 2. If notifications fail→system retries sending or logs the issue 3. If order is canceled→system updates status accordingly
Non functional Requirements	-System should update order status within a few seconds -Notifications must be delivered reliably and securely
Postconditions	-Customer is informed about the latest order status -Notification history is updated

UC-08 – View Order History & Reorder

UC Name	UC-08: View Order History & Reorder
Summary	Customer views previous orders and selects items to reorders easily
Dependency	Requires UC-Login
Actors	Customer
Preconditions	-Customer is authenticated -Order history data exists
Description of the Main Sequence	1. Customer navigates to the order history 2. System retrieves and displays past orders 3. Customer selects a previous order 4. System shows order detailes (items, price, date) 5. Customer chooses the reorder option 6. System adds selected items to the cart 7. Customer proceeds to checkout
Description of the Alternative Sequence	1. If no previous orders exist→system displays empty history 2. If items are unavailable→system notifies customer and suggests alternatives 3. If reorder fails→system displays error message
Non functional Requirements	-System should load order history within 2 seconds -Data must be stores and retreves securely
Postconditions	-Selected items are added to the cart -Customer can proceed with a new order

UC-09 – Rate & Review Restaurants

UC Name	UC-09: Rate & Review Restaurants
Summary	Customer provides feedback by rating and reviewing restaurants aftercompleting an order
Dependency	Requires completed order
Actors	Customer
Preconditions	-Customer has completed at least one order -Customer is logged in

Description of the Main Sequence	1. Customer navigates to completed orders 2. Customer selects an order 3. System displays rating and review form 4. Customer provides rating (e.g., stars) 5. Customer writes a review comment 6. Customer submits the review 7. System saves and publishes the feedback
Description of the Alternative Sequence	1. If input is valid→system shows validation message 2. If submissions fails→system allows retry 3. If ouser cancels→no review is saved
Non functional Requirements	-Review must be stored securely -System should respond quickly to user input
Postconditions	-Review is stored in the system -Restaurants rating is updated

UC-10 – Manage Personalized Experience

UC Name	UC-10: Manage Personalized Experience
Summary	Customer manages personal preferences, favourites and receives personalized recommendations
Dependency	Requires UC-Login
Actors	Customer
Preconditions	-Customer is logged in
Description of the Main Sequence	1. Customer accesses profile settings 2. Customer updates personal preferences (food type, dietary needs) 3. Customer adds or removes favorite restaurants/items 4. System updates stored preferences 5. System generates personalized recommendations 6. Customer views updated suggestions
Description of the Alternative Sequence	1. If update fails→system display error message 2. If no preferences are set→system uses default recommendations
Non functional	-Personal data must be protected and encrypted

Requirements	-System should process updates quickly
Postconditions	-Preferences and favorites are updated -Recommendations are adjusted

UC-11 – Customer Support & Communications

UC Name	UC-11: Customer Support & Communication
Summary	Customer communicates with support to resolve issues or request assistance
Dependency	None
Actors	Customer (Primary) Customer Support (Secondary)
Preconditions	-Customer is logged in
Description of the Main Sequence	1. Customer opens support section 2. Customer submits a request or message 3. System records the request 4. Support team receives and reviews the request 5. Support responds to the customer 6. Issue is resolved or closed
Description of the Alternative Sequence	1. If no response→request is escalated 2. If incomplete request→system retries asks for more details
Non functional Requirements	-Response time should be reasonable -Communication must be secure
Postconditions	-Customer receives support response -Issue status is updated

UC-12 – Manage Payment History

UC Name	UC-12: Manage Payment History
Summary	Customer views and manages past payment transactions
Dependency	Requires UC-Login
Actors	Customer
Preconditions	-Customer is authenticated
Description of the Main Sequence	1. Customer opens payment history section 2. System retrieves transaction records 3. System displays list of payments

	4. Customer selects a transaction 5. System shows detailed information
Description of the Alternative Sequence	6. If no transaction exist→system displays empty list 7. If data retrieval fails→system shows error message
Non functional Requirements	-Financial data must be secure and encrypted -System should load data quickly
Postconditions	-Payment information is displayed -Customer can review transactions

UC-13 – Manage Refunds & Complaints

UC Name	UC-13: Manage Refunds & Complaints
Summary	Customer submits complaints or refund requests for problematic orders
Dependency	Requires completed order
Actors	Customer (Primary) Admin/Support (Secondary)
Preconditions	-Customer is logged in -Order exists in the system
Description of the Main Sequence	1. Customer selects an order 2. Customer submits complaint or refund request 3. System records the request 4. Admin review the request 5. Decision is made (approve/reject) 6. Customer is notified of the outcome
Description of the Alternative Sequence	1. If request is invalid→system rejects it 2. If processing is delayed→system notifies customer 3. If additional info needed→system requires details
Non functional Requirements	-Request must be logged and traceable -System should ensure secure handling of data
Postconditions	- Request is processed -Customer receives final response

UC14- Restaurant staff manages account and restaurant profile information.

Author-Xhesika Toska

UC Name	UC14- Restaurant staff manages account and restaurant profile information.
Summary	This use case describes how restaurant staff log in and manage their account and restaurant profile information.
Dependency	Depends on UC25 (Administrator Manages User Accounts) The restaurant staff must have an approved and active account before accessing and managing their profile.
Actors	Primary Actor: Restaurant Staff Secondary Actor: System
Preconditions	The restaurant staff must have a registered account The system must be available and running
Description of the Main Sequence	• Step 1: Restaurant staff opens the system and enters login credentials • Step 2: The system validates the credentials • Step 3: The staff successfully logs into the system • Step 4: The staff navigates to the profile management section • Step 5: The staff views and updates restaurant profile information (name, contact, menu details, etc.) • Step 6: The system saves the updated information • Step 7: The system confirms that the profile has been updated successfully
Description of the Alternative Sequence	• Step 1: Restaurant staff enters incorrect login credentials • Step 2: The system displays an error message • Step 3: The staff retries login with correct credentials
Non functional requirements	The system must ensure secure authentication, protect user data, provide fast response time, and maintain high availability.

Postconditions	The restaurant staff is logged into the system The restaurant profile information is updated and stored successfully
----------------	---

UC15-Restaurant staff manages menu items, categories, and food availability

UC Name	UC15-Restaurant staff manages menu items, categories, and food availability
Summary	This use case describes how restaurant staff manage menu items, categories, and food availability, including adding, updating, removing, and organizing menu content.
Dependency	Depends on UC14 (Restaurant Staff Manages Account and Profile) – the restaurant staff must be logged into the system before managing menu items.
Actors	Primary Actor: Restaurant Staff Secondary Actor: System
Preconditions	Restaurant staff must be logged in System must be available
Description of the Main Sequence	• Step 1: Navigate to menu section • Step 2: View items • Step 3: Select action • Step 4: Enter/update details • Step 5: System validates • Step 6: Save changes • Step 7: Confirmation
Description of the Alternative Sequence	• Step 1: The restaurant staff enters invalid or incomplete menu item data • Step 2: The system detects validation errors and displays appropriate error messages • Step 3: The staff corrects the information and resubmits the form
Non-functional requirements	System ensures performance, security, and availability
Postconditions	Menu updated and changes saved successfully

UC16 -Restaurant staff manages customer orders and updates order status

UC Name	UC16 -Restaurant staff manages customer orders and updates order status
Summary	This use case describes how restaurant staff receive, view, and manage customer orders, including updating order status such as accept, reject, preparing, and ready for delivery.
Dependency	Depends on UC15 (Restaurant Staff Manages Menu Items) – menu items must be available before orders can be processed.
Actors	Primary Actor: Restaurant Staff Secondary Actor: System
Preconditions	Restaurant staff must be logged in System must be available There must be active orders
Description of the Main Sequence	• Step 1: Access order section • Step 2: View orders • Step 3: Select order • Step 4: Review details • Step 5: Accept or reject • Step 6: Update to preparing • Step 7: Update to ready • Step 8: System notifies users
Description of the Alternative Sequence	• Step 1: The restaurant staff rejects the order • Step 2: The system updates the order status as “rejected” • Step 3: The system notifies the customer about the rejection
Non-functional requirements	System ensures real-time updates, performance, and reliability
Postconditions	Order status updated and visible to users

UC17-Restaurant staff monitors and analyzes restaurant performance

UC Name	UC17-Restaurant staff monitors and analyzes restaurant performance
Summary	This use case describes how restaurant staff monitor and analyze restaurant performance through reports, statistics, and key metrics.
Dependency	Depends on UC16 (Restaurant Staff Manages Customer Orders) – performance data is generated from processed orders.
Actors	Primary Actor: Restaurant Staff Secondary Actor: System
Preconditions	Restaurant staff must be logged in System must have order and sales data
Description of the Main Sequence	• Step 1: Navigate to analytics section • Step 2: View performance data • Step 3: Apply filters • Step 4: System updates results • Step 5: Analyze metrics
Description of the Alternative Sequence	• Step 1: The restaurant staff selects filters or parameters that return no results • Step 2: The system displays a message indicating that no data matches the selected criteria • Step 3: The staff adjusts the filters and retries the request
Non-functional requirements	System ensures accurate data, performance, and availability
Postconditions	Performance data displayed and insights gained

UC18-Restaurant staff manages temporary service interruptions

UC Name	UC18-Restaurant staff manages temporary service interruptions
Summary	This use case describes how restaurant staff manage temporary service interruptions such as setting the restaurant status to busy or closed.
Dependency	Depends on UC14 (Restaurant Staff Manages Account and Profile) – the restaurant staff must be logged in before updating service status.
Actors	Primary Actor: Restaurant Staff Secondary Actor: System
Preconditions	Restaurant staff must be logged in System must be available
Description of the Main Sequence	• Step 1: Navigate to status settings • Step 2: View current status • Step 3: Select new status (busy/closed/available) • Step 4: Confirm selection • Step 5: System updates status • Step 6: Status visible to customers
Description of the Alternative Sequence	• Step 1: The restaurant staff selects a service status that is already active • Step 2: The system notifies that no changes are required • Step 3: The staff cancels or selects a different status
Non-functional requirements	System ensures real-time updates, reliability, and availability
Postconditions	Restaurant status updated and visible to customers

UC19-Restaurant staff views sales analytics

UC Name	UC19-Restaurant staff views sales analytics
Summary	This use case describes how restaurant staff view sales analytics such as daily, weekly, and monthly reports.
Dependency	Depends on UC16 (Restaurant Staff Manages Customer Orders) – sales data is generated from completed orders.
Actors	Primary Actor: Restaurant Staff Secondary Actor: System
Preconditions	Restaurant staff must be logged in System must have sales data available
Description of the Main Sequence	• Step 1: Navigate to analytics section • Step 2: Select time period (daily/weekly/monthly) • Step 3: System displays sales data • Step 4: Apply filters if needed • Step 5: Review analytics
Description of the Alternative Sequence	• Step 1: The restaurant staff selects a time period with no recorded sales data • Step 2: The system displays a message indicating that no data is available • Step 3: The staff selects a different time period
Non-functional requirements	System ensures accurate data, fast performance, and availability
Postconditions	Sales analytics displayed successfully

UC20 – Delivery Driver Manages Account

Author-Erjus Allka

UC Name	UC20 – Delivery Driver Manages Account
Summary	<i>The delivery driver manages their account, including login and profile updates.</i>
Dependency	<i>None.</i>
Actors	<i>Primary actor: Delivery Driver. Secondary actor: Authentication System.</i>
Preconditions	<i>The delivery driver must have a registered account in the system.</i>
Description of the Main Sequence	• <i>Step 1: The delivery driver navigates to the login page.</i> • <i>Step 2: The driver enters their credentials (username and password).</i> • <i>Step 3: The system validates the credentials.</i> • <i>Step 4: The driver is authenticated and redirected to the dashboard.</i> • <i>Step 5: The driver navigates to the profile section.</i> • <i>Step 6: The driver updates profile information (e.g., name, phone, vehicledetails).</i> • <i>Step 7: The driver saves the changes.</i> • <i>Step 8: The system confirms that the profile has been updated successfully.</i>
Description of the Alternative Sequence	• <i>Step 1: The driver enters incorrect credentials.</i> • <i>Step 2: The system displays an error message indicating invalid login.</i> • <i>Step 3: The driver is prompted to retry or use the password recovery option.</i> • <i>Step 4: The driver resets their password via email verification.</i> • <i>Step 5: The driver logs in successfully with the new password.</i>
Non functional requirements	<i>The login process must complete within 2 seconds. All data transmissions must be encrypted using HTTPS. The system must lock the account after 5 consecutive failed login attempts.</i>
Postconditions	<i>The delivery driver is authenticated and their profile information is up to date in the system.</i>

UC21 – Delivery Driver Manages Delivery Requests

UC Name	<i>UC21 – Delivery Driver Manages Delivery Requests</i>
Summary	<i>The delivery driver views, accepts, rejects, and views details of delivery requests assigned to them.</i>
Dependency	<i>Depends on UC20 (Delivery Driver Manages Account) – the driver must be logged in.</i>
Actors	<i>Primary actor: Delivery Driver. Secondary actor: Order Management System.</i>
Preconditions	<i>The delivery driver is authenticated and logged into the system. There is at least one pending delivery request available.</i>
Description of the Main Sequence	• <i>Step 1: The delivery driver opens the delivery requests section.</i> • <i>Step 2: The system displays a list of available/pending delivery requests.</i> • <i>Step 3: The driver selects a delivery request to view its details.</i> • <i>Step 4: The system shows full details: pickup location, destination, ordercontents, and estimated time.</i> • <i>Step 5: The driver accepts the delivery request.</i> • <i>Step 6: The system assigns the delivery to the driver and updates the orderstatus.</i> • <i>Step 7: The driver receives confirmation and navigation instructions.</i>
Description of the Alternative Sequence	• <i>Step 1: The driver reviews the delivery request details.</i> • <i>Step 2: The driver decides to reject the delivery request.</i> • <i>Step 3: The system prompts the driver to provide a reason for rejection.</i> • <i>Step 4: The driver submits the rejection reason.</i> • <i>Step 5: The system releases the request and makes it available for otherdrivers.</i>
Non functional requirements	<i>The delivery request list must refresh in real time or within 5 seconds. The system must notify the driver of new requests via push notifications. All request data must be accurately reflected across all system components.</i>
Postconditions	<i>The delivery request is either accepted and assigned to the driver, or rejected and made available for reassignment.</i>

UC22 – Delivery Driver Completes Deliveries

UC Name	UC22 – Delivery Driver Completes Deliveries
Summary	<i>The delivery driver navigates to the pickup location, collects the order, delivers it to the customer, and confirms delivery status.</i>
Dependency	<i>Depends on UC21 (Delivery Driver Manages Delivery Requests) – the driver must have an accepted delivery.</i>
Actors	<i>Primary actor: Delivery Driver. Secondary actors: Navigation System, Customer, Order Management System.</i>
Preconditions	<i>The delivery driver has accepted a delivery request. The order is ready for pickup at the restaurant/vendor.</i>
Description of the Main Sequence	• <i>Step 1: The driver receives navigation instructions to the pickup location.</i> • <i>Step 2: The driver travels to and arrives at the pickup location.</i> • <i>Step 3: The driver picks up the order and verifies it against the order details.</i> • <i>Step 4: The system updates the order status to 'Picked Up'.</i> • <i>Step 5: The driver receives navigation instructions to the customer's delivery address.</i> • <i>Step 6: The driver travels to and arrives at the delivery address.</i> • <i>Step 7: The driver delivers the order to the customer.</i> • <i>Step 8: The driver confirms delivery completion in the app.</i> • <i>Step 9: The system updates the order status to 'Delivered' and notifies the customer.</i>
Description of the Alternative Sequence	• <i>Step 1: The driver arrives at the delivery address but cannot reach the customer.</i> • <i>Step 2: The driver attempts to contact the customer through the app.</i> • <i>Step 3: If no response, the driver reports the issue (see UC24).</i> • <i>Step 4: The system records the failed delivery attempt and escalates to support.</i> • <i>Step 5: The system notifies the customer and provides rescheduling options.</i>

Non functional requirements	<i>Navigation must provide real-time traffic updates. Order status updates must be reflected within 3 seconds. The system must support offline mode for areas with poor connectivity.</i>
Postconditions	<i>The order is delivered and confirmed. The order status is updated to 'Delivered' in the system and the customer is notified.</i>

UC23 – Delivery Driver Monitors Personal Performance

UC Name	<i>UC23 – Delivery Driver Monitors Personal Performance</i>
Summary	<i>The delivery driver views their personal performance metrics and delivery outcomes to track progress and improvement.</i>
Dependency	<i>Depends on UC20 (Delivery Driver Manages Account) – the driver must be logged in.</i>
Actors	<i>Primary actor: Delivery Driver. Secondary actor: Analytics/Reporting System.</i>
Preconditions	<i>The delivery driver is authenticated and has completed at least one delivery.</i>
Description of the Main Sequence	• <i>Step 1: The delivery driver navigates to the performance dashboard.</i> • <i>Step 2: The system retrieves and displays the driver's performance data.</i> • <i>Step 3: The driver views key metrics such as total deliveries, on-time delivery rate, customer ratings, and earnings.</i> • <i>Step 4: The driver selects a specific time period to filter performance data.</i> • <i>Step 5: The system updates the dashboard to reflect the selected period.</i> • <i>Step 6: The driver reviews individual delivery outcomes and customer feedback.</i> • <i>Step 7: The driver uses the insights to identify areas for improvement.</i>

Description of the Alternative Sequence	• Step 1: The driver accesses the performance section but no data is available yet. • Step 2: The system displays a message indicating no completed deliveries in the selected period. • Step 3: The driver adjusts the time period filter to a broader range. • Step 4: The system retrieves and displays available historical data.
Non functional requirements	Performance data must be updated after each completed delivery. The dashboard must load within 3 seconds. Data must be accurate and consistent with the overall order management records.
Postconditions	The delivery driver has reviewed their personal performance metrics and delivery outcomes for the selected period.

UC24 – Delivery Driver Reports Issues During Delivery

UC Name	UC24 – Delivery Driver Reports Issues During Delivery
Summary	The delivery driver reports issues encountered during a delivery, such as an incorrect address or an unavailable customer.
Dependency	Depends on UC22 (Delivery Driver Completes Deliveries) – a delivery must be in progress.
Actors	Primary actor: Delivery Driver. Secondary actors: Customer Support System, Customer, Order Management System.
Preconditions	The delivery driver is authenticated and has an active delivery in progress. An issue has been encountered that prevents normal delivery completion.

Description of the Main Sequence	• Step 1: During an active delivery, the driver encounters a problem (e.g., incorrect address, unavailable customer). • Step 2: The driver navigates to the 'Report Issue' section within the active delivery screen. • Step 3: The system displays a list of predefined issue types for the driver to select from. • Step 4: The driver selects the appropriate issue type. • Step 5: The driver optionally adds additional notes or photos to describe the issue. • Step 6: The driver submits the issue report. • Step 7: The system logs the issue and notifies the customer support team. • Step 8: The system attempts to notify the customer about the reported issue. • Step 9: The system provides the driver with further instructions (e.g., wait, return order, contact support).
Description of the Alternative Sequence	• Step 1: The driver submits the issue report but loses internet connectivity. • Step 2: The system queues the report locally on the device. • Step 3: Once connectivity is restored, the system automatically submits the queued report. • Step 4: The system confirms the report has been successfully submitted. • Step 5: The driver receives the updated instructions from support.
Non functional requirements	Issue reports must be submitted within 5 seconds under normal connectivity. The system must support offline queuing for poor connectivity scenarios. All reports must be logged with timestamps and driver ID for audit purposes. The customer and support team must be notified within 1 minute of report submission.
Postconditions	The issue has been reported and logged in the system. The customer and support team have been notified. The driver has received instructions on how to proceed with the delivery.

UC-25 – Administrator Manages Account and Profile

Author-Imerr Meraj

UC Name	UC-25 – Administrator Manages Account and Profile
Summary	This use case describes how the administrator accesses and manages their own account within the platform, including secure login, profile information maintenance, and the updating of personal account data required for the correct administration of the system.
Dependency	This use case depends on the availability of the authentication mechanism and the administrator account already being registered within the platform.
Actors	Primary Actor: Administrator Secondary Actor: Authentication and User Management Module
Preconditions	The administrator account must already exist in the system, the platform must be operational, and the administrator must have valid credentials that are recognized by the authentication service.
Description of the Main Sequence	Step 1: The administrator opens the system and navigates to the login page in order to access the administration functions. Step 2: The administrator enters the username, password, and any other required authentication information. Step 3: The system validates the submitted credentials against the stored account records and security rules. Step 4: After successful authentication, the system grants access to the administrator dashboard and displays the administrator profile information. Step 5: The administrator opens the account or profile management section and reviews the existing personal data. Step 6: The administrator updates the necessary information, such as name, contact details, password, or profile preferences. Step 7: The system validates the entered information, checks that the new data follows the required format and security policies, and then saves the changes. Step 8: The system displays a confirmation message indicating that the administrator account or profile has been updated successfully.
Description of the Alternative Sequence	Step 1: If the administrator enters incorrect login credentials, the system rejects the login request and displays an error message explaining that authentication has failed. Step 2: If the administrator enters invalid or incomplete profile information during the update process, the system highlights the incorrect fields and requests correction before saving.

	Step 3: If a technical issue occurs while saving the profile data, the system informs the administrator that the update could not be completed and keeps the previous valid information unchanged.
Non functional requirements	The login and profile management process must be secure, must protect account information from unauthorized access, and should respond within an acceptable time so that the administrator can work efficiently without unnecessary delay.
Postconditions	The administrator is successfully authenticated in the system, and any approved changes to the administrator profile are stored correctly and become available for future use.

UC-26 – Administrator Manages User Accounts

UC Name	UC-26 – Administrator Manages User Accounts
Summary	This use case explains how the administrator manages the accounts of the main platform users, including customers, restaurants, and delivery drivers, in order to maintain account accuracy, control user access, and support the proper functioning of the platform.
Dependency	This use case depends on UC-25 because the administrator must first log into the system and access the administrative panel before user account operations can be performed.
Actors	Primary Actor: Administrator Secondary Actor: User Account Database
Preconditions	The administrator must be successfully logged into the system, must have permission to access account management tools, and the user records must already exist in the platform database.
Description of the Main Sequence	Step 1: The administrator opens the user management section from the administration dashboard. Step 2: The system retrieves and displays the list of registered customers, restaurants, and delivery drivers. Step 3: The administrator searches for, filters, or selects a specific user account that requires review or modification. Step 4: The system displays the detailed information related to the selected account, including profile data, account status, and role information. Step 5: The administrator performs the required action, such as editing account information, activating an account, suspending an account, restricting access, or deleting a record if allowed by business rules. Step 6: The system validates the requested action and checks whether it complies with authorization rules and data integrity constraints.

	Step 7: The system saves the changes to the database and updates the account status accordingly. Step 8: The system confirms that the user account management action has been completed successfully.
Description of the Alternative Sequence	Step 1: If the selected user account cannot be found, the system informs the administrator that no matching record exists. Step 2: If the administrator attempts an action that is not permitted, such as removing a protected account or applying an invalid status change, the system rejects the request and shows an explanatory error. Step 3: If the database is temporarily unavailable or the update process fails, the system displays an error message and preserves the previous valid account state.
Non functional requirements	User account management must ensure strong security, data integrity, reliability of stored information, and fast retrieval of account records so that the administrator can monitor and manage users efficiently.
Postconditions	The selected user account is updated, restricted, activated, suspended, or otherwise managed according to the administrator's approved action, and the new state is stored correctly in the system.

UC-27 – Administrator Monitors System Activity

UC Name	UC-27 – Administrator Monitors System Activity
Summary	This use case describes how the administrator monitors the activity of the platform by reviewing logs, status indicators, and operational events in order to observe system behavior, detect unusual actions, and ensure that the platform is functioning correctly.
Dependency	This use case depends on the system logging and monitoring services being active and on the administrator already having access to the administration dashboard.
Actors	Primary Actor: Administrator Secondary Actor: Logging and Monitoring Module
Preconditions	The administrator must be logged into the system, system activity logs must be generated and stored, and the monitoring dashboard must be available.
Description of the Main Sequence	Step 1: The administrator opens the system monitoring or activity dashboard from the administration interface. Step 2: The system loads recent activity data, including user actions, order events, account changes, operational alerts, and platform status information. Step 3: The administrator reviews the displayed activity and may use filters, search options, or time ranges to focus on specific events.

	Step 4: The system refreshes the displayed information according to the selected filters and shows the matching records. Step 5: The administrator inspects the data to identify abnormal behavior, operational issues, unauthorized actions, or general trends in platform usage. Step 6: If needed, the administrator records observations or moves to another administration function to respond to the discovered issue.
Description of the Alternative Sequence	Step 1: If no relevant activity records are available for the selected criteria, the system displays an empty result set with an informational message. Step 2: If the monitoring data cannot be retrieved because of a service delay or internal problem, the system shows a loading or error notification and may request the administrator to try again later. Step 3: If the logging service is temporarily unavailable, the system warns the administrator that the displayed information may be incomplete.
Non functional requirements	System activity monitoring should provide accurate and up-to-date information, support near real-time visibility where possible, and remain highly available so that the administrator can supervise the platform without interruption.
Postconditions	The administrator obtains a clear view of recent or selected system activity and can use that information to support operational control, security checks, and decision-making.

UC-28 – Administrator Manages Orders in the System

UC Name	UC-28 – Administrator Manages Orders in the System
Summary	This use case describes how the administrator supervises and manages customer orders within the platform in order to review order information, resolve exceptional situations, update order states when necessary, and support the correct execution of the ordering workflow.
Dependency	This use case depends on the order processing subsystem and requires that customer orders have already been created and stored in the platform.
Actors	Primary Actor: Administrator Secondary Actor: Order Management Module
Preconditions	The administrator must be authenticated, the order management interface must be available, and at least one order record must exist in the system.
Description of the Main Sequence	Step 1: The administrator opens the order management section from the administration dashboard. Step 2: The system retrieves and displays the list of orders together with key information such as order number, customer, restaurant, payment state, and delivery status. Step 3: The administrator searches for, filters, or selects a specific order that needs to be reviewed or managed. Step 4: The system displays the detailed order information, including ordered items, timestamps, payment details, assigned driver information, and the current workflow status. Step 5: The administrator performs the required management action, such as reviewing the order, correcting a status issue, resolving a processing problem, or updating order information where permitted. Step 6: The system validates the requested modification and checks that the new order state is consistent with the business rules of the platform. Step 7: The system stores the updated order information and refreshes the displayed order status. Step 8: The system confirms that the order has been managed successfully and records the action for audit purposes.
Description of the Alternative Sequence	Step 1: If the selected order cannot be found, the system informs the administrator that the requested order does not exist. Step 2: If the administrator attempts to apply an invalid update, the system rejects the modification and explains that the requested state change is not allowed. Step 3: If a technical failure occurs during saving or retrieval, the system notifies the administrator and preserves the previously stored order information until the issue is resolved.
Non functional requirements	Order management must be reliable, must preserve data consistency across all related system modules, and should provide fast access to order details so that issues can be handled without delaying the operation of the platform.
Postconditions	The selected order is reviewed and, if a valid action was applied, its information or status is updated correctly and recorded in the system.

UC-29 – Administrator Handles Complaints and Support Requests

UC Name	UC-29 – Administrator Handles Complaints and Support Requests
Summary	This use case explains how the administrator reviews and manages complaints, reports, and support requests submitted by platform users in order to resolve problems, improve service quality, and maintain trust between the platform and its users.
Dependency	This use case depends on the complaint or support request submission mechanism and on the administrator already having access to the support management tools.
Actors	Primary Actor: Administrator Secondary Actor: Complaint and Support Management Module
Preconditions	The administrator must be logged into the system, complaint or support records must already exist, and the support management interface must be active.
Description of the Main Sequence	Step 1: The administrator opens the complaints and support requests section from the administrative dashboard. Step 2: The system retrieves and displays the submitted complaints and support requests, together with identifying details such as request type, submitter, date, and current handling status. Step 3: The administrator selects a specific complaint or request for detailed review. Step 4: The system displays the complete information related to the selected case, including the description of the issue, any attached evidence, and the relevant order or user references. Step 5: The administrator evaluates the issue and performs the appropriate action, such as responding, resolving the complaint, escalating it, or marking it for further follow-up. Step 6: The system records the handling action, updates the status of the case, and stores any notes or outcome entered by the administrator. Step 7: The system confirms that the complaint or support request has been processed successfully.
Description of the Alternative Sequence	Step 1: If there are no complaints or support requests available, the system displays an empty list with an informational message. Step 2: If the selected complaint record is invalid or incomplete, the system informs the administrator that the request cannot be processed normally. Step 3: If the system fails while saving the updated complaint status, the administrator is informed and the previous state remains active until the action can be completed successfully.
Non functional requirements	Complaint handling should support reliable data storage, secure access to sensitive user information, and reasonably fast response times so that support operations remain effective and traceable.
Postconditions	The selected complaint or support request is reviewed and its handling status is updated, resolved, escalated, or otherwise recorded according to the administrator's action.

UC-30 – Administrator Manages Platform Settings

UC Name	UC-30 – Administrator Manages Platform Settings
Summary	This use case describes how the administrator configures and maintains system-wide settings, rules, and platform preferences in order to control the operational behavior of the application and support administrative customization.
Dependency	This use case does not depend on another specific use case, but it requires authenticated administrative access and the existence of configurable system settings.
Actors	Primary Actor: Administrator Secondary Actor: Configuration Management Module
Preconditions	The administrator must be logged in, must have the required privileges to access system configuration options, and the settings module must be available.
Description of the Main Sequence	Step 1: The administrator opens the platform settings section from the administration dashboard. Step 2: The system displays the available categories of settings, such as operational options, business rules, notification preferences, security parameters, or other configurable platform values. Step 3: The administrator selects a setting or group of settings that need to be reviewed or changed. Step 4: The system displays the current values and allows the administrator to enter new values or modify the existing configuration. Step 5: The administrator saves the updated settings. Step 6: The system validates the new configuration, checks that all values are within the allowed rules, and then applies the approved changes. Step 7: The system stores the updated settings and confirms that the platform configuration has been changed successfully.
Description of the Alternative Sequence	Step 1: If the administrator enters invalid configuration data, the system rejects the changes and highlights the incorrect values. Step 2: If a setting cannot be modified because of dependency restrictions or system rules, the system informs the administrator that the requested change is not allowed. Step 3: If a failure occurs while applying the new configuration, the system restores the previous valid settings to prevent inconsistent platform behavior.
Non functional requirements	Platform settings management must be secure, must preserve configuration consistency, and should avoid unnecessary downtime or instability when new settings are applied.
Postconditions	The platform settings are updated successfully when the submitted configuration is valid, and the new values become the active configuration used by the system.

UC-31 – Administrator Generates System Reports

UC Name	UC-31 – Administrator Generates System Reports
Summary	This use case describes how the administrator generates reports from platform data in order to review operational performance, observe usage patterns, support monitoring activities, and assist decision-making based on system information.
Dependency	This use case depends on the existence of stored operational data, activity records, and reporting functionality within the administrative subsystem.
Actors	Primary Actor: Administrator Secondary Actor: Reporting and Data Processing Module
Preconditions	The administrator must be logged into the system, the reporting module must be available, and the data required for report generation must exist in the platform database.
Description of the Main Sequence	Step 1: The administrator opens the reporting section from the administrative dashboard. Step 2: The system displays the available report types, such as activity reports, order reports, user-related summaries, or other analytical outputs supported by the platform. Step 3: The administrator selects the desired report type and may define filters such as date range, user category, order status, or other relevant criteria. Step 4: The system retrieves the necessary data from the database and processes the selected information according to the defined parameters. Step 5: The system generates the report and displays the result in a readable form. Step 6: The administrator reviews the generated report and may export, save, or download it if the platform supports those options. Step 7: The system records that a report has been generated for auditing and administrative tracking purposes.
Description of the Alternative Sequence	Step 1: If there is not enough data to generate the requested report, the system informs the administrator that the report content is unavailable or incomplete. Step 2: If invalid filter criteria are entered, the system asks the administrator to correct the selected parameters. Step 3: If the report generation process fails because of a technical problem, the system displays an error message and allows the administrator to try again later.
Non functional requirements	Report generation should provide accurate and reliable output, should process data efficiently, and should respond within a reasonable time even when larger datasets are involved.
Postconditions	A system report is generated successfully when valid data and criteria are provided, and the administrator can view or use the result for monitoring and decision-making.

UC-32 - Manage Account Approvals and Restrictions

Author-Aurelio Hysenaj

UC Name	UC-32 - Manage Account Approvals and Restrictions
Summary	The Administrator oversees the validation of new restaurant registrations and exercises the authority to suspend or ban user accounts that violate platform policies.
Dependency	UC-26
Actors	Primary: Administrator
Preconditions	A new restaurant has submitted registration documents or a user account has been flagged for policy violations.
Description of the Main Sequence	Step 1: The Administrator reviews the legal documentation and hygiene certificates submitted by a prospective restaurant partner. Step 2: The system provides an interface to either "Approve" the account for immediate activation or "Reject" it with feedback. Step 3: For existing users, the Administrator monitors behavioral logs to identify fraudulent or harmful activities. Step 4: The Administrator applies restrictions, such as temporary suspension or a permanent ban, to maintain system integrity. Step 5: The system updates the account status in the database and sends a formal notification to the affected party.
Description of the Alternative Sequence	Step 1: Insufficient documentation → Administrator requests further proof before making a decision. Step 2: Appeal submitted → Administrator reviews the user's appeal to potentially lift a suspension.
Non functional requirements	Accountability, high security, and detailed logging of all administrative actions.
Postconditions	The account status is officially updated, ensuring only verified and compliant users access the platform.

UC-33-Finance Manager Account Management

UC Name	UC-33-Finance Manager Account Management
Summary	The Finance Manager registers and maintains their administrative profile to access financial tools and transaction oversight.
Dependency	None
Actors	Primary: Finance Manager
Preconditions	The system infrastructure is active and the user has administrative-level credentials.
Description of the Main Sequence	Step 1: The Finance Manager accesses the platform's administrative login page. Step 2: The system performs multi-factor authentication to ensure secure access to financial data. Step 3: The manager navigates to their profile settings to update contact information or security credentials. Step 4: The manager reviews their permissions and access levels within the financial module. Step 5: The system validates and stores the updated profile information in the encrypted database.
Description of the Alternative Sequence	Step 1: Invalid credentials → System denies access and logs a failed attempt. Step 2: Profile update failure → System displays a database timeout error.
Non functional requirements	Data encryption, high security, and authorization based on role
Postconditions	The manager is authenticated and their profile data is current

UC-34 - Manage Billing, Payouts, and Refunds

UC Name	UC-34 - Manage Billing, Payouts, and Refunds
Summary	The Finance Manager oversees all monetary movements, ensuring restaurants receive payouts and customers receive refunds for cancelled orders.
Dependency	UC-33
Actors	Primary: Finance Manager; Secondary: Payment System
Preconditions	Financial transactions have been logged in the system and are ready for reconciliation.
Description of the Main Sequence	Step 1: The Finance Manager monitors the real-time stream of customer payments and order values. Step 2: The manager initiates the payout process to restaurant accounts based on agreed schedules. Step 3: The system communicates with the external Payment System to verify bank details and transfer funds. Step 4: The manager reviews and approves customer refund requests arising from delivery issues. Step 5: The system generates confirmation receipts for all processed payouts and refunds.
Description of the Alternative Sequence	Step 1: Payment system rejection → Manager investigates bank account errors. Step 2: Transaction discrepancy → Manager performs manual verification of payment records.
Non functional requirements	Transactional accuracy, secure external communication, and reliability.
Postconditions	Funds are transferred correctly and financial records are balanced.

UC-35 - Generate Financial Reports and Forecasting

UC Name	UC-35 - Generate Financial Reports and Forecasting
Summary	The Finance Manager creates detailed reports on revenue, commissions, and taxes to predict future financial growth and platform performance
Dependency	UC-33
Actors	Primary: Finance Manager
Preconditions	Historical transaction and order data must be present in the system storage.
Description of the Main Sequence	Step 1: The Finance Manager selects the specific period and metrics for the report. Step 2: The system aggregates raw financial data from the database and performs calculations. Step 3: The manager applies forecasting models to estimate future revenue trends based on the gathered data. Step 4: The system visualizes the data through charts and exported document formats. Step 5: The manager saves the finalized report for executive review and long-term auditing.
Description of the Alternative Sequence	Step 1: Data unavailability → System informs the user that historical logs are being archived. Step 2: Invalid parameters → Manager is prompted to select a valid date range.
Non functional requirements	Performance during data aggregation and accuracy of financial algorithms.
Postconditions	A comprehensive financial report is generated and archived.

UC-36 - Manage Financial Operations

UC Name	UC-36 - Manage Financial Operations
Summary	The Finance Manager maintains external integrations and sets financial rules for commissions and tax calculations on the platform.
Dependency	UC-33
Actors	Primary: Finance Manager; Secondary: Payment System
Preconditions	The manager has authorization to modify system-wide financial settings.
Description of the Main Sequence	Step 1: The Finance Manager enters the "Financial Settings" dashboard. Step 2: The manager defines or updates the commission percentages charged to restaurant partners. Step 3: The manager configures tax rates and ensures they are applied correctly at the customer checkout.
	Step 4: The manager tests the connection with the external Payment System to ensure API functionality. Step 5: The system saves the new configuration and applies it to all future transactions.
Description of the Alternative Sequence	Step 1: API connection failure → Manager alerts IT Support for technical maintenance. Step 2: Invalid configuration → System prevents saving to avoid transaction errors.
Non functional requirements	System maintainability and high compatibility with external APIs.
Postconditions	Financial rules and external payment integrations are updated and active.

UC -37 - Customer Support Account Management

UC Name	UC -37 - Customer Support Account Management
Summary	Customer Support personnel manage their platform identity and credentials to maintain readiness for assisting users.
Dependency	None
Actors	Primary: Customer Support
Preconditions	The support agent is an authorized employee with access to the support CRM.
Description of the Main Sequence	Step 1: The Support Agent logs into the support portal using their secure employee ID. Step 2: The system provides an overview of the agent's recent activity and assigned shifts. Step 3: The agent updates their availability status (e.g., Online, Away) to receive incoming inquiries. Step 4: The agent updates their profile details or notification preferences within the system. Step 5: The system confirms the changes and logs the login duration for performance monitoring.
Description of the Alternative Sequence	Step 1: Expired password → System redirects the agent to a secure password reset flow. Step 2: Unauthorized access attempt → System locks the portal and notifies the Administrator.
Non functional requirements	High availability and fast interface response time.
Postconditions	The support agent is active and ready to process user support tickets.

UC-38 - Manage User Support Operations

UC Name	UC-38 - Manage User Support Operations
Summary	Customer Support staff resolve issues by communicating with customers, restaurants, and drivers to settle complaints and technical inquiries.
Dependency	UC-37
Actors	Primary: Customer Support; Secondary: Users (Customers/Restaurants/Drivers)
Preconditions	An active inquiry or ticket has been submitted via the system or help desk.
Description of the Main Sequence	Step 1: The Support Agent selects an active ticket from the support queue. Step 2: The agent reviews order details, user history, and the specific issue reported. Step 3: The agent uses internal communication tools to contact restaurants or drivers if the issue relates to a delivery. Step 4: The agent provides a solution to the customer and documents the resolution steps. Step 5: The agent closes the ticket, and the system sends a resolution notification to the user.
Description of the Alternative Sequence	Step 1: Issue requires a refund → The agent escalates the ticket to the Finance Manager. Step 2: Technical bug → The agent flags the issue for the System Administrator.
Non functional requirements	Usability of the support interface and error-handling clarity.
Postconditions	The user inquiry is resolved and the status is documented in the support history.

UC- 39-Manage Marketing Manager Account

Author-Klara Hysenaj

UC Name	UC-39-Manage Marketing Manager Account
Summary	The Marketing Manager performs administrative actions to maintain their professional identity on the platform, including logging in securely and updating their profile credentials to ensure administrative accountability.
Dependency	None
Actors	Primary: Marketing Manager
Preconditions	The Marketing Manager possesses valid system credentia infrastructure is operational.
Description of the Main Sequence	Step 1: The Marketing Manager accesses the administrative portal and enters their unique identification credentials. Step 2: The system verifies the authenticity of the login details against the secure user database. Step 3: Upon successful authentication, the manager navigates to the "Profile Management" section to review current account details. Step 4: The manager modifies specific information, such as contact details or administrative preferences, to keep the profile updated. Step 5: The system validates the new entries and commits the changes to the persistent storage layer.
Description of the Alternative Sequence	Step 1: Invalid credentials entered → system displays authentication error. Step 2: Account locked due to multiple failed attempts → manager must contact IT Support.
Non functional requirements	Secure authentication, high data integrity, and intuitive interface design.
Postconditions	The Marketing Manager's account profile is successfully updated and synchronized across the platform.

UC-40-ManageMarketing Collaboration Requests

UC Name	UC-40-ManageMarketing Collaboration Requests
Summary	The Marketing Manager serves as the primary evaluator for partnership proposals submitted by restaurants seeking increase visibility or promotional support on the platform.
Dependency	UC-39
Actors	Primary: Marketing Manager
Preconditions	A registered restaurant has submitted a formal request for a marketing collaboration or featured status.
Description of the Main Sequence	Step 1: The Marketing Manager accesses the "Collaboration Inbox" to view pending requests from various restaurant partners. Step 2: The manager reviews the restaurant's historical performance, menu quality, and the proposed collaboration. Step 3: The manager performs a feasibility study to determine if the partnership aligns with the platform's current promotional strategy. Step 4: The manager officially approves or rejects the request based on established corporate criteria. Step 5: The system generates an automated notification to inform the restaurant staff of the final decision regarding their proposal.
Description of the Alternative Sequence	Step 1: Missing documentation in request → manager requests additional information from the restaurant. Step 2: Request withdrawn by restaurant → system marks status as "Cancelled".
Non functional requirements	Fast response time for request processing and accurate record-keeping of all decisions.
Postconditions	The collaboration request is transitioned to an "Approved" or "Rejected" state, and the appropriate logs are updated.

UC-41 – Manage Marketing Campaigns

UC Name	UC-41 – Manage Marketing Campaigns
Summary	The Marketing Manager designs, implements, and oversees strategic promotional campaigns aimed at specific customer segments to drive order volume for approved restaurant partners.
Dependency	UC-40
Actors	Primary: Marketing Manager
Preconditions	There are active, approved restaurant partners available for inclusion in a new promotional cycle.
Description of the Main Sequence	Step 1: The Marketing Manager defines the objectives, duration, and target demographic for a new marketing campaign. Step 2: The manager selects the specific restaurants or food categories that will be featured during the campaign period. Step 3: The manger schedules the campaign launch and sets the automated content delivery. Step 4: The system deploys the campaign across the user interface, highlighting the participating partners to the relevant customer segments.
Description of the Alternative Sequence	Step 1: Campaign overlap detected → system warns manager of conflicting schedules Step 2: Restaurant opts out of campaign → manager removes them from the active list.
Non functional requirements	System scalability to handle increased traffic during campaigns and real-time content deployment.
Postconditions	A new marketing campaign is active and visible to the targeted customer base on the platform.

UC-42 – Manage Promotions, Discounts, and Coupon Codes

UC Name	UC-42 – Manage Promotions, Discounts, and Coupon Codes
Summary	The Marketing Manager configures the financial parameters of incentives, such as percentage-based discounts and alphanumeric coupon codes, to encourage user engagement.
Dependency	UC-39
Actors	Primary: Marketing Manager
Preconditions	The manager has the necessary authoration to modify pricing rules and financial incentive structure.
Description of the Main Sequence	Step 1: The manager initiates the creation of a new promotional tool, such as a platform-wide discount or a restaurant-specific coupon. Step 2: The manager sets strict validity parameters, including expiration dates, minimum order values, and usage limits per customer. Step 3: The manager generates unique coupon codes that customers can apply during the checkout process. Step 4: The system integrates these rules into the payment gateway to ensure discounts are calculated correctly during transactions.
Description of the Alternative Sequence	Step 1: Duplicate coupon code detected → system prompts for unique code. Step 2: Financial parameters exceed budget limits → system alerts manager for verification.
Non functional requirements	High data accuracy for financial calculations and secure transmission of discount codes.
Postconditions	Valid promotional codes and discounts are active and ready for customer utilization

UC-43 – Manage Promotional Communication

UC Name	UC-43 – Manage Promotional Communication
Summary	The Marketing Manager utilizes the platform's communication infrastructure to transmit targeted notifications and promotional messages directly to the user base.
Dependency	UC-41,UC-42
Actors	Primary: Marketing Manager; Secondary: Notification System
Preconditions	A marketing campaign or a new set of discounts has been finalized and is ready for public announcement.
Description of the Main Sequence	Step 1: The manager drafts the promotional content, ensuring it is engaging and provides clear information about the offer. Step 2: The manager selects the delivery channels, such as in-app push notifications, SMS, or email alerts. Step 3: The manager triggers the Notification System to broadcast the messages to the selected groups of users. Step 4: The system tracks the delivery status of each notification to ensure successful receipt by the customers.
Description of the Alternative Sequence	Step 1: Notification system failure → system logs error and retries delivery automatically. Step 2: User has opted out of marketing alerts → system excludes them from the broadcast list.
Non functional requirements	Reliability in message delivery and minimal delay between triggering and receipt.
Postconditions	Customers receive the intended promotional messages, leading to increased platform interaction.

UC-44 Analyze and Moniton Campaign Performance

UC Name	UC-44 – Analyze and Moniton Campaign Performance
Summary	The Marketing Manager reviews analytical data and customer engagement metrics to evaluate the effectiveness of marketing efforts and optimize future strategies.
Dependency	UC-41
Actors	Primary: Marketing Manager
Preconditions	A marketing campaign has been active for a sufficient duration to generate measurable data.
Description of the Main Sequence	Step 1: The manager accesses the “Analytics Dashboard” to view real-time data on order volume, click-through rates, and coverision metrics. Step 2: The manager compares the actual performance of the campaign against the predefined key performance indicators. Step 3: The system generates detailed reports visualizing customer engagement trends and the return on investment for specific promotions. Step 4: The manager uses these insights to adjust ongoing campaigns or inform the design of future marketing initiatives.
Description of the Alternative Sequence	Step 1:Data not yet available → system informs manager to check back later. Step 2:Campaign underperforming → manager adjusts parameters or stops the campaign early.
Non functional requirements	Data visualization accuracy and high-speed processing of large analytical datasets.
Postconditions	The manager gains a comprehensive understanding of campaign success, documented through system-generated reports.

UC-45 – Manage Featured Restaurants and Advertisements

UC Name	UC-45 – Manage Featured Restaurants and Advertisements
Summary	The Marketing Manager controls the premium placement of specific restaurants and advertisements within the application's home screen and search results.
Dependency	UC-40
Actors	Primary: Marketing Manager
Preconditions	Specific restaurants have been approved for "Featured" status through a paid partnership or high-performance criteria.
Description of the Main Sequence	Step 1: The manager selects the restaurant profiles that are entitled to premium visibility on the user interface. Step 2: The manager configures the visual assets, such as banners or highlighted icons, that will represent the advertisement. Step 3: The manager sets the priority level for these featured items within the search and filtering algorithms. Step 4: The system updates the front-end display to prioritize these restaurants for the specified duration of the advertisement.
Description of the Alternative Sequence	Step 1: Asset upload failure → manager is prompted to upload a different image format. Step 2: Featured slot already filled → manager must schedule for a different time slot.
Non functional requirements	Compatibility across different devices and browsers and consistent display performance.
Postconditions	The selected restaurants receive prioritized placement, increasing their exposure to potential customers.