


# Cucumber Report

Mar 13, 2025, 10:40:14 AM

| Start : Mar 13, 10:39:58.841 AM | End : Mar 13, 10:40:12.085 AM | Duration : 13.244 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 1<br>FAILED - 0<br>SKIPPED - 0 | PASSED - 2<br>FAILED - 0<br>SKIPPED - 0 | PASSED - 26<br>FAILED - 0<br>SKIPPED - 0 |













| Feature | | Scenario | | | | Step | | | |
|---|---|---|---|---|---|---|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| Search_Functionality_Test_Cases | 13.244 s | 2 | 2 | 0 | 0 | 26 | 26 | 0 | 0 |

| TAG | Scenario | | | | Feature | | | |
|---|---|---|---|---|---|---|---|---|
| Name | T | P | F | S | T | P | F | S |
| @Validate_"Sorting_the_search_results_by_name,_price_or_rating" | 2 | 2 | 0 | 0 | 1 | 1 | 0 | 0 |
| @Tc_36 | 2 | 2 | 0 | 0 | 1 | 1 | 0 | 0 |
| @Search_Functionality | 2 | 2 | 0 | 0 | 1 | 1 | 0 | 0 |




| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Search_Functionality_Test_Cases | 2 | 2 | 0 | 0 | 13.244 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Search_Functionality_Test_Cases | Validate Sorting the search results by name, price or rating | 13 | 13 | 0 | 0 | 10.173 s |
| 2 | | Validate Sorting the search results by name, price or rating | 13 | 13 | 0 | 0 | 3.048 s |

# Search_Functionality_Test_Cases

| PASSED | DURATION - 13.244 s | Scenarios | Steps |
|---|---|---|---|
| / 10:39:58.841 AM // 10:40:12.085 AM / | | Total - 2<br>Pass - 2<br>Fail - 0<br>Skip - 0 | Total - 26<br>Pass - 26<br>Fail - 0<br>Skip - 0 |











## Validate Sorting the search results by name, price or rating





| PASSED | DURATION - 10.173 s |
|---|---|
| / 10:39:58.849 AM // 10:40:09.022 AM / | |
| Search_Functionality_Test_Cases | |
| @Validate_"Sorting_the_search_results_by_name, _price_or_rating" @Tc_36 @Search_Functionality | |











| Steps |
|---|
| Total - 13<br>Pass - 13<br>Fail - 0<br>Skip - 0 |




| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Perform a search using either keyword or category search to generate a results page | PASSED | 0.004 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.529 s |
| | image | | |
| |  | | |
| 2 | When Locate the “Sort By” drop-down menu on the search results page | PASSED | 0.002 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.140 s |
| | image | | |
| |  | | |


| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 3 | Then Verify that the “Sort By” menu is visible | PASSED | 0.001 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.142 s |
| | image | | |
| |  | | |
| 4 | Then Click the drop-down and check for available sorting options Name (A-Z) | PASSED | 0.001 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.144 s |
| | image | | |
| |  | | |
| 5 | And Click the drop-down and check for available sorting options Name (Z-A) | PASSED | 0.000 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.129 s |
| | image | | |
| |  | | |
| 6 | And Click the drop-down and check for available sorting options Price (Low-High) | PASSED | 0.000 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.136 s |
| | image | | |
| |  | | |
| 7 | And Click the drop-down and check for available sorting options Price (High-Low) | PASSED | 0.000 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.131 s |
| | image | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 8 | And Click the drop-down and check for available sorting options Rating (Highest) | PASSED | 0.001 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)<br>image<br>  | PASSED | 0.164 s |
| 9 | And Select a sorting option Price (Low-High) from the drop-down | PASSED | 0.001 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)<br>image<br>  | PASSED | 0.189 s |
| 10 | Then Verify that the search results are updated accordingly | PASSED | 0.002 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)<br>image<br>  | PASSED | 0.192 s |
| 11 | And Confirm that the products are now sorted in ascending order by price | PASSED | 0.003 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)<br>image | PASSED | 0.182 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 12 | And Repeat for other sorting options to ensure each one sorts the results correctly | PASSED | 0.001 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.177 s |
| | image | | |
| |  | | |
| 13 | And Ensure that during and after sorting, each product listing still displays an image, name, and price | PASSED | 0.001 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.174 s |
| | image | | |
| |  | | |

## Validate Sorting the search results by name, price or rating





| | |
|---|---|
| *PASSED* | *DURATION - 3.048 s* |
| */ 10:40:09.037 AM // 10:40:12.085 AM /* | |
| *Search_Functionality_Test_Cases* | |
| @Validate_"Sorting_the_search_results_by_name, _price_or_rating" @Tc_36 @Search_Functionality | |












Steps
Total - 13
Pass - 13
Fail - 0
Skip - 0





| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Perform a search using either keyword or category search to generate a results page | PASSED | 0.001 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.150 s |
| | image | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 2 | When Locate the “Sort By” drop-down menu on the search results page | PASSED | 0.001 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.154 s |
| | image | | |
| |  | | |
| 3 | Then Verify that the “Sort By” menu is visible | PASSED | 0.002 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.137 s |
| | image | | |
| |  | | |
| 4 | Then Click the drop-down and check for available sorting options Name (A-Z) | PASSED | 0.001 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.134 s |
| | image | | |
| |  | | |
| 5 | And Click the drop-down and check for available sorting options Name (Z-A) | PASSED | 0.000 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.130 s |
| | image | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 6 | And Click the drop-down and check for available sorting options Price (Low-High) | PASSED | 0.001 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.142 s |
| | image | | |
| |  | | |
| 7 | And Click the drop-down and check for available sorting options Price (High-Low) | PASSED | 0.001 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.141 s |
| | image | | |
| |  | | |
| 8 | And Click the drop-down and check for available sorting options Rating (Highest) | PASSED | 0.000 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.143 s |
| | image | | |
| |  | | |
| 9 | And Select a sorting option Price (Low-High) from the drop-down | PASSED | 0.000 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.141 s |
| | image | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 10 | Then Verify that the search results are updated accordingly | PASSED | 0.000 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.140 s |
| | image | | |
| |  | | |
| 11 | And Confirm that the products are now sorted in ascending order by price | PASSED | 0.001 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.159 s |
| | image | | |
| |  | | |
| 12 | And Repeat for other sorting options to ensure each one sorts the results correctly | PASSED | 0.001 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.194 s |
| | image | | |
| |  | | |
| 13 | And Ensure that during and after sorting, each product listing still displays an image, name, and price | PASSED | 0.002 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.176 s |
| | image | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |