
Cucumber Report


Mar 13, 2025, 3:18:59 PM

Start : Mar 13, 3:18:45.165 PM	End : Mar 13, 3:18:58.133 PM	Duration : 12.968 s

Features	Scenarios	Steps
PASSED - 1 FAILED - 1 SKIPPED - 0	PASSED - 2 FAILED - 1 SKIPPED - 0	PASSED - 33 FAILED - 0 SKIPPED - 1















Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Search_Functionality_Test_Cases	11.178 s	2	2	0	0	26	26	0	0
Add_To_Cart_Test_Cases	1.773 s	1	0	1	0	8	7	0	1

#	Feature Name	Scenario Name
1	Add_To_Cart_Test_Cases	Validate Adding a product to the cart from the Any page that contains Product View

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Validate_"Sorting_the_search_results_by_name,_price_or_rating"	2	2	0	0	1	1	0	0
@Tc_36	2	2	0	0	1	1	0	0
@Search_Functionality	2	2	0	0	1	1	0	0
@Add_To_Cart	1	0	1	0	1	0	1	0
@Validate_"Adding_a_product_to_the_cart_from_the_Any_page_that_-contains_Product_View"	1	0	1	0	1	0	1	0
@Tc_37	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	Search_Functionality_Test_Cases	2	2	0	0	11.178 s
2	Add_To_Cart_Test_Cases	1	0	1	0	1.773 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Search_Functionality_Test_Cases	Validate Sorting the search results by name, price or rating	13	13	0	0	8.350 s
2		Validate Sorting the search results by name, price or rating	13	13	0	0	2.793 s
3	Add_To_Cart_Test_Cases	Validate Adding a product to the cart from the Any page that contains Product View	8	7	0	1	1.772 s

Search_Functionality_Test_Cases

PASSED	DURATION - 11.178 s
/ 3:18:45.165 PM // 3:18:56.343 PM /	

Scenarios
Total - 2
Pass - 2
Fail - 0
Skip - 0




Steps
Total - 26
Pass - 26
Fail - 0
Skip - 0






Validate Sorting the search results by name, price or rating





PASSED	DURATION - 8.350 s
/ 3:18:45.183 PM // 3:18:53.533 PM /	
Search_Functionality_Test_Cases	
@Validate_"Sorting_the_search_results_by_name, _price_or_rating" @Tc_36 @Search_Functionality	










Steps
Total - 13
Pass - 13
Fail - 0
Skip - 0





#	Step / Hook Details	Status	Duration
1	Given Perform a search using either keyword or category search to generate a results page	PASSED	0.040 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.698 s
	image		
			
2	When Locate the Sort By drop-down menu on the search results page	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	image		
			

#	Step / Hook Details	Status	Duration
3	Then Verify that the Sort By menu is visible	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
	image		
			
4	Then Click the drop-down and check for available sorting options Name (A-Z)	PASSED	0.000 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
	image		
			
5	And Click the drop-down and check for available sorting options Name (Z-A)	PASSED	0.000 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.159 s
	image		
			
6	And Click the drop-down and check for available sorting options Price (Low-High)	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.247 s
	image		
			
7	And Click the drop-down and check for available sorting options Price (High-Low)	PASSED	0.002 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.223 s
	image		





#	Step / Hook Details	Status	Duration
			
8	And Click the drop-down and check for available sorting options Rating (Highest)	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.221 s
	image		
			
9	And Select a sorting option Price (Low-High) from the drop-down	PASSED	0.000 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.188 s
	image		
			
10	Then Verify that the search results are updated accordingly	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.181 s
	image		
			
11	Then Confirm that the products are now sorted in ascending order by price	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	image		





#	Step / Hook Details	Status	Duration
			
12	Then Repeat for other sorting options to ensure each one sorts the results correctly	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.166 s
	image		
			
13	Then Ensure that during and after sorting, each product listing still displays an image, name, and price	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	image		
			



Validate Sorting the search results by name, price or rating


PASSED	*DURATION - 2.793 s*		Steps Total - 13 Pass - 13 Fail - 0 Skip - 0
/ 3:18:53.550 PM // 3:18:56.343 PM /			
Search_Functionality_Test_Cases			
@Validate_"Sorting_the_search_results_by_name, _price_or_rating" @Tc_36 @Search_Functionality			

#	Step / Hook Details	Status	Duration
1	Given Perform a search using either keyword or category search to generate a results page	PASSED	0.034 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
	image		

#	Step / Hook Details	Status	Duration
			
2	When Locate the Sort By drop-down menu on the search results page	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
	image		
			
3	Then Verify that the Sort By menu is visible	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
	image		
			
4	Then Click the drop-down and check for available sorting options Name (A-Z)	PASSED	0.000 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.148 s
	image		
			
5	And Click the drop-down and check for available sorting options Name (Z-A)	PASSED	0.000 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	image		

#	Step / Hook Details	Status	Duration
			
6	And Click the drop-down and check for available sorting options Price (Low-High)	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.148 s
	image		
			
7	And Click the drop-down and check for available sorting options Price (High-Low)	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.148 s
	image		
			
8	And Click the drop-down and check for available sorting options Rating (Highest)	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
	image		
			
9	And Select a sorting option Price (Low-High) from the drop-down	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
	image		


#	Step / Hook Details	Status	Duration
			
10	Then Verify that the search results are updated accordingly	PASSED	0.003 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.199 s
	image		
			
11	Then Confirm that the products are now sorted in ascending order by price	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
	image		
			
12	Then Repeat for other sorting options to ensure each one sorts the results correctly	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.183 s
	image		
			
13	Then Ensure that during and after sorting, each product listing still displays an image, name, and price	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
	image		


#	Step / Hook Details	Status	Duration
			





Add_To_Cart_Test_Cases


FAILED	DURATION - 1.773 s	Scenarios		Steps	
/ 3:18:56.360 PM // 3:18:58.133 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0		Total - 8 Pass - 7 Fail - 0 Skip - 1	

Validate Adding a product to the cart from the Any page that contains Product View

FAILED	DURATION - 1.772 s		Steps	
/ 3:18:56.361 PM // 3:18:58.133 PM /			Total - 8 Pass - 7 Fail - 0 Skip - 1	
Add_To_Cart_Test_Cases				
@Add_To_Cart @Validate_"Adding_a_product_to_the_cart_from_the_-Any_page_that_contains_Product_View" @Tc_37				

#	Step / Hook Details	Status	Duration
1	Given Ensure that that the Add to Cart button is visible and clickable	PASSED	0.032 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
	image 		
2	When Hover over the Add to Cart button	PASSED	0.003 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s

#	Step / Hook Details	Status	Duration
	image		
			
3	Then Check if product is in stock	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.208 s
	image		
			
4	And Check if product is out of stock	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.208 s
	image		
			
5	Then Click Add to Cart for an in-stock product	PASSED	0.002 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.186 s
	image		
			
6	Then Ensure confirmation message style	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.242 s
	image		

#	Step / Hook Details	Status	Duration
			
7	Then Add the product to the cart	PASSED	0.002 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	FAILED	0.051 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=134.0.6998.89) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [20a3f9911e63bebd9235baf99a360a50, deleteAllCookies {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.88 (7e3d5c978c6d..., userDataDir: C:\Users\tnazm\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53410}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53410/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 20a3f9911e63bebd9235baf99a360a50 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions.deleteAllCookies(RemoteWebDriver.java:800) at com.pdl.utilities.Driver.getDriver(Driver.java:49) at com.pdl.hooks.Hooks.takeScreenshot(Hooks.java:107)		
8	And Add another product to the cart	SKIPPED	0.003 s
	AFTER - com.pdl.hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.006 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=134.0.6998.89) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [20a3f9911e63bebd9235baf99a360a50, deleteAllCookies {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:		

#	Step / Hook Details	Status	Duration
	134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.88 (7e3d5c978c6d..., userDataDir: C:\Users\tnazm\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53410}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53410/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 20a3f9911e63bebd9235baf99a360a50 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions.deleteAllCookies(RemoteWebDriver.java:800) at com.pdl.utilities.Driver.getDriver(Driver.java:49) at com.pdl.hooks.Hooks.tearDown(Hooks.java:129)		