

Cucumber Report


Mar 10, 2025, 12:40:02 AM

Start : Mar 10, 12:38:42.384 AM	End : Mar 10, 12:40:01.090 AM	Duration : 1 m 18.706 s

Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 3 SKIPPED - 0	PASSED - 12 FAILED - 3 SKIPPED - 18















Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
product_catalog_Test_cases	1 m 18.706 s	3	0	3	0	33	12	3	18

#	Feature Name	Scenario Name
1	product_catalog_Test_cases	06_Validate Access Browse through product catalog
2		06_Validate Access Browse through product catalog
3		06_Validate Access Browse through product catalog

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Tc_06	3	0	3	0	1	0	1	0
@Validate_Browse_through_product_catalog	3	0	3	0	1	0	1	0
@product_catalog	3	0	3	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	product_catalog_Test_cases	3	0	3	0	1 m 18.706 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	product_catalog_Test_cases	06_Validate Access Browse through product catalog	11	4	1	6	28.714 s
2		06_Validate Access Browse through product catalog	11	4	1	6	24.103 s
3		06_Validate Access Browse through product catalog	11	4	1	6	25.762 s


product_catalog_Test_cases

FAILED	DURATION - 1 m 18.706 s
/ 12:38:42.384 AM // 12:40:01.090 AM /	


Scenarios		Steps	
Total - 3		Total - 33	
Pass - 0		Pass - 12	
Fail - 3		Fail - 3	
Skip - 0		Skip - 18	




06_Validate Access Browse through product catalog


FAILED	DURATION - 28.714 s
/ 12:38:42.397 AM // 12:39:11.111 AM /	
product_catalog_Test_cases	
@Tc_06 @Validate_Browse_through_product_catalog @product_catalog	



Steps		
Total - 11		
Pass - 4		
Fail - 1		
Skip - 6		


#	Step / Hook Details	Status	Duration
1	Given Navigate to the "<website name>" e-commerce website.	PASSED	0.133 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.453 s
	image		
			
2	When The user is on the homepage	PASSED	0.013 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.256 s
	image		

#	Step / Hook Details	Status	Duration
			
3	And The user clicks on the product catalog option in the static top menu	PASSED	0.284 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.245 s
4	And The product catalog displays all available products on the website	PASSED	0.002 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.251 s
5	And Each product includes accurate details such as "iPod Nano", "$122.00", and "Its the small iPod with one very big idea: video. " org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id="column-left"]/div[1]/a[10]"} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [321ab7009effa2ff8dfa0d23b17775b6, findElement {using=xpath, value=//*[@id="column-left"]/div[1]/a[10]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\Users\syfur\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60695}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60695/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 321ab7009effa2ff8dfa0d23b17775b6 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)	FAILED	20.207 s

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at com.pdl.pages.Homepage_Quafox.accurate_product_details_includes(Homepage_Quafox.java:115) at com.pdl.step_definitions.B_ProductCatalog_Steps.each_product_includes_accurate_details_such_as_and(B_ProductCatalog_Steps.java:100) at ?.Each product includes accurate details such as "iPod Nano", "$122.00", and "Its the small iPod with one very big idea: video. "(file:///C:/EAL_iNTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/2_REG_PRODUCT_CATALOG/2_Reg_Product_catalog_Qa1.feature:35) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.266 s
6	And The catalog is organized with appropriate categories	SKIPPED	0.008 s
7	And The user verifies that filters are available and functional	SKIPPED	0.004 s
8	And Clicking on a category displays only the relevant products	SKIPPED	0.004 s
9	And Applying a filter displays only the products matching the selected criteria	SKIPPED	0.004 s
10	And The user navigates back and forth between categories, filters, and search results	SKIPPED	0.003 s
11	Then The navigation should be smooth without errors or glitches	SKIPPED	0.003 s



06_Validate Access Browse through product catalog



FAILED	DURATION - 24.103 s
/ 12:39:11.206 AM // 12:39:35.309 AM /	
product_catalog_Test_cases	
@Tc_06 @Validate_Browse_through_product_catalog @product_catalog	



Steps
Total - 11
Pass - 4
Fail - 1
Skip - 6




#	Step / Hook Details	Status	Duration
1	Given Navigate to the "<website name>" e-commerce website.	PASSED	0.158 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.284 s
	image		
			
2	When The user is on the homepage	PASSED	0.021 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.305 s
	image		
			
3	And The user clicks on the product catalog option in the static top menu	PASSED	0.391 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.338 s
	image		


#	Step / Hook Details	Status	Duration
			
4	And The product catalog displays all available products on the website	PASSED	0.002 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.340 s
5	And Each product includes accurate details such as "MacBook", "$602.00", and "Intel Core 2 Duo processor"	FAILED	20.455 s





org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id="column-left"]/div[1]/a[10]"} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [321ab7009effa2ff8dfa0d23b17775b6, findElement {using=xpath, value=//*[@id="column-left"]/div[1]/a[10]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\Users\syfur\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60695}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60695/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 321ab7009effa2ff8dfa0d23b17775b6

at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at com.pdl.pages.Homepage_Quafox.accurate_product_details_includes(Homepage_Quafox.java:115) at com.pdl.step_definitions.B_ProductCatalog_Steps.each_product_includes_accurate_details_such_as_and(B_ProductCatalog_Steps.java:100) at ?.Each product includes accurate details such as "MacBook", "$602.00", and "Intel Core 2 Duo processor"(file:///C:/EAL_iNTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/2_REG_PRODUCT_CATALOG/2_Reg_Product_catalog_Qa1.feature:35) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.544 s
6	And The catalog is organized with appropriate categories	SKIPPED	0.001 s
7	And The user verifies that filters are available and functional	SKIPPED	0.001 s
8	And Clicking on a category displays only the relevant products	SKIPPED	0.000 s
9	And Applying a filter displays only the products matching the selected criteria	SKIPPED	0.001 s
10	And The user navigates back and forth between categories, filters, and search results	SKIPPED	0.002 s
11	Then The navigation should be smooth without errors or glitches	SKIPPED	0.001 s

06_Validate Access Browse through product catalog

FAILED	*DURATION - 25.762 s*		Steps Total - 11 Pass - 4 Fail - 1 Skip - 6
/ 12:39:35.328 AM // 12:40:01.090 AM /			
product_catalog_Test_cases			
@Tc_06 @Validate_Browse_through_product_catalog @product_catalog			

#	Step / Hook Details	Status	Duration
1	Given Navigate to the "<website name>" e-commerce website.	PASSED	0.108 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.594 s
	image		
			
2	When The user is on the homepage	PASSED	0.018 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.564 s
	image		
			
3	And The user clicks on the product catalog option in the static top menu	PASSED	0.520 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.625 s
	image		
			
4	And The product catalog displays all available products on the website	PASSED	0.002 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.562 s
	image		
			
5	And Each product includes accurate details such as "iPod Nano", "$122.00", and "Video in your pocket."	FAILED	20.311 s

#	Step / Hook Details	Status	Duration
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id="column-left"]/div[1]/a[10]"} (Session info: chrome=133.0.6943.142) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [321ab7009effa2ff8dfa0d23b17775b6, findElement {using=xpath, value=//*[@id="column-left"]/div[1]/a[10]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.142, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\Users\syfur\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60695}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60695/devtoo..., se:cdpVersion: 133.0.6943.142, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 321ab7009effa2ff8dfa0d23b17775b6 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at com.pdl.pages.Homepage_Quafox.accurate_product_details_includes(Homepage_Quafox.java:115) at com.pdl.step_definitions.B_ProductCatalog_Steps.each_product_includes_accurate_details_such_as_and(B_ProductCatalog_Steps.java:100) at ?.Each product includes accurate details such as "iPod Nano", "$122.00", and "Video in your pocket."(file:///C:/EAL_iNTERNSHIP_Repo/PDLConnect_Automation_Testing/src/test/resources/features/2_REG_PRODUCT_CATALOG/2_Reg_Product_catalog_Qa1.feature:35) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.484 s

#	Step / Hook Details	Status	Duration
			
6	And The catalog is organized with appropriate categories	SKIPPED	0.002 s
7	And The user verifies that filters are available and functional	SKIPPED	0.001 s
8	And Clicking on a category displays only the relevant products	SKIPPED	0.001 s
9	And Applying a filter displays only the products matching the selected criteria	SKIPPED	0.003 s
10	And The user navigates back and forth between categories, filters, and search results	SKIPPED	0.002 s
11	Then The navigation should be smooth without errors or glitches	SKIPPED	0.002 s